# Pro: Centric SMART

# Edge-lit LED IPTV with Integrated Pro: Idiom<sup>®</sup> and b-LAN<sup>TM</sup>

The LX774H is a cost-effective Smart IPTV model series, offering an edge-lit LED display with a slim bezel design. This series supports the Pro:Centric® SMART application platform, as well as Media Share features and integrated Pro:Idiom® technology. The LX774H models also have an embedded b-LAN<sup>TM</sup> module.



### IX774H

- Pro:Centric® SMART Full HD IPTV
- Integrated Pro:Idiom® DRM Technology
- webOS & Media Share Features
- · Commercial Swivel Stand

#### screen size

43" (42.6" diagonal), 49" (48.7" diagonal), 55" (54.6" diagonal)

### **Key Features**

## Pro: Centric SMART

The LX774H is the latest in the line of Pro:Centric TVs that provide a unique and dedicated hotel applications hosting platform for LG's system integrators' interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and quests' needs.

LG Pro:Centric SMART offers extended customizable tools: HTML5, Java and Flash. Using these tools, partners can optimize the TVs by editing and developing their own enhanced service design to increase the visual impact on quests.

## Pro:Idiom®

#### GLOBAL LEADING DIGITAL RIGHTS MANAGEMENT (DRM) SOLUTION

 $\label{thm:pro:discrete} Pro: I discrete an access to premium content to help ensure rapid and broad deployment of HDTV and other high value digital content.$ 

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is intended to lower costs and reduce maintenance. This leading DRM system is embraced for its security solution, prevents illegal copying of copyrighted content.

## **Media Share Features**

### **Smart Share**

LG Smart Share® allows guests to use the TV to access video, image, and music shared by devices connected to the same Access Point as the TV.



#### **Screen Share**

Screen Share enables screen sharing with a Miracast® or Wireless Display (WiDi) capable device (e.g., a laptop with Intel® hardware).



#### Bluetooth Sound Sync (Bluetooth 3.0)

Bluetooth Sound Sync allows guests to listen to audio from a Bluetooth-enabled mobile device through the TV's speakers.

\* Support devices for Bluetooth Sound Sync : Android (above v4.4 KitKat) / iOS based Mobile Device



#### SoftAP

SoftAP enables the TV to function as a 2.4 GHz wireless access point for up to five devices.



#### DIAL

DIAL (Discovery and Launch) allows guests to play selected application media on the TV from a device with DIAL capability. The device may be used to cast any application for which a TV-compatible application has been created/selected.



#### **Pre-loaded Apps**

Guests can be served with bandwidth-worry-free pre-loaded applications, including Accuweather, Crackle, HULU, Web Browser, and YouTube (other applications may be added in the future, subject to licensing terms.).





# Edge-lit LED IPTV with Integrated Pro:Idiom® and b-LAN™

## **Pro:Centric Application**

Personalize the television experience with the Pro:Centric Application (PCA), which provides guests' access to a variety of additional features, such as an interactive Electronic Program Guide (EPG), weather forecast and radar map, and customized electronic billboards for information on hotel amenities, all conveniently presented through the on-screen menus.



Welcome Page

Language Selection





Custom Billboards

**EPG Option** 

## Free Interactive EPG Service for **Pro:Centric TVs**

#### **PLAN HIGHLIGHTS**

If your property has purchased or plans to purchase LG's Pro:Centric TVs, you may qualify for a free EPG that allows guests to easily navigate TV channels and programs, just like they do at home. Participating properties must purchase and install a Pro:Centric server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-To-Guest (FTG) Channel Map.

Free program guide service runs until December 2017, replacing the previous programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit: www.LG.com/us/commercial/display-discover/epg

#### LG's FTG COST EFFECTIVE SOLUTION

When using LG televisions in FTG hotel installations, the Pro:Centric server (PCS200S) supports remote management of TV settings. With remote management, individual room visits are no longer required for TV configuration updates, including FTG Channel Map and FTG Installer Menu settings updates, thereby saving labor costs.

#### **Hotel Costs For FTG Channel Management**

	3						
	Estimated Labor Costs	MSRP	Total	Savings over room visit			
LG Pro:Centric TV with Pro:Centric Server		\$2,499 (PCS200S)	\$2,499	\$17,501			
Manual Room Updates	\$20(est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000				

MSRP subject to change. Installation not included.

#### PCS200S HEAD END SYSTEM

Remote management functions are supported via the Pro:Centric server.



The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Pro:Centric Application features (Weather, EPG, Billboards, etc.).

#### FMA-LG102

Free-To-Guest Management Appliance (FMA) LG's Free-To-Guest Management Appliance delivers the FTG Channel Map to the guest rooms, via the hotel's RF system.

### **Pro:Centric Direct Ready**

Simply create your own templates and remotely manage TVs on the IP network with Pro:Centric Direct, LG's content management software. Pro:Centric Direct offers a Project Editor, along with customizable widgets and three types of theme templates (Cinematic-type, Grid-type, Bar-type) in order to promote branding and provide useful information for guests. Its interactive features will impress guests by elevating their in-room experience. Plus, for hoteliers, not only does it offer efficient content production and management, it also maximizes advertisement effectiveness, which contributes to improving the hotel brand.





Project Editor

Theme Option (Cinematic)





Theme Option (Grid)

Theme Option (Bar)

## **Others Hospitality Features**



#### Welcome Screen

Have a warm greeting message with a hotel name and its logo on the TV when it is turned on. The welcome screen leaves a favorable impression of the hotel on guests.



#### External Speaker Out

Enhance the entertainment experience by adding an additional speaker. Guests may listen to and control the TV audio from anywhere in the business areas, including restrooms.



#### Instant On

The Instant On feature removes application boot time, so guests are immediately presented with the user interface screen when they turn on the TV.



#### **USB Cloning**


Clone all commercial TVs with astonishing speed and ease. The USB Cloning feature allows you to simply copy and transfer TV settings from a designated Master TV to all Target TVs using a USB memory device.


# Edge-lit LED IPTV with Integrated Pro:Idiom<sup>®</sup> and b-LAN<sup>TM</sup>

## **Dimensions**

43"

38.3" x 24.6" x 12.8" (With Stand : W x H x D)









## 49"

43.5" x 27.6" x 12.8" (With Stand : W x H x D)










## 55"


48.9" x 30.7" x 12.8"







## Jack Panels (Rear/Side)



## **Anti-Theft System**



#### Kensington Lock

• LG Hotel TVs are protected by the reliable Kensington Lock solution.



## Reinforced Metal Stand

- Full metal reinforced stand to improve sturdiness, durability and safety.
- Provides (±20°) swivel out of the box.
- Provides (±20/45/90°) swivel when used with Lock Down plate.



#### Lock Down Plate with Credenza Hole

 Lock the TV firmly to the credenza for added security and help deter theft. (Mounting plate, security bolts, nuts and screws are included.) **Specifications** LX774H

			43	49	55		
	Diagonal Size		42.6"	48.7"	54.6"		
	Type			Edge LED			
	Resolution		1,920 x 1,080 (FHD)				
	Dynamic Contrast Ratio		1,000,000:1				
DISPLAY	Static Contrast Ratio		1,200:1				
	Viewing Angle Degree		178° / 178°				
	Response Time (G to G)		8m/s 9m/s				
	Frame Rate		60Hz				
	Analog		NTSC				
ROADCASTING	Digital		ATSC / VSB / Clear QAM				
SYSTEM	MPEG-2 / MPEG-4 H.264 DECODING						
	Triple XD Engine						
	Real Cinema 24p (3:3 Pull down)						
IDEO	Dynamic Color Enhancer						
	Aspect Ratio		• 6 modes (16:9, Original, 4:3, Vertical Zoom, All-Direction Zoom, Just Scan)				
	Audio Output / Speaker System		10W + 10W / 2.0ch				
	Sound Mode		• 6 modes (Standard, Cinema, Clear Voice III, Sports, Music, Game)				
UDIO	Optical Sound Sync		e				
	Wireless Sound Sync						
	Type			Pro:Centric Smart			
		Hybrid Streaming (IP&RF)	FIO.CEITHIC SITIAL				
	Pro:Centric®	Pro:Centric Application					
		RF	2 Tuner				
		HCAP (SDK)		GEM / Flash / HTML			
		TICH (SDIV)	Smart Share, WiDi, Miracast, Wi-Fi Direct, DIAL, Bluetooth Sound Sync.,				
GENERAL	Smart Features			ic Remote (Optional), Supported Wi-Fi Sta			
EATURES	Management		Remote Diagnostics / EZ-Manager Wizard (for Auto Configuration)				
	Interactivity		HTNG / HDMI-CEC				
	Digital Rights Management		Pro:ldiom				
	RJP Compatibi	lity	•				
	USB Media		Moving Picture Playback (MPEG), Picture (JPEG), Audio Codec (AC3, EAC3, AAC, Mpeg, MP3, PCM)				
	Advanced Setting Option		Auto Off/ Auto Sleep, Smart Energy Saving, Motion Eye Care				
	Anti-theft Sys	tem	Kensington Lock, Credenza/Security Screw Hole, Lock Down Plate, Commercial Grade Stand				
COMMERCIAL FEATURES			Welcome Screen (Splash Screen), FTG Mode, Instant On, IR Out, External Speaker Out, Public Display Mode, USB Cloning, Logical Channel Map, Multi-IR Code				
	Side		HDMI In (2), USB 2.0				
NTERFACE	Rear		RF In, AV In (Sharing with AV In), Component Audio In, Optical Digital Audio Out, HDMI Input, USB 2.0, PC Audio Input				
			(Sharing with Component Audio In), LAN Port (2), RJ45, External Speaker Out, TV Link Configuration, PTC Configuration, MPI				
ACCESSORIES			Power Cable (5.9 ft.), Owner's Manual / Easy Setup Guide				
	Bezel Width (L / R, U, B) : on bezel based		14.9, 12.5, 17.6 (mm)	15.1, 12.7, 17.8 (mm)	15.1, 12.7, 17.8 (mm)		
	Bezel Width (L / R, U, B) : off bezel based		12.6, 10.2, 15.3 (mm)	12.6, 10.2, 15.3 (mm)	12.6, 10.2, 15.3 (mm)		
	Vesa (mm)		200 x 200	300 x 300	300 x 300		
DIMENSIONS	WxHxD / weight (w/o stand)		38.3" x 22.3" x 2.2" / 22.5lbs	43.5" x 25.5" x 2.2" / 31.7lbs	48.9" x 28.5" x 2.2" / 39.0lbs		
	WxHxD / weight (with stand)		38.3" x 24.6" x 12.8" / 30.0lbs	43.5" x 27.6" x 12.8" / 39.2lbs	48.9" x 30.7" x 12.8" / 46.5lbs		
	WxHxD / weight (Carton)		41.3" x 25.8" x 5.6" / 35.1lbs	47.1" x 29.9" x 6.4" / 46.3lbs	52.4" x 32.0" x 6.0" / 55.3lbs		
	Stand		(±20/45/90°) Swivel				
	Voltage, Hz		100 ~ 240V, 50/60Hz				
OWER	Typical (Watts)		56.3	57.4	67.3		
	Stand-by (Watts)			< 0.5			
	Safety		UL				
TANDARD	Environment		FCC				
APPROVAL	Etc.		RoHS, UL, NOM				

**PARTNERS** 











































#### Commercial Grade Stand

The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for model 43LX774H, 49LX774H and 55LX774H are \$15, \$14, and \$17 respectively.

 $\hbox{``Your energy cost depends on your utility rates and use. The estimated cost is based}$ 

on 12 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy/.

FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).





























Download LG Commercial Display Mobile App





Learn more www.LG.com/us/commercial You Tube youtube.com/c/LGECommercialDisplay

All screen images are simulated. Dimension and weights are approximate.
Design, features and specifications subject to change without notice.
© Copyright 2017 LG Electronics Inc. All Rights Reserved. Proc.Centric, the "LG" logo, XD Engine are registered trademarks or trademarks of LG Electronics Inc. Proficiom is a registered trademark of Zenith Electronics LLC. All other trademarks or registered trademarks are the property of their respective owners.

