### Pro:Centric™ LCD Widescreen





The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for models 42LD665H is \$22, 37LD665H is \$19, 32LD665H is \$16 respectively.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy."

<sup>1</sup>FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).

### Dual Tuner High-Definition IPTV-Enabled Applications Platform'

FULL FEATURED Pro:Centric DUAL TUNER LODGING LCD TV
Enables System Integrators to host their IPTV
application on the television
Includes IPTV video decoding
Supports mixed IP and RF tuning - direct IPTV
connection, RF only, and mixed RF/IP

 $\begin{tabular}{l} LG's EXCLUSIVE Pro:Centric APPLICATIONS PLATFORM \end{tabular} \\ Supports Java $^{TM}$ and Adobe $^{0}$ Flash $^{0}$ applications \end{tabular}$ 

b-LAN™ INTEGRATION

IPTV/RF/Pro:Idiom® supports a wide range of Free-To-Guest and Pay-Per-View system provider companies (see sales rep)

SIMPLE NETWORK MANAGEMENT PROTOCOL (SNMP) for remote network management

CALIFORNIA ENERGY COMMISSION (CEC) COMPLIANT

RESTRICTION OF HAZARDOUS SUBSTANCES (ROHS), COMPLIANT

Intelligent Sensor

Dynamic/Static Power Savings

MPEG-4 DECODING

HD CONTENT DECRYPTION WITH INTEGRATED Pro:Idiom

 $\begin{array}{c} \text{USB 2.0 MEDIA HOST} \\ \text{for photos, music, and cloning} \end{array}$ 

NATIVE DISPLAY RESOLUTION 1920 x 1080 (37"/42" class) 1366 x 768 (32" class)

180° DETACHABLE SWIVEL ALL METAL COMMERCIAL GRADE STAND W/BUILT-IN SECURITY PLATE mounting hardware parts included

SPLASH IMAGE/LOGO (Customized Welcome Screen)

REMOTE MANAGEMENT DEVICE COMPATIBILITY
Free-To-Guest Management Appliance (FMA-LG101) - opt
Pro:Centric Server (PCS150R) - opt

AUTO-SENSING REMOTE JACK PACK INTERFACE PIP/Split Screen feature with optional RJP

2 HDMI<sup>TM</sup> INPUTS WITH HDCP

2-YEAR LIMITED WARRANTY parts/labor

<sup>1</sup>May require optional software, hardware, third party subscription service/contract, and customization at an additional cost.

NOTE: Contact your LG Sales represensative on the RJPs that are compatible with these models





### WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LD665H televisions have technologies to reduce power consumption and in return increase **cost savings** per room.

#### **EcoSmart**

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- **CEC Compliant** Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.

## APPLICATION

### **Pro:Centric**

Interactive Guestroom Experience

An industry leading Pay-Per-View (PPV) compatible television to include an embedded applications platform, LG's new LD665H series allows hoteliers to customize the in-room experience. Pro:Centric provides an easy way for the LD665H series to interface with interactive program guides, games and Internet data feeds, as well as applications designed to connect guests to hotel services such as room service menus, spa services and golf course scheduling.

### **Electronic Program Guide**




### Pro:Centric PLATFORM<sup>1</sup>





1 May require optional software, hardware, third party subscription service/contract, and customization at an additional cost.

### Pro:Centric SYSTEM OVERVIEW (example for illustrative purpose only)



# ACCESSORIES

### LG'S FREE-TO-GUEST COST EFFECTIVE SOLUTION

When using LG televisions in For Free-To-Guest hotel installations there are now two options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

- 1. Integrated b-LAN, plus LG's Free-To-Guest Management Appliance (FMA)
- 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

### HOTEL COSTS FOR FREE-TO-GUEST CHANNEL MANAGEMENT

	Estimated Labor Costs	<sup>2</sup> MAP price	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with b-LAN integration plus FMA		\$1,999 (FMA)	\$1,999	\$18,001
LG Pro:Idiom TV with Pro:Centric Server		\$2,500	\$2,500	\$17,500

<sup>&</sup>lt;sup>2</sup> MAP price subject to change.

### FREE-TO-GUEST REMOTE MANAGEMENT DEVICES





Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.

### PCS150R

Billboards...)

HEAD-END SYSTEM



### free-to-guest INTEGRATED b-LAN

### FREE-TO-GUEST TECHNOLOGY

Allows viewing of HD secured Pro:Idiom encrypted content from Pro:Idiom licensed Cable or Satellite providers. Compatible with FMA-LG101 systems. Pay-Per-View ready.



### POWER ON SPLASH IMAGE

#### Welcome Screen

LG's commercial in-room televisions have a Splash Image/Logo (Customized Welcome Screen) feature that allows a property to enhance their brand image. It gives the installer the ability to upload a company logo/image so that a customer can view it on screen right when they turn on the TV. The company logo is easily uploaded by using a USB memory device. The TV has simple uploading instructions using the USB download menu in the installer settings.

### USB CLONING




### Pro:Idiem


### DIGITAL RIGHTS MANAGEMENT SYSTEM

The Pro:Idiom system's high-quality security unlocks access to premium content availability to help assure rapid, broad deployment of HDTV and other high value digital content. Pro:Idiom has been designed specifically for industries that use premium HDTV content from cable, satellite or video on demand (VOD) services and as such, could result in lower costs, and reduced maintenance. This system is one of the leading DRM systems embraced by content providers for both of these key programming sources. By using this embedded approach, security is provided and helps eliminate the possibility of customers tampering with or removing needed components.

### MOUNTING HOLES ON STAND FOR ATTACHMENT TO FURNITURE




# DIMENSIONS



— 8.1″—

#### 32/37/42LD665H



#### SIDE JACK PANEL



42" CLASS (42.0" MEASURED DIAGONALLY)

37" CLASS (37.0" MEASURED DIAGONALLY)

32" CLASS (31.5" MEASURED DIAGONALLY)

PANEL	
LCD Panel Type	42" class, 37" class, 32" class
Display Area	42.0" measured diagonally
Display Alea	37.0" measured diagonally
	31.5" measured diagonally
Dynamic Contrast Ratio	20,000:1
Contrast Ratio	1200:1
Native Display Resolution	1920 x 1080 (37"/42")
	1366 x 768 (32")
Maximum Computer Resolution (RGB)	1360 x 768
Life Span	60,000:1 hours (approx.)
Viewing Angle (HxV)	178°x 178°
Response Time	4ms (max)
VIDEO	
Built-In Tuner	ATSC/NTSC/QAM Tuner
Comb Filter	3D Digital
Color Temperature	Cool, Normal, Warm, User
Aspect Ratio Adjustment	5 Modes
Picture Status Mode	7 Modes (Intelligent Sensor, Vivid, Standard,
	Cinema, Sports, Game, Natural)
EZ Picture Selection Mode	3 Modes (Cool, Medium, Warm)
XD Engine	Yes
Black Stretcher	Yes
XD Color (Active Color Management)	Yes
All Format Converter	1080i/720p/480p/480i~768p
Decoder Formats	MPEG-2/MPEG-4 H.264 (full HD real time
	decoding, AC-3 decoding)
24p Real Cinema	Yes
DTV Signal Strength (digital)	Yes
Video Reset/Intializing	Yes
Just Scan 0% over scan	
HDMI/Component	1080i/1080p/720p (32" 1080i only)
RF DTV	720p
AUDIO	
Audio Power	20W (10W x 2)
Speaker System Details	2 Way 4 Speaker
SRS TruSurround XT <sup>TM</sup>	Yes
Clear Voice	Yes
Invisible Speaker System	Yes
Dolby Digital Decoder	Yes
Bass/Treble/Balance	Yes
EZ SoundRite (Auto Volume Limiter)	Yes
EZ Sound/Sound Selection Mode	5 Modes (Standard, Music, Cinema, Sports, Game) Yes
Mute	
Mono/Stereo/Dual (MTS/SAP)	Yes
INPUTS/OUTPUTS	V
Card Slot	Yes
RF In (on slot)	1 (ATSC/NTSC)
HDMI V1.3	2 Inputs
RGB In (PC/DTV Input)	1 (Rear for PC RGB)
Composite Video & Audio L/R In	1 Rear/1 Side
Digital Audio Out (Optical) PC Audio In (RGB/DVI with adaptor)	1
	1
Component HD/DVD & Audio L/R In Remote Control Out (IR)	1
RJP Interface	1
LAN (RJ-45)	2 (for Video IP and/or network connections)
USB 2.0	1 Side (Media Host, Cloning, and Service)
Game Control/MPI <sup>TM</sup> Port	1
Bathroom Speaker Out (3.5mm phone jack	•
RS-232C Input	1
IR Pass Thru	1
IR In/Out	1
SPECIAL FEATURES	1
Integrated Pro:Idiom	Yes
Pro:Centric Platform	Yes (supports Java/Adobe Flash applications)
b-Lan Embeded (Version 6.3 or up)	Yes (supports Java/Adobe Flash applications)
MPEG4	Yes
Commercial Mode Setup Menu	Yes
(Installer Menu)	103
IPTV Video Decoding	Yes
SNMP RFC1214	Yes
5 N. C.IZ.IT	.00

LGsolutions.com

LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069

**Customer Service:** 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@lCsolutions.com

SPEC\_LD665H\_021206\_PR

TV Link Protocol	Yes
USB Cloning	Yes
USB Media Host (JPEG & MP3)	Yes
PIP with RJP	Yes
Channel Add/Delete	Yes
Favorite Channel	Yes
Channel Labeling	Yes
RJP Plug&Play Support	Yes
Discrete IR Codes	Yes
Splash Image-Logo (on startup)	Yes
Trilingual Menus	English/Spanish/French
Manual Clock	Yes
Sleep Timer, On/Off Timer	Yes
Flashback (Quick View)	Yes
Parental Control w/V-Chip	Yes
Auto Programming	Yes
Closed Captions	Yes
Anti-theft Warning Label	Yes
Key Lock/Child Lock	Yes
CABINET	
Dimensions with Stand (W×H×D)	40.3" x 27.0" x 10.3" (42")
Differsions with Sidna (****1***D)	36.1" x 24.6" x 10.3" (37")
	31.4" x 21.8" x 8.1" (32")
without Stand (W×H×D)	40.3" x 24.4" x 3.0" (42")
TIMOSI SIGNA (TTALIAD)	40.3" x 24.4" x 3.0" (42") 36.1" x 22.0" x 3.0" (37")
	31.4" x 19.5" x 2.9" (32")
Unit Weight	with Stand without Stand
Onii vveigiii	34.2 lbs (42") 30.6 lbs (42")
	28.2 lbs (37") 24.7 lbs (37")
	19.2 lbs (32") 16.8 lbs (32")
Packaging (W×H×D)	43.6" x 30.3" x 9.0" (42")
rackaging (************************************	39.2" x 26.0" x 9.0" (37")
	34.6" x 23.6" x 7.5" (32")
Weight with Packaging	42.0 lbs (42")
**Veigili Willi i dckagilig	35.7 lbs (27")
	35.7 lbs (37") 26.7 lbs (32")
TORX Security Screws (2 each)	Yes
Standard Stand Fixing Hole (360 x 90)	Yes
Top Side Mounting Screw	Yes
	±90° Swivel
Table Stand Included	Yes
Stand w/built-in security plate (parts included, tools not included)	ies
Power Cord Length	9 ft.
Color	Matte Black
VESA Standard Mount Interface	
VESA Standard Mount Interrace	200mm x 200mm (37", 42")
DECLUDED LICTINICS	200mm x 100mm (32")
REQUIRED LISTINGS	
UL, c-UL, NOM	Yes
RoHS Compliant	Yes
CEC Compliant	Yes
UPC	
32LD665H	7 19192 90356 2
37LD665H	7 19192 90355 5
42LD665H	7 19192 90354 8
POWER	
Power Source	100~240V 50/60Hz
Stand-by	Under 1W
Power Consumption (typ.) with	
Power Saving Modes Disabled	151W (42"), 165W (37"), 125W (32")
EcoSmart	
	Yes
Intelligent Sensor	Yes
Intelligent Sensor Dynamic Power Savings	Yes
Intelligent Sensor Dynamic Power Savings Static Power Savings	
Intelligent Sensor Dynamic Power Savings Static Power Savings OPTIONAL ACCESSORIES	Yes Yes
Intelligent Sensor Dynamic Power Savings Static Power Savings OPTIONAL ACCESSORIES TVLink-Loader Clone Programmer	Yes Yes TLL-1100A
Intelligent Sensor Dynamic Power Savings Static Power Savings OPTIONAL ACCESSORIES TVLink-Loader Clone Programmer FTG Management Appliance	Yes Yes TLL-1100A FMA-LG101
Intelligent Sensor Dynamic Power Savings Static Power Savings OPTIONAL ACCESSORIES TVLink-Loader Clone Programmer FTG Management Appliance Pro:Centric Server	Yes Yes TLL-1100A
Intelligent Sensor Dynamic Power Savings Static Power Savings  OPTIONAL ACCESSORIES  TVLink-Loader Clone Programmer FTG Management Appliance Pro:Centric Server  SERVICE/LIMITED WARRANTY	Yes Yes TLL-1100A FMA-IG101 PCS150R
Intelligent Sensor Dynamic Power Savings Static Power Savings OPTIONAL ACCESSORIES TVLink-Loader Clone Programmer FTG Management Appliance Pro:Centric Server	Yes Yes TIL-1100A FMA-IG101















**All screen images are simulated.** Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2012 IG Electronics USA, Inc. All Rights Reserved. "IG Life's Good" is a registered trademark of IG Corp. XD Engine, Pro:Centric and EcoSmart are registered trademarks or trademarks of IG Electronics, Inc. Pro:Idiom and MPI are trademarks of Zenith Electronics Corp.

DIRECTV is a registered trademark of DIRECTV, Inc. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI Logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. Java is a trademark of Sun Microsystems, Inc. Adobe and Flash are either registered trademarks or trademark of 30n Microsystems, Inc. Adobe and Flash are either registered trademarks or trademarks of bobbe Systems Incorporated in the United States and/or other countries. bLAN is a trademark of LodgeNet Interactive Corporation. All other product and brand names are trademarks or registered trademarks of their respective companies.



