42" CLASS (42.0" DIAGONAL) 37" CLASS (37.0" DIAGONAL) 32" CLASS (31.5" DIAGONAL)

Pro:Centric™ LCD Widescreen HDTV with Applications Platform

LG's EXCLUSIVE Pro:Centric APPLICATIONS PLATFORM Supports Java™ and Adobe® Flash® applications

42LG710H

37LG710H

32LG710H

b-lan™ Integration

Includes full support of: LodgeNet®'s HD Video On Demand (VOD) LodgeNet's HD Free-To-Guest (FTG) Supports many other FTG system providers (see sales rep) Compatible with FMA-100 & FMA-LG101

" ENERGY STAR® 4.1 AND RoHS COMPLIANT

Construction C

SPLASH IMAGE-LOGO ON (START UP)

MPEG-2/MPEG-4 H.264 DECODING

HD VOD PPV ENCRYPTION Integrated Pro:Idiom

USB CLONING

USB 2.0 MEDIA HOST for photos and music

NATIVE DISPLAY RESOLUTION 1366 x 768

BUILT-IN TUNER ATSC/NTSC/QAM Clear Tuner

DYNAMIC CONTRAST RATIO 50:000:1

LG's EXCLUSIVE XD ENGINE®

REAL CINEMATM AND CLEAR VOICE

AUTO-SENSING REMOTE JACK PACK (RJP) COMPATIBLE PIP/Split Screen feature with optional RJP

INVISIBLE SPEAKER SYSTEM

2 HDMITM V1.3 INPUTS WITH HDCP

2-YEAR LIMITED WARRANTY parts/labor

NOTE: Contact your LG Sales represensative on the RJPs that are compatible with these models









WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LG710H televisions have technologies to reduce power consumption and in return increase **cost savings** per room. We've also placed limits in the amounts of harmful materials used in these televisions.

EcoSmart

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 4.1 Qualified Meets current reduction requirements of energy consumption.

APPLICATION

Pro:Centric

Interactive Guestroom Experience

An industry leading Pay-Per-View (PPV) compatible television to include an embedded applications platform, LG's new LG710H series allows hoteliers to customize the in-room experience. Pro:Centric provides an easy way for the LG710H series to interface with interactive program guides, games and internet data feeds, as well as applications designed to connect guests to hotel services such as room service menus, spa services and golf course scheduling.





LG'S FREE-TO-GUEST COST EFFECTIVE SOLUTION

ACCESSORI

For Free-To-Guest hotel installations, when using LG televisions with *b*-LAN integration plus LG's Free-to-Guest Management Appliance (FMA), virtual channel mapping, cloning of commercial installer menu settings, and other adjustments can be made from the centralized head-end FMA system. This is an added value of time savings and therefore cost savings in labor charges by not having to go room to room for a change of settings.

HOTEL COSTS FOR FREE-TO-GUEST CHANNEL MANAGEMENT (OVER 5 YEARS)

	Labor Costs	*FMA MAP price	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV n b-LAN integration plus FMA		\$1,999	\$1,999	\$18,001

* FMA MAP price subject to change.

FREE-TO-GUEST MANAGEMENT APPLIANCE

FMA-LG101 HEAD-END SYSTEM



Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.

FREE-TO-GUEST INTEGRATED b-LAN

FREE-TO-GUEST TECHNOLOGY

Allows viewing of HD secured Pro:Idiom encrypted content from Pro:Idiom licensed Cable of Satellite providers. Compatible with FMA-100 and FMA-LG101 systems. Pay-Per-View ready.

Pro:Centric PLATFORM*








* May require optional software, hardware, third party subscription service/contract, and customization at an additional cost.

Pro:Centric SYSTEM OVERVIEW (example for illustrative purpose only) Hotel Head End





SHARPER

BRIGHTER

CLEARER





Six distinct processes contribute to picture improvement. LG's XD Engine takes the low resolution of analog signals to near HD levels by improving brightness, contrast, detail and enhancing color as well as reducing signal noise.

USB CLONING



Pro:Idiam Digital Rights


MANAGEMENT SYSTEM


The Pro:Idiom system's high-quality security unlocks access to premium content availability to help assure rapid, broad deployment of HDTV and other high value digital content. Pro:Idiom has been designed specifically for industries that use premium HDTV content from cable, satellite or video on demand (VOD) services and as such, could result in lower costs, and reduced maintenance. This system is one of the leading DRM systems embraced by content providers for both of these key programming sources. By using this embedded approach, security is provided and helps eliminate the possibility of customers tampering with or removing needed components.

MPEG-4 TECHNOLOG


(Moving Picture Experts Group) MPEG-4 decodes and delivers high-definition programming it receives via satellite. The advanced coding system is compatible with national and local HD channels, along with digital HD channels, currently launched by DIRECTV. LG built this technology into its LG710H series TVs to deliver pure HD without the need for an external box*.








_



8.0'


16.3"




32LG710H

ANTENNA


 \odot



-23.0"-



SIDE JACK PANEL



11.5"—

- 4.3″-

9.2



42LG710H

≥

CD

42"	CLASS	(42.0"	diagonal)	

37" CLASS (37.0" DIAGONAL)

32" CLASS (31.5" DIAGONAL)

S	LC
7	D
V	C C A Pi
O	E XI BI XI A D
	2 D Vi Ju
	A S S C In
S	

PANEL	
LCD Panel Type	42"
	37"
	32"
Display Area	42.0" diagonal
	37.0" diagonal
	31.5" diagonal
Dynamic Contrast Ratio	50,000:1
Contrast Ratio	1200:1
Native Display Resolution	1366 x 768
Maximum Computer Resolution (RGB)	1360 x 768
Brightness	500 cd/m ²
Life Span	60,000 hours (approx.)
Viewing Angle (HxV)	178°x 178°
Response Time	8ms (max)
VIDEO	
Built-In Tuner	ATSC/NTSC/QAM Tuner
Comb Filter	3D Digital
Color Temperature	Cool, Normal, Warm, User
Aspect Ratio Adjustment	5 Modes
Picture Status Mode	7 Modes (Intelligent Sensor, Vivid, Standard,
	Cinema, Sports, Game, Natural)
EZ Picture Selection Mode	3 Modes (Cool, Medium, Warm)
XD Engine	Yes
Black Stretcher	Yes
XD Color (Active Color Management)	Yes
All Format Converter Decoder Formats	1080i/720p/480p/480i~768p
Decoder Formats	MPEG-2/MPEG-4 H.264 (full HD real time
24 - De al Ciacona	decoding, AC-3 decoding)
24p Real Cinema	Yes
DTV Signal Strength (digital)	Yes
Video Reset/Intializing	Yes
Just Scan 0% over scan	1000: (1000 /700
HDMI/Component	1080i/1080p/720p
RF DTV	720р
AUDIO	0014//2014 01
Audio Power	20W (10W x 2)
Speaker System Details	2 Way 4 Speaker
SRS TruSurround XT TM	Yes
Clear Voice	Yes
Invisible Speaker System	Yes
Dolby Digital Decoder	Yes
Bass/Treble/Balance	Yes
EZ SoundRite (Auto Volume Limiter)	Yes
EZ Sound/Sound Selection Mode	5 Modes (Standard, Music, Cinema, Sports, Game)
Mute	Yes
Mono/Stereo/Dual (MTS/SAP)	Yes
INPUTS/OUTPUTS	
RF In	1 (ATSC/NTSC)
HDMI V1.3	Inputs 2
RGB In (PC/DTV Input)	1 (Rear for PC RGB)
	1.0 /1.0.1
Composite Video & Audio L/R In	I Rear/I Side
Composite Video & Audio L/R In Digital Audio Out (Optical)	1 Kedry 1 Side
Digital Audio Out (Optical) PC Audio In (RGB/DVI with adaptor)	1
Digital Audio Out (Optical) PC Audio In (RGB/DVI with adaptor) Component HD/DVD & Audio L/R In	1
Digital Audio Out (Optical) PC Audio In (RGB/DVI with adaptor) Component HD/DVD & Audio L/R In External Speaker Out (RCA)	1 1 1 1
Digital Audio Out (Optical) PC Audio In (RGB/DVI with adaptor) Component HD/DVD & Audio L/R In External Speaker Out (RCA) RS-232C Input	1 1 1
Digital Audio Out (Optical) PC Audio In (RGB/DVI with adaptor) Component HD/DVD & Audio L/R In External Speaker Out (RCA)	1 1 1 1 (service only)

LG Electronics U.S.A., Inc. Business Solutions Division 2000 Millbrook Drive Lincolnshire, IL 60069 Customer Service: 888.865.3026 www.LGsolutions.com/support



Contact your LG Regional Sales Representative: Hospitality: 800.228.1236 Vertical Markets: 800.897.8788 Channel: 800.897.8871 E-mail: info@LGsolutions.com

SPEC_LG710H_081020_PR

LAN (RJ-45)	1 (service only)
USB 2.0	 Side (Media Host, Cloning, and Service)
MPI™ (RJ11) Slot Interface	1
SPECIAL FEATURES	
Pro:Centric Platform	Yes (supports Java/Adobe Flash applications)
Electric Program Guide	Available with opt. software/hardware/service
Integrated Pro:Idiom	Yes
Splash Image-Logo on (start up)	Yes
Brightness Optimization	Yes (on/off) in Standard, Sports, and Game mode
Commercial Installation Menu	Yes
PIP/Split Screen/Swap	Yes, When used with optional RJP
Channel Add/Delete	Yes
Favorite Channel	Yes
Channel Labeling	Yes
TV Link Protocol	Yes
RJP Plug&Play Support	Yes
Discrete IR Codes	Yes
Trilingual Menus	English/Spanish/French
Manual Clock	Yes
Sleep Timer, On/Off Timer	Yes
Flashback (Quick View)	Yes
Parental Control w/V-Chip	Yes
Auto Programming	Yes
Closed Captions	Yes
Universal Remote w/batteries	Yes
Key Lock/Child Lock	Yes
CABINET	
Dimensions with Stand (W×H×D)	40.4" x 28.9" x 11.5" (42")
	36.1" x 27.0" x 11.5" (37")
	31.3" x 23.5" x 9.2" (32")
without Stand (W×H×D)	40.4" x 27.0" x 4.4" (42")
	36.1" x 25.0" x 4.4" (37")
	31.3" × 22.0" × 4.3" (32")
Packaging (W×H×D)	52.4" x 30.2" x 10.1"(42")
	47.1" x 28.8" x 10.0" (37")
	38.8" x 25.8" x 7.6" (32")
Weight with Stand	46.5 lbs (42")
	39.6 lbs (37")
	28.4 lbs (32")
Weight without Stand	40.7 lbs (42")
	34.0 lbs (37")
	25.2 lbs (32")
Weight with Packaging	55.3 (42")
	46.2 (37")
	35.0 (32")
Cabinet Style	Table Top (Invisible Speaker System Design)
Security Screws	Yes (attaches stand to neck)
LED Power Button	On (blue), Stand by (red)
Stand to Desk Mountable	Yes
Table Stand Included	±90° Swivel
Power Cord Length	9 ft.
Color	High-Gloss Black
VESA Standard Mount Interface	200mm x 200mm, M6 (42", 37")
	200mm x 100mm, M4 (32")
REQUIRED LISTINGS	
UL, c-UL, NOM	Yes
ENERGY STAR 4.1 Qualified	Yes
RoHS Compliant	Yes
UPC	
42LG710H	7 19192 17737 6
37LG710H	7 19192 17652 2
32LG710H	7 19192 17651 5
POWER	
Power Source	100~240V 50/60Hz
Stand-by	Under 1W
Power Consumption (typ.) with	
Power Saving Modes Disabled	240W (42") , 185W (37") , 145W (32")
EcoSmart	2.377 (42 / / 10011 (0/ / / 14011 (02)
Intelligent Sensor	Yes
Dynamic Power Savings	Yes
	Yes
Static Power Savings	163

Limited Warranty (Parts/Labor)

Swivel Stand

All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

2 Years

© Copyright 2010 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine, Pro:Centric and EcoSmart are registered trademarks or trademarks of LG Electronics, Inc. Pro:Idiom and MPI are trademarks of Zenith Electronics Corp.

DIRECTV is a registered trademark of DIRECTV, Inc. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI Logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. Java is a trademark of Sun Microsystems, he dobb or and Electron either resistant and reademark to the double-D symbol The registread registread industry and public during sources, burden and industriation of Mobole Systems, Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. bLAN is a trademark of LodgeNet Interactive Corporation. All other praduct and brand names are trademarks or registered trademarks of their respective companies.

Printed in the USA. August 2010