55" CLASS (55.0" MEASURED DIAGONALLY)
47"CLASS (47.0" MEASURED DIAGONALLY)
42" CLASS (42.0" MEASURED DIAGONALLY)

42LV555H 37LV555H 32LV555H

55LV555H

47LV555H

37" CLASS (37.0" MEASURED DIAGONALLY)
32" CLASS (31.5" MEASURED DIAGONALLY)

Pro:Centric™ LED Backlit LCD HDTV





The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for models 55LV555H, 47LV555H, 42LV555H, 37LV555H & 32LV555H are \$22, \$19, \$17, \$14, & \$11 respectively.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy."

1FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).

Dual Tuner IPTV-Enabled Applications Platform'

FULL FEATURED Pro:Centric DUAL TUNER LODGING LCD TV
Enables System Integrators to host their IPTV
application on the television
Includes IPTV video decoding
Supports mixed IP and RF tuning - direct IPTV
connection, RF only, and mixed RF/IP

LG's EXCLUSIVE Pro:Centric APPLICATIONS PLATFORM¹ Supports JavaTM and Adobe® Flash® applications

b-lantm integration

IPTV/RF/Pro:Idiom® supports a wide range of Free-To-Guest and Pay-Per-View system provider companies (see sales rep)

SIMPLE NETWORK MANAGEMENT PROTOCOL (SNMP) for remote network management

, CALIFORNIA ENERGY COMMISSION (CEC) COMPLIANT

. RESTRICTION OF HAZARDOUS SUBSTANCES (RoHS) COMPLIANT



EcoSmart™ Intelligent Sensor Dynamic/Static Power Savings

MPEG-4 DECODING

HD CONTENT DECRYPTION WITH INTEGRATED Pro: Idiom

USB 2.0 MEDIA HOST for photos, music, and cloning

NATIVE DISPLAY RESOLUTION 1920 x 1080 (37"/42"/47"/55" class) 1366 x 768 (32" class)

DETACHABLE SWIVEL ALL METAL COMMERCIAL GRADE STAND W/BUILT-IN SECURITY PLATE mounting hardware parts included

> DYNAMIC CONTRAST RATIO 4,000,000:1 (32"/37"/42" class) 5,000,000:1 (47"/55" class)

SPLASH IMAGE/LOGO (CUSTOMIZED WELCOME SCREEN)

AUTO-SENSING REMOTE JACK PACK INTERFACE PIP/Split Screen feature with optional RJP

2 HDMITM INPUTS WITH HDCP

2-YEAR LIMITED WARRANTY parts/labor

¹May require optional software, hardware, third party subscription service/contract, and customization at an additional cost.

NOTE: Contact your LG Sales represensative on the RJPs that are compatible with these models





WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LV555H televisions have technologies to reduce power consumption and in return increase **cost savings** per room.

EcoSmart

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- **CEC Compliant** Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- **Energy Star 5.3 Qualified** Meets current reduction requirements of energy consumption.

APPLICATION

Pro:Centric

Interactive Guestroom Experience

An industry leading Pay-Per-View (PPV) compatible television to include an embedded applications platform, LG's new LV555H series allows hoteliers to customize the in-room experience. Pro:Centric provides an easy way for the LV555H series to interface with interactive program guides, games and Internet data feeds, as well as applications designed to connect guests to hotel services such as room service menus, spa services and golf course scheduling.

Electronic Program Guide




Pro:Centric PLATFORM¹





1 May require optional software, hardware, third party subscription service/contract, and customization at an additional cost.

Pro:Centric SYSTEM OVERVIEW (example for illustrative purpose only)



ACCESSORIE

LG'S FREE-TO-GUEST COST EFFECTIVE SOLUTION

When using LG televisions in For Free-To-Guest hotel installations there are now two options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

- 1. Integrated b-LAN, plus LG's Free-To-Guest Management Appliance (FMA)
- 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

HOTEL COSTS FOR FREE-TO-GUEST CHANNEL MANAGEMENT

	Estimated Labor Costs	² MAP price	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with b-LAN integration plus FMA		\$1,999 (FMA)	\$1,999	\$18,001
LG Pro:Idiom TV with Pro:Centric Server		\$2,500	\$2,500	\$17,500

² MAP price subject to change.

FREE-TO-GUEST REMOTE MANAGEMENT DEVICES





Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.

PCS150R
HEAD-END SYSTEM

Remote management functions also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)

FREE-TO-GUEST INTEGRATED b-LAN

FREE-TO-GUEST TECHNOLOGY

Allows viewing of HD secured Pro:Idiom encrypted content from Pro:Idiom licensed Cable or Satellite providers. Compatible with FMA-LG101 systems. Pay-Per-View ready.



POWER ON SPLASH IMAGE

Welcome Screen

LG's commercial in-room televisions have a Splash Image/Logo (Customized Welcome Screen) feature that allows a property to enhance their brand image. It gives the installer the ability to upload a company logo/image so that a customer can view it on screen right when they turn on the TV. The company logo is easily uploaded by using a USB memory device. The TV has simple uploading instructions using the USB download menu in the installer settings.

USB CLONING



Pro:Idiem


DIGITAL RIGHTS MANAGEMENT SYSTEM

The Pro:Idiom system's high-quality security unlocks access to premium content availability to help assure rapid, broad deployment of HDTV and other high value digital content. Pro:Idiom has been designed specifically for industries that use premium HDTV content from cable, satellite or video on demand (VOD) services and as such, could result in lower costs, and reduced maintenance. This system is one of the leading DRM systems embraced by content providers for both of these key programming sources. By using this embedded approach, security is provided and helps eliminate the possibility of customers tampering with or removing needed components.

MOUNTING HOLES ON STAND FOR ATTACHMENT TO FURNITURE



DIMENSIONS



55LV555H 47LV555H 42LV555H 37LV555H 32LV555H

55" CLASS (55.0" MEASURED DIAGONALLY)

47" CLASS (47.0" MEASURED DIAGONALLY)

42" CLASS (42.0" MEASURED DIAGONALLY)

37" CLASS (37.0" MEASURED DIAGONALLY)

32" CLASS (31.5" MEASURED DIAGONALLY)

LED Backlighting	Edge lit
LCD Panel Type	55" class (55.0" measured diagonally)
, i	47" class (47.0" measured diagonally)
	42" class (42.0" measured diagonally)
	37" class (37.0" measured diagonally)
	32" class (31.5" measured diagonally)
Native Display Resolution	1920 x 1080 (37", 42", 47", 55")
, ,	1366 x 768 (32")
Dynamic Contrast Ratio	4,000,000:1(32", 37", 42") 5,000,000:1(47", 55")
Viewing Angle (HxV)	178°/178°
Response Time (G to G)	2ms (32"), 5ms (37", 42", 47", 55")
Frame Rate	60Hz (32"), 120Hz (37", 42", 47", 55")
VIDEO	221.12 (22)/ 1221.12 (21 / 12 / 11 / 22 /
Built-In Tuner	ATSC/NTSC/QAM Tuner
MPEG4	Yes
XD Engine	Yes
Aspect Ratio Adjustment	5 Modes (16:9/Just scan/4:3/Set by Program/ Zoom)
Color Temperature Control	3 modes (Cool, Medium, Warm)
Picture Status Mode	8 Modes (Intelligent Sensor, Vivid, Standard, Cinema, Sports, Game, isf Expert 1, isf Expert 2)
Just Scan 0% over scan	
HDMI/Component RF DTV	1080i/1080p/720p (32" 1080i only) 720p
	Yes
Film Mode (3:2 Pull down)	Yes
Eye Care (Anti Dazzling)	Yes
	Yes
Fresh White (Clear white)	
xvyCC	Yes
AUDIO	
Audio Power	20W (10W x 2)
Speaker System	1 Way 2 Speakers
Dolby Digital Decoder	Yes
Surround System	Infinite Sound
Invisible Speaker	Yes
Sound Mode	5 Modes (Standard, Music, Cinema, Sports, Game
Clear Voice II	Yes
INPUTS/OUTPUTS	
RF In	1 (ATSC/NTSC)
HDMI V1.3	1 Rear/1 Side
RGB In (PC/DTV Input)	1
	1
Composite Video & Audio L/R In	1
Digital Audio Out (Optical)	•
PC Audio In (RGB/DVI with adaptor)	1
Component HD/DVD & Audio L/R In	1
Remote Control Out (IR)	1
RJP Interface	1
LAN (RJ-45)	2 (for Video IP and/or network connections)
USB 2.0	1 Side (Media Host, Cloning, and Service)
AV Mini Jack	1 (includes break out cable)
Game Control/MPI TM port	1
Bathroom Speaker Out (3.5mm phone jack)	1
RS-232C Input	1
	1
IR Pass Thru	
IR Pass Thru SPECIAL FEATURES	Yes
IR Pass Thru SPECIAL FEATURES Integrated Pro:Idiom	Yes
IR Pass Thru SPECIAL FEATURES Integrated Pro:Idiom Pro:Centric Platform	Yes (supports Java/Adobe Flash applications)
IR Pass Thru SPECIAL FEATURES Integrated Pro:Idiom Pro:Centric Platform 6-Lan Embeded	Yes (supports Java/Adobe Flash applications) Yes
IR Pass Thru SPECIAL FEATURES Integrated Pro:Idiom Pro:Centric Platform b-Lan Embeded MPEG4	Yes (supports Java/Adobe Flash applications) Yes Yes
IR Pass Thru STEPICAL FEATURES Integrated Pro:Idiom Pro:Centric Platform b-Lan Embeded MPEG4 Commercial Mode Setup Menu	Yes (supports Java/Adobe Flash applications) Yes
IR Pass Thru SPECIAL FEATURES Integrated Pro:Idiom Pro:Centric Platform b-Lan Embeded MPEG4 Commercial Mode Setup Menu (Installer Menu)	Yes (supports Java/Adobe Flash applications) Yes Yes Yes
IR Pass Thru STEPICAL FEATURES Integrated Pro:Idiom Pro:Centric Platform b-Lan Embeded MPEG4 Commercial Mode Setup Menu	Yes (supports Java/Adobe Flash applications) Yes Yes

LGsolutions.com

LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

SPEC_LV555H_021207_PR

TV Link Protocol	Yes
USB Cloning (Link Loader)	Yes
USB Media Host (JPEG & MP3) PIP with RJP	Yes Yes
Channel Add/Delete	Yes
Channel Labeling	Yes
RJP Plug & Play Support	Yes
Discrete IR Codes	Yes
Splash Image-Logo (on startup)	Yes
Trilingual Menus	English/Spanish/French
Manual Clock	Yes
Sleep Timer, On/Off Timer	Yes
Flashback (Quick View) Parental Control w/V-Chip	Yes Yes
Auto Programming	Yes
Closed Captions	Yes
Anti-theft Warning Label	Yes
Key Lock/Child Lock	Yes
CÁBINET	
Dimensions with Stand (W×H×D)	51.1" x 33.4" x 13.3" (55")
	44.1" x 29.4" x 10.1" (47")
	39.8" x 26.4" x 10.3" (42")
	35.3" x 24.1" x 10.3" (37")
with out Stand (M/VLIVE)	30.6" x 21.5" x 10.3" (32")
without Stand (W×H×D)	51.1" x 30.6" x 1.2" (55") 44.1" x 26.7" x 10.1" (47")
	39.8" x 24.3" x 1.2" (42")
	35.3" x 21.8" x 1.0" (37")
	30.6" x 19.1" x 1.4" (32")
Unit Weight	with Stand without Stand
-	56.8 lbs (55") 47.8 lbs (55")
	45.6 lbs (47") 40.6 lbs (47")
	34.2 lbs (42") 29.1 lbs (42")
	27.8 lbs (37") 23.8 lbs (37")
D (MACALIND)	23.8 lbs (32") 19.4 lbs (32") 62.2" x 33.8" x 6.8" (55")
Packaging (W×H×D)	51.7" x 30.9" x 4.9" (47")
	46.5" x 29.3" x 4.3" (42")
	46.8" x 26.0" x 4.9" (37")
	38.1" x 24.0" x 4.7" (32")
Weight with Packaging	69.7 lbs (55")
	49.4 lbs (47")
	41.2 lbs (42")
	33.7 lbs (37") 28.4 lbs (32")
TORX Security Screws (2 each)	Yes
Credenza/Security Screw Hole	Yes
Top Side Mounting Screw	Yes
Table Stand Included	±90° Swivel (32", 37", 42"), ±20° Swivel (47", 55"
Kensington Lock	Yes
Power Cord Length	9 ft. (hardwired)
Color	Glossy Black
VESA Standard Mount Interface	400mm x 400mm (55", 47", 42")
	200mm x 200mm (37")
El D-tlt	200mm x 100mm (32")
Flame Retardant REQUIRED LISTINGS	Yes
UL, c-UL, NOM	Yes
ENERGY STAR 5.3	Yes
RoHS Compliant	Yes
CEC Compliant	Yes
UPC	
32LV555H	7 19192 90358 6
37LV555H	7 19192 90359 3
42LV555H	7 19192 90360 9
47LV555H	7 19192 90361 6
55LV555H	7 19192 90362 3
POWER	
Power Source	100~240V 50/60Hz
Stand-by	Under 1W
Power Consumption (typ.) with	0714/1557 0414/1777 7414/1971 (014/15-77
Power Saving Modes Disabled	97W (55"), 84W (47"), 74W (42"), 62W (37"),
EcoSmart	48W (32")
Intelligent Sensor & Backlight Control	l Yes
singerii seriser a backiigi ii Colliic	
Dynamic Power Savinas	res
Dynamic Power Savings Static Power Savings	Yes Yes



















All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2012 IG Electronics USA, Inc. All Rights Reserved. "IG Life's Good" is a registered trademark of IG Corp. XD Engine, Pro:Centric and EcoSmart are registered trademarks or trademarks of IG Electronics, Inc. Pro:Idiom and MPI are trademarks of Zenith Electronics Corp.

DIRECTV is a registered trademark of DIRECTV, Inc. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI Lago and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. Java is a trademark of Sun Microsystems, Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems, Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. bLAN is a trademark of LodgeNet Interactive Corporation. All other product and brand names are trademarks or registered trademarks of their respective companies.



