LCD Commercial Widescreen Integrated Full 1080p HDTV

PUBLIC DISPLAY SETTINGS - CLONING CAPABLE

EcoSmart™ Intelligent Sensor Dynamic Power Savings Static Power Savings

Rohs compliant

DYNAMIC CONTRAST RATIO 80,000:1

RESPONSE TIME 2.7ms (G to G)

NATIVE DISPLAY RESOLUTION 1920 x 1080 (full HD 1080p)

BUILT-IN ATSC/NTSC/QAM CLEAR TUNER

INVISIBLE SPEAKER SYSTEM Hidden speaker grilles

lg's exclusive xd engine®

USB 2.0 MEDIA HOST FOR PHOTOS AND MUSIC

USB CLONING

CLEAR VOICE II

REAL CINEMATM

4 HDMI™ INPUTS WITH HDCP V.1.3 with deep color

> 2 YEAR LIMITED WARRANTY (parts and labor)





www.LGsolutions.com



WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our 55LH400C television has technologies to reduce power consumption and in return increase cost savings per room. We've also placed limits in the amounts of harmful materials used in these televisions.

EcoSmart

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- RoHS Compliant Meets directive on restriction of hazardous substances.

ENERGY SAVING LEVELS

Manually select your choice for the brightness level for the television. By selecting Minimum, Medium, or Maximum, the power consumption will be reduced and an increase in energy savings can be achieved. (Note: Selecting minimum level may slightly increase power consumption)



TESTING CONDITION IN STANDARD MODE

| Applied Model | Energy Saving Level | Brightness [cd] | Power Consumption [Watts] | Energy savings [%] |
|---------------|------------------------|--------------------|---------------------------------|-----------------------|
| 55LH400C | OFF | 387 | 277 | 0.0 |
| | Minimum | 390 | 282 | -1.8 |
| | Medium | 267 | 199 | 28.2 |
| | Maximum | 134 | 116 | 58.1 |
| | Screen off | 0 | 25.8 | 90.7 |

Note: Power consumption was measured with video signal - IEC62087 dynamic broadcast. Energy Saving percentages listed are based on Energy Saving default value in the Off mode.



Automatically examines the room environment and optimizes the picture to the light and color conditions in the room for a more enjoyable viewing experience-that can also save energy and money.



TruMotion 120Hz


By utilizing the 120Hz refresh rates, the motion blur on LCD televisions has been greatly improved. The high setting provides smoother picture movement. The low setting provides a standard smooth picture movement.







IOW





VIEWING QUALITY AS THE DIRECTOR INTENDED

24p playback matches the original frame rate of film based content, making your viewing experience one step closer to "Real Cinema".

Original Film Original film has a frame rate of 24 frames per second. To be viewed on standard video equipment such as TVs it must be have a pull down solutio

NTSC Pulldown Solution NTSC corrects the frame rate difference by repeating every 4th frame. Sound must be separated from the film to avoid any distortior





Dramatization



Easily connect your external USB drive to enjoy JPEG photos while listening to MP3 files at the same time for a picture slide show. Allows hotel guests to enjoy all of those family photos for a truly memorable viewing experience.



PUBLIC DISPLAY SETTINGS

Desk

When used in public areas, these HDTVs can be easily programmed by the installer to have the TV turn on at a specified channel/volume level, set the minimum/ maximum volume, lock out the control panel/remote, set the aspect ratio, and return to a factory reset. By using Power Management, these displays can be programmed to turn off if there has been no activity (remote or control panel buttons) for a preset time (1-7) hours.

| Public Display Mode | No |
|---------------------|-----|
| Start Channel | No |
| Ch. Type | TV |
| Major | |
| Minor | |
| Minimum Volume | |
| Maximum Volume | 100 |
| Start Volume | No |
| Level | 20 |
| Power Management | No |
| Setting | |
| Key Management | |
| Factory Reset | |
| Aspect Ratio | |

USB CLONING

USB cloning will allow for easy transfer of Public Display Settings from the "Master TV" to an unlimited number of same type televisions.



MENSI Invisible SPEAKER 43 52 7" SOUND IS HEARD, NOT SEEN Enjoy a combination of smart technology and stylish design with the invisible speaker system custom tuned by audio 32.6" expert Mr. Mark Levinson. This unique system provides a clean, polished look and an enhanced auditory experience by increasing the sweet spot and 35.5" providing a wider sound field. -22.6″-16.7″ 400mm LG 400n REAR SIDE **MOUNTING HOLES ON STAND** ATTACHING THE TV TO A DESK USBIN DVI IN AV IN 1 RGB IN (PC) Ën ∎ I IDEO L(MONO-AUDIO-R \bigcirc \bigcirc UDIO IN OPTICAL DIGITAL AUDIO OUT (GB/DVI) E-HOIDA-ONOM ۲ (\bullet) 4-Screws (not provided) ۲ ANTENNA/ CABLE IN RS-232C IN (CONTROL&SERVICE) VIDEO | ۲ AV IN 2 Stand

55LH400C 55" CLASS (54.6" DIAGONAL)

CAT

| LCD SPECIFICATION | | |
|---|---|--|
| Screen Size (Class) | 55" class (54.6" diagonal) | |
| Native Display Resolution | 1920 x 1080 | |
| PC Max Resolution (RGB, HDMI) | 1920 x 1080 | |
| Brightness | 500 cd/m ² | |
| Dynamic Contrast Ratio | 80,000:1 | |
| Contrast Ratio | 1,400:1 | |
| Viewing Angle | 178°/178° | |
| 120Hz TruMotion | Yes (except in PC mode) | |
| Color Reproduction | 10 Bit | |
| Response Time | 2.7ms (G to G) | |
| Life Span (Typical) | 60,000 hrs | |
| BROADCASTING SYSTEM | | |
| Analog | Yes | |
| ATSC/NTSC/Clear QAM | Yes (1 tuner) | |
| VIDEO | | |
| XD Engine | Yes | |
| Aspect Ratio | 16:9 | |
| Aspect Ratio Correction | 6 Modes | |
| Just Scan (0% overscan) | | |
| HDMI | 1080p/1080i/720p | |
| Component | 1080p/1080i/720p | |
| RF/DTV | 1080i/720p | |
| Enhanced Noise Reduction (Video Noise Filter) | Yes, 3D NR/MPEG NR | |
| Digital Comb Filter | Yes (3D) | |
| Color Temperature Control | 3 Modes (Norm, Warm, Cool) | |
| Black Stretcher | Yes | |
| 24p Real Cinema | Yes | |
| Cinema 3:2/2:2 Mode | Yes | |
| Picture Reset | Yes | |
| AV Mode II (Picture & Sound) | 3 Modes (Cinema, Sport, Game) | |
| Picture Mode | Yes (9 modes) | |
| DTV Signal Strength Indicator | Yes | |
| Video Reset/Initializing | Yes | |
| AUDIO | | |
| Mono/Stereo/Dual (MTS/SAP) | Yes | |
| Audio Output Power (Watts - THD 10%) | 10W x 2 | |
| Invisible Speaker System Details | 2 Way 4 Speaker | |
| Dolby Digital 5.1 Decoder | Yes | |
| Surround System Type | SRS TruSurround XT | |
| Bass/Treble/Balance Controls | Yes | |
| Clear Voice II | Yes | |
| Auto Volume Leveler | Yes | |
| Sound Mode | 5 Modes | |
| SPECIAL FEATURES | 5 Modes | |
| | V V2 5 | |
| Public Display Settings | Yes, V2.5 | |
| Brightness Optimization | Yes (Available in Standard, Natural, Sport, Game, | |
| Picture Wizard | Expert 1, & Expert 2 modes) Yes | |
| | | |
| Backlight Control | Yes Yes | |
| Video Mute | | |
| USB Cloning | Yes | |
| 1080p Source Input | 40- /20- /24- | |
| HDMI | 60p/30p/24p | |
| Component RGB | 60p/30p/24p | |
| | 60p | |
| A/V Input Navigation | Yes | |
| Input Labeling/Sub-title | Yes | |
| Quick View (Previous Channel) | Yes | |
| Quick Setup Guide | Yes | |
| Simple Manual | Yes | |
| Parental Control w/V-Chip | Yes | |
| Key Lock/Child Lock | Yes | |
| Customizable Closed Caption/Sub-title | Yes | |
| LG SIMPLINK (HDMI CEC) | Yes | |
| Screen Adjust/Auto (manual) Configure | Yes | |
| | | |

| Language | English/Spanish/French/Korean |
|---|---|
| Alvin UI | Yes |
| Auto & Manual Tuning/Programming | Yes |
| Channel Add/Delete | Yes |
| Favorite Channel Programming | Yes |
| Auto/Manual Clock | Yes |
| On/Off Timer | Yes |
| Sleep Timer | Yes |
| Auto Off/Auto Sleep (When no video is present |) Yes |
| AUDIO/VIDEO INPUTS/OUTPUTS | |
| RF In (Antenna/Cable) | 1 |
| L/R Audio/Composite Video In | 1 (rear), 1 (side) |
| HD Component Video In (Y, Pb, Pr) + L/R Audic | 2 |
| Digital Audio Out (Optical) | 1 |
| HDMI/HDCP Input (V1.3 with Deep Color) | 3 (rear), 1 (side) |
| RGB In (D-Sub 15pin) - PC | 1 |
| PC Audio Input | 1 |
| RS-232c In | 1 (Control/Service) |
| USB 2.0 Input | 1 (Side) Media Host (JPEG, MP3), Cloning, and Service |
| CABINET/ACCESSORIES | |
| Cabinet Color | Glossy Black |
| Swivel Stand (degrees) | +20°/-20° |
| Mechanical Power Off | Yes |
| Fire Retardant Cabinet Material | Yes |
| VESA® Standard Mount Compliant (WxH) | 400mm x 400mm, M6 screw |
| Kensington Security System Slot | Yes |
| Power Indicator | Yes (red - Standby, Blue - On) |
| Remote Control | Yes |
| POWER | |
| Voltage, Hz | 100V - 240V, 50/60 Hz |
| Stand-by Mode | Less than 1 W |
| Power Consumption | 337W |
| EcoSmart - Energy Savings | Yes (Intelligent Sensor, Static/Dynamic Power Savings) |
| RoHS Compliant | Yes |
| DIMENSIONS & WEIGHT | |
| TV without stand (WxHxD) | 52.7" x 32.6" x 4.3" |
| TV with stand (WxHxD) | 52.7" x 35.5" x 16.7" |
| Shipping Dimensions (WxHxD) | 57.3" x 40.2" x 21.3" |
| TV without stand weight | 71.7 lbs. |
| TV with stand weight | 79.4 lbs |
| Shipping Weight | 96.6 lbs. |
| SERVICE/LIMITED WARRANTY | 2 Years (Parts/Labor) |
| UPC CODE | |
| 55LH400C | 7 19192 90000 4 |

www.LGsolutions.com



LG Electronics U.S.A., Inc. Business Solutions Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Hospitality: 800.228.1236 Vertical Markets: 800.897.8788 Channel: 800.897.8871

E-mail: info@LGsolutions.com

SPEC_55LH400C_091034_PR



All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2010 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine is a registered trademark of LG Electronics, Inc. HealthView and EcoSmart are trademarks of LG Corp. Dolby and the doubleD symbol are registered trademarks of Dolby Laboratories. SRS and the SRS symbol and TruSurround XT are trademarks or registered trademarks of SRS Labs, Inc. VESA is a trademark of Video Electronics Standards Association. All other product and brand names are trademarks or registered trademarks of their respective companies.

od

Printed in the USA. October 2010