# **Essential Commercial TV with Commercial Grade Stand**

The LV340H commercial TV series provides hotels with a cost-effective, reliable TV solution that has been designed to operate as a 'two-piece solution', i.e. with an external set top box. The LV340H series delivers crisp, clear images through energy-efficient LED technology.



### LV340H

- Public Display Mode
- · Commercial Grade Stand
- External Speaker Out Compatibility (Speaker Sold Separately)
- IR Pass Through and Control
- USB Cloning

#### **Screen Sizes**

32" class (31.5" diagonal), 40" class (39.6" diagonal), 43" class (42.5" diagonal), 49" class (48.5" diagonal), 55" class (54.6" diagonal)

### **Key Features**



Public Display Mode

From channel selection to volume level, you can control the TV settings in business areas. Public Display Mode also enables you to restore default settings, as required, on the TVs.



Commercial Grade Stand

Expand the range of comfort for guests with a commercial grade stand. This allows guests to watch the TV from any angle. Also, for security purposes, the stand may be secured to its table.



External Speaker Out

Enhance the in-room guest experience by adding an external speaker (sold separately) for improved audio performance.



IR Pass Through and Control for an LG commercial STB

Connect an LG commercial STB to the RS-232C port on the TV to create a system that can provide Pro:Centric® functionality, as well as either RF or IP content delivery.

### **Simple & Effective Maintenance**



**USB Cloning** 

Clone all Public Display TVs with astonishing speed and ease. The USB Cloning feature allows you to simply copy and transfer TV settings from a designated Master TV to all Target TVs using a USB memory device.



**Lock Mode** 

Lock Mode blocks external input signals with non-compliant content. This is a useful feature for preventing misuse of TVs in public spaces.



**Self Diagnostics** 

The TV stores diagnostic data, which can be saved to a USB memory device, thus enabling service engineers to analyze the data and identify technical issues quickly and easily.

### **Convenience & Entertainment**



USB Auto Playback+

Create a media playlist of your choosing (video, music, and/or images), save it to a USB memory device, and then simply connect the USB memory device to the TV to stream your playlist sequentially.



Multi IR

Multi IR allows for the use of unique IR codes based on "bed number" in a multi-TV single room installation. (Optional remote control model HOSPSTRCO2 required.)



Welcome Screen

Display a warm greeting message with your hotel name and its logo on the TV when it is turned on. The welcome screen provides an inviting, personalized experience for your guests.



# **Essential Commercial TV with Commercial Grade Stand**

# **Essential Commercial TV with Commercial Grade Stand**

# **Dimensions** (With Stand: W x H x D / Weight) 32" 29.1" x 19.5" x 9.5" / 13.3lb \*Swivel 40" 35.9" x 22.7" x 11.1" / 22.9lb \*Swivel 43" 38.3" x 24.6" x 11.9" / 27.4lb \*Swivel 49" 43.6" x 27.6" x 11.9" / 32.1lb \*Swivel 55" 48.9" x 30.3" x 11.9" / 43.0lb \*Swivel


Specifications					LV340H
	32	40	43	49	55
Diagonal Size	31.5"	39.6"	42.5"	48.5"	54.6"
Туре	Direct LED				Edge LED
Resolution	1,366 x 768 (HD) 1,920 x 1,080 (FHD)				

	Diagonal Size	31.5"	39.6"	42.5"	48.5"	54.6"			
	Туре	Direct LED Edge LED							
	Resolution	1,366 x 768 (HD) 1,920 x 1,080 (FHD)							
	Dynamic contrast ratio	1,000,000:1							
DISPLAY	Static (panel) contrast ratio	1,100:1	4,000:1		1,100:1				
	Viewing Angle Degree	178° / 178°	176° / 176°	178° / 178°					
	Response Time (G to G)	9							
	Frame Rate	60 Hz							
BROADCASTING SYSTEM	Analog	NTSC							
	Digital	ATSC / VSB / Clear QAM							
	MPEG-2/MPEG-4 H.264 DECODING	* ************************************							
VIDEO	Triple XD Engine								
	Real Cinema 24p (3:3 Pull down)								
	Picture Mode	7 modes (Vivid, Standard, APS, Cinema, Sports, Game, Expert 1, Expert 2)							
	Aspect Ratio	6 modes (16:9, Just Scan, Set by Program, 4:3, Zoom, Cinema Zoom 1)							
	Audio Output / Speaker System	5W + 5W / 2.0 ch 10W + 10W / 2.0 ch							
AUDIO	Sound Mode	6 modes (Standard, News, Music, Cinema, Sport, Game)							
	Clear Voice	• modes (standard, recess, reasing circular, sport growing)							
GENERAL FEATURES	Management	Self Diagnostics via USB, TVLink Interactive (RS-232C), IR Out, Multi IR Code							
	Interactivity	HTNG / HDMI-CEC							
	Installation	USB Cloning							
	RJP Compatibility	• •							
	USB Media	USB Auto playback+, Moving Picture Playback (.asf, .wmv, .divx, .avi, .mp4, .m4v, .mov, .mpg, .mpeg, .mpe, etc.), Picture (ipeq, ipq, ipe, BMP, PNG), Audio Codec (MP3, AAC, M4A, WMA, WMA 10 pro, OGG)							
	Advanced Setting Option	Auto Off / Sleep Timer, Smart Energy Saving, Motion Eye Care							
	Anti-theft System	Kensington Lock / Security Screw Hole / Lock Down Plate / Commercial Grade Stand							
HOSPITALITY FEATURES		Public Display Mode (PDM), Lock Mode, Welcome Screen (Splash Image), Insert Image, External Speaker Out, RJP Compatibility, Time Scheduler							
	ORES	HDMI In, USB 2.0							
	Side								
INTERFACE		RF In, AV In (Shar RGB In, PC	ing with Component In), Audio Input (Sharing w		rpe), Digital Optical Audi RS-232C In, External S	o Out, HDMI Input, peaker Out			
	Side	RGB In, PC	ing with Component In), Audio Input (Sharing w ack	HDMI In, USB 2.0 Component In (RCA5 Ty	rpe), Digital Optical Audi RS-232C In, External S Black Coffee	o Out, HDMI Input, peaker Out			
INTERFACE	Side Rear	RGB In, PC	Audio Input (Sharing w	HDMI In, USB 2.0 Component In (RCA5 Ty	RS-232C In, External S	o Out, HDMI Input, peaker Out			
	Side Rear Color	RGB In, PC	Audio Input (Sharing wack	HDMI In, USB 2.0 Component In (RCA5 Ty ith Component Audio),	RS-232C In, External S Black Coffee	o Out, HDMI Input, peaker Out			
DESIGN	Side Rear Color	RGB In, PC	Audio Input (Sharing wack	HDMI In, USB 2.0 Component In (RCA5 Ty ith Component Audio), (20/45/90°) Swivel	RS-232C In, External S Black Coffee	o Out, HDMI Input, peaker Out x 300			
DESIGN	Side  Rear  Color  Stand	RGB In, PC	Audio Input (Sharing wack  Power Cable (5.9 ft., A	HDMI In, USB 2.0 Component In (RCA5 Ty ith Component Audio), (20/45/90°) Swivel	RS-232C In, External S Black Coffee	peaker Out			
DESIGN	Side Rear Color Stand Vesa (mm)	RGB in, PC Bl.	Audio Input (Sharing wack  Power Cable (5.9 ft., A  200 × 200  35.9" × 20.8" × 2.2"	HDMI In, USB 2.0  Component In (RCA5 Ty ith Component Audio),  (20/45/90°) Swivel  ungle Type), Owner's Mar  38.3" x 22.5" x 2.8"	RS-232C In, External S Black Coffee nual / Easy Setup Guide 300 43.6" x 25.4" x 2.8"	x 300 48.9" x 28.3" x 1.6 / 35.9lb			
DESIGN ACCESSORIES	Side  Rear  Color Stand  Vesa (mm)  WxHxD / weight (without stand)	29.1" x 17.4" x 2.9" / 10.8lb 29.1" x 19.5" x 9.5"	Audio Input (Sharing wack)  Power Cable (5.9 ft, A 200 × 200 35.9" × 20.8" × 2.2" / 16.5lb 5.9" × 22.7" × 11.1"	HDMI In, USB 2.0 Component In (RCA5 Ty ith Component Audio), (20/45/90°) Swivel angle Type), Owner's Mar  38.3" x 22.5" x 2.8" / 20.3lb 8.3" x 24.6" x 11.9"	RS-232C In, External S Black Coffee hual / Easy Setup Guide 300 43.6" x 25.4" x 2.8" / 24.9lb 43.6" 27.6" x 11.9"	x 300 48.9" x 28.3" x 1.6 / 35.9lb 48.9" x 30.3" x 11.9 / 43.0lb			
DESIGN ACCESSORIES	Side Rear  Color Stand  Vesa (mm)  WxHxD / weight (without stand)  WxHxD / weight (with stand)	29.1" x 17.4" x 2.9" / 10.8lb 29.1" x 19.5" x 9.5" / 13.3lb 35.6" x 20.9" x 6.4"	Audio Input (Sharing wack  Power Cable (5.9 ft, A 200 × 200  35.9" × 20.8" × 2.2" / 16.5lb  5.9" × 22.7" × 11.1" / 22.9lb  42.1" × 24.0" × 6.4"	HDMI In, USB 2.0 Component In (RCA5 Ty ith Component Audio), (20/45/90°) Swivel Ingle Type), Owner's Mar  38.3" × 22.5" × 2.8" / 20.3lb  8.3" × 24.6" × 11.9" / 27.4lb  45.2" × 26.0" × 6.9"	RS-232C In, External S Black Coffee aual / Easy Setup Guide 300 43.6" x 25.4" x 28" / 24.9lb 43.6" 27.6" x 11.9" / 32.1 lb 51.0" x 30.3" x 6.7" / 39.2lb	x 300 48.9" x 28.3" x 1.6 / 35.9lb 48.9" x 30.3" x 11.9 / 43.0lb 53.5" x 32.9" x 6.0			
DESIGN ACCESSORIES	Side Rear  Color Stand  Vesa (mm)  WxHxD / weight (without stand)  WxHxD / weight (with stand)	29.1" x 17.4" x 2.9" / 10.8lb 29.1" x 19.5" x 9.5" / 13.3lb 35.6" x 20.9" x 6.4"	Audio Input (Sharing wack  Power Cable (5.9 ft, A 200 × 200  35.9" × 20.8" × 2.2" / 16.5lb  5.9" × 22.7" × 11.1" / 22.9lb  42.1" × 24.0" × 6.4"	HDMI In, USB 2.0  Component In (RCA5 Ty ith Component Audio),  (20/45/90°) Swivel  ungle Type), Owner's Mar  38.3" × 22.5" × 2.8"  / 20.3lb  8.3" × 24.6" × 11.9"  / 27.4lb  45.2" × 26.0" × 6.9"  / 32.2lb	RS-232C In, External S Black Coffee aual / Easy Setup Guide 300 43.6" x 25.4" x 28" / 24.9lb 43.6" 27.6" x 11.9" / 32.1 lb 51.0" x 30.3" x 6.7" / 39.2lb	x 300 48.9" x 28.3" x 1.6 / 35.9lb 48.9" x 30.3" x 11.9 / 43.0lb 53.5" x 32.9" x 6.0			
DESIGN ACCESSORIES DIMENSIONS	Side Rear  Color Stand  Vesa (mm)  WxHxD / weight (without stand)  WxHxD / weight (with stand)  WxHxD / weight (carton)	29.1" x 17.4" x 2.9" / 10.8lb 29.1" x 19.5" x 9.5" / 13.3lb 35.6" x 20.9" x 6.4" / 16.2lb	Audio Input (Sharing wack  Power Cable (5.9 ft, A 200 × 200  35.9" × 20.8" × 2.2" / 16.5lb  5.9" × 22.7" × 11.1" / 22.9lb  42.1" × 24.0" × 6.4" / 27.1lb	HDMI In, USB 2.0  Component In (RCA5 Ty ith Component Audio),  (20/45/90°) Swivel  ungle Type), Owner's Mar  38.3" x 22.5" x 2.8"	RS-232C In, External S Black Coffee aual / Easy Setup Guide 300 43.6" x 25.4" x 28" / 24.9lb 43.6" 27.6" x 11.9" / 32.1 lb 51.0" x 30.3" x 6.7" / 39.2lb	× 300 48.9" × 28.3" × 1.6 / 35.9lb 48.8" × 30.3" × 11. / 43.0lb 53.5" × 32.9" × 6.0 / 53.8lb			
DESIGN ACCESSORIES DIMENSIONS POWER	Side Rear  Color Stand  Vesa (mm)  WxHxD / weight (without stand)  WxHxD / weight (with stand)  WxHxD / weight (carton)  Voltage, Hz Typical (Watts)	29.1" x 17.4" x 2.9" / 10.8lb 29.1" x 19.5" x 9.5" / 13.3lb 35.6" x 20.9" x 6.4" / 16.2lb	Audio Input (Sharing wack  Power Cable (5.9 ft, A 200 × 200  35.9" × 20.8" × 2.2" / 16.5lb  5.9" × 22.7" × 11.1" / 22.9lb  42.1" × 24.0" × 6.4" / 27.1lb	HDMI In, USB 2.0  Component In (RCA5 Ty ith Component Audio),  (20/45/90°) Swivel ungle Type), Owner's Mar  38.3" x 22.5" x 2.8"	RS-232C In, External S Black Coffee aual / Easy Setup Guide 300 43.6" x 25.4" x 28" / 24.9lb 43.6" 27.6" x 11.9" / 32.1 lb 51.0" x 30.3" x 6.7" / 39.2lb	× 300 48.9" × 28.3" × 1.6 / 35.9lb 48.8" × 30.3" × 11. / 43.0lb 53.5" × 32.9" × 6.0 / 53.8lb			
DESIGN ACCESSORIES DIMENSIONS POWER STANDARD	Side Rear  Color Stand  Vesa (mm)  WxHxD / weight (without stand)  WxHxD / weight (with stand)  WxHxD / weight (carton)  Voltage, Hz  Typical (Watts)  Stand-by (Watts)	29.1" x 17.4" x 2.9" / 10.8lb 29.1" x 19.5" x 9.5" / 13.3lb 35.6" x 20.9" x 6.4" / 16.2lb	Audio Input (Sharing wack  Power Cable (5.9 ft, A 200 × 200  35.9" × 20.8" × 2.2" / 16.5lb  5.9" × 22.7" × 11.1" / 22.9lb  42.1" × 24.0" × 6.4" / 27.1lb	HDMI In, USB 2.0  Component In (RCA5 Ty ith Component Audio),  (20/45/90°) Swivel  ungle Type), Owner's Mar  38.3" × 22.5" × 2.8" / 20.3lb  8.3" × 24.6" × 11.9" / 27.4lb  45.2" × 26.0" × 6.9" / 32.2lb  100~240V, 50 / 60 Hz  33.0  < 0.5	RS-232C In, External S Black Coffee aual / Easy Setup Guide 300 43.6" x 25.4" x 28" / 24.9lb 43.6" 27.6" x 11.9" / 32.1 lb 51.0" x 30.3" x 6.7" / 39.2lb	× 300 48.9" × 28.3" × 1.6 / 35.9lb 48.8" × 30.3" × 11. / 43.0lb 53.5" × 32.9" × 6.0 / 53.8lb			
DESIGN ACCESSORIES DIMENSIONS POWER	Side Rear  Color Stand  Vesa (mm)  WxHxD / weight (without stand)  WxHxD / weight (with stand)  WxHxD / weight (carton)  Voltage, Hz  Typical (Watts)  Stand-by (Watts)  Safety	29.1" x 17.4" x 2.9" / 10.8lb 29.1" x 19.5" x 9.5" / 13.3lb 35.6" x 20.9" x 6.4" / 16.2lb	Audio Input (Sharing wack)  Power Cable (5.9 ft, A 200 × 200   35.9" × 20.8" × 2.2"   / 16.5lb   5.9" × 22.7" × 11.1"   / 22.9lb   42.1" × 24.0" × 6.4"   / 27.1lb   27.5	HDMI In, USB 2.0  Component In (RCA5 Ty ith Component Audio),  (20/45/90°) Swivel  ingle Type), Owner's Mar  38.3" x 22.5" x 2.8" / 20.3lb  8.3" x 24.6" x 11.9" / 27.4lb  45.2" x 26.0" x 6.9" / 32.2lb  100~240V, 50 / 60 Hz  33.0  < 0.5  UL	RS-232C In, External S Black Coffee aual / Easy Setup Guide 300 43.6" x 25.4" x 2.8" / 24.9lb 43.6" 27.6" x 11.9" / 32.1 lb 51.0" x 30.3" x 6.7" / 39.2lb	× 300 48.9" × 28.3" × 1.6 / 35.9lb 48.8" × 30.3" × 11. / 43.0lb 53.5" × 32.9" × 6.0 / 53.8lb			
DESIGN ACCESSORIES DIMENSIONS POWER STANDARD	Side Rear  Color Stand  Vesa (mm)  WxHxD / weight (without stand)  WxHxD / weight (with stand)  WxHxD / weight (carton)  Voltage, Hz  Typical (Watts)  Stand-by (Watts)  Safety  Environment	29.1" x 17.4" x 2.9" / 10.8lb 29.1" x 19.5" x 9.5" / 13.3lb 35.6" x 20.9" x 6.4" / 16.2lb	Audio Input (Sharing wack)  Power Cable (5.9 ft, A 200 × 200   35.9" × 20.8" × 2.2"   / 16.5lb   5.9" × 22.7" × 11.1"   / 22.9lb   42.1" × 24.0" × 6.4"   / 27.1lb   27.5	HDMI In, USB 2.0  Component In (RCA5 Ty rith Component Audio),  (20/45/90°) Swivel  (38.3" × 22.5" × 2.8"	RS-232C In, External S Black Coffee aual / Easy Setup Guide 300 43.6" x 25.4" x 2.8" / 24.9lb 43.6" 27.6" x 11.9" / 32.1 lb 51.0" x 30.3" x 6.7" / 39.2lb	× 300 48.9" × 28.3" × 1.6 / 35.9lb 48.0" × 30.3" × 11.9 / 43.0lb 53.5" × 32.9" × 6.0 / 53.8lb			

### Jack Panels (Rear/Side)

**EMERGY** 

GUIDE↓





accordance with 16 CFR Part 305.5 for model 32LV340H,

40LV340H, 43LV340H, 49LV340H, and 55LV340H are

\$4, \$7, \$8, \$10 and \$12 respectfully.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 12 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy."

1FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).

### **Anti-Theft System**



#### ensington Lock Slot

The LV340H series feature a Kensington lock slot, so hotels can securely lock the TV. (Lock sold separately)



## Reinforced Metal Stand

- Full metal reinforced stand to improve sturdiness, durability and safety.
- Provides (±20°) swivel out of the box.
- Provides (±20/45/90°) swivel when used with Lock Down plate.



#### Lock Down Plate with Credenza Hole

 Lock the TV firmly to the credenza for added security and help deter theft. (Mounting plate, security bolts, nuts and screws are included.)









**Learn more** www.LG.com/us/commercial **You** Tube youtube.com/c/LGECommercialDisplay

All screen images are simulated. Dimension and weights are approximate. Design, features and specifications subject to change without notice. © Copyright 2017 LG Electronics Inc. All Rights Reserved. Pro:Centric, the "LG" logo, XD Engine are registered trademarks or trademarks of LG Electronics Inc. Pro:Idiom is a registered trademark of Zenith Electronics LLC. All other trademarks or registered trademarks are the property of their respective owners. | SPEC\_LV340H\_041735\_PR