

LG MONITOR M SERIES

19M37D



Reader Mode



Tilt

## Discover The Features Of LG LED LCD Monitors 19" TN LED Monitor

### FEATURES:

- LED LCD Monitor
- Reader Mode
- Dual Smart Solution
- Tilt adjustment



\*LED LCD Monitors combine LCD screen with LED back light technology

# Technical Data

## 19M37D



<b>PANEL</b>		
Screen Size	19" (47cm)	
Panel Technology	TN	
Aspect Ratio	16:9	
Native Resolution	1366 x 768 (HD)	
Brightness	200cd/m2	
Contrast Ratio	600:1	
Dynamic CR	5,000,000:1	
Response Time	5ms (typ)	
Viewing Angle (H x V)	90° x 65°	
Supported Colours	16.7M	
Surface Treatment	Anti glare ,3H	
<b>CONNECTIVITY</b>		
Input (Rear)	Digital	D-Sub (1), DVI-D (1)
	Analoque	-
	Audio	-
External Control		-
	USB	-
Output (Rear)	Digital	-
	Audio	-
External Control		-
<b>PHYSICAL SPECIFICATIONS</b>		
Set (with stand) Dimension (W x H x D )	441mm x 349mm x 168mm	
Set (without stand) Dimension (W x H x D)	441mm x 275mm x 57mm	
Set (with stand) Weight	2.1kg	
Set (without stand) Weight	1.9kg	
Carton Dimensions (W x H x D)	505mm x 339mm x 115mm	
Packed Weight	2.9kg	
VESA™ Standard Mount Interface	75mm x 75mm	
<b>SPECIAL FEATURES</b>		
Additional	Picture Mode, Reader Mode, Original Ratio, DDC/CI, HDCP, Key Lock, Intelligent Auto (Auto Adjustment), Plug & Play, Dual Smart Solution (Dual web, Dual Display, Smart Resolution)	
<b>ENVIRONMENT CONDITIONS</b>		
Operation Temperature	10 °C to 35 °C	
Operation Humidity	10 % to 80 % non-condensing	
<b>POWER</b>		
Power Supply	100-240V~ 50/60Hz	
Power Consumption	18W	
Typical / Smart Energy Saving on	0.3W	
Power Off	0.3W	
Power Type	Adapter	
<b>STANDARD (CERTIFICATION)</b>		
Comparative Energy Consumption	54 (kWh/Year)	
Star Rating	5 1/2 (Stars)	
Active Standby	0.3 (W)	
Safety	TUV-TYPE, UL(cUL), CB Scheme	
EMC	FCC Class "B"/CE, EPEAT "Gold", C-Tick	
ErP/US EPA	NO/ US EPA 6.0	
<b>ACCESSORIES</b>		
Included	Power Cable, D-Sub, DVI-D	
Optional		
Warranty	3 Years (Parts & Labour)	

Disclaimer: All product specifications correct at time of printing. Specifications may change without prior notice.

