

LCD Commercial Widescreen The LG EzSign TV



FEATURES

- Digital Signage Function with Free S/W
- Public Display, Settings Cloning Capable
- ENERGY STAR® 4.1 AND RoHS COMPLIANT
- Auto Sensing Remote Jack Pack (RJP)
 Compatible*
- Pro:Centric[™] ST
- DYNAMIC CONTRAST RATIO 60,000:1
- NATIVE DISPLAY RESOLUTION
 1920 x 1080 full HD 1080p (42"/47" class)
 1366 x 768 (32" class)
- BUILT-IN ATSC/NTSC/QAM CLEAR TUNER

- INVISIBLE SPEAKER SYSTEM Hidden speaker grilles
- LG'S EXCLUSIVE XD ENGINE®
- Multi Remote IR Code
- USB 2.0 Media Host for photos and music
- USB CLONING
- CLEAR VOICE II
- $\bullet \; \mathsf{REAL} \; \mathsf{CINEMA^{\mathsf{TM}}}$
- 2 HDMI™ INPUTS WITH HDCP V.1.3 with deep color
- 2 year Limited Warranty (parts and labor)

*NOTE: Contact your LG Sales representative on the RJPs that are compatible with the LD452B series.





WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LD452B televisions have technologies to reduce power consumption and in return increase cost savings per room. We've also placed limits in the amounts of harmful materials used in these televisions

- EcoSmart
 - Energy Saving Levels Manually select your choice for the brightness level for the television.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 4.1 Qualified Meets current reduction requirements of energy consumption.

PICTURE

₽

Aspect Ratio

Picture Wizard

© Energy Saving : Off

CONNECTIVITY

ENERGY SAVING LEVELS

: Standard

Backlight

• Brightness

Sharpness

FEATURES

LG'S SIGNAGE TECHNOLOGY MEETS THE TELEVISION LG EZSIGN TV

COST EFFECTIVE. SIMPLE. HIGHLY EFFECTIVE.



COST EFFECTIVE - 2 in 1

Without any additional hardware, the LG EzSign TV can be used to show live television broadcasts along with signage content.



CUSTOMIZED TO YOUR NEEDS - Signage content can

be specific to your business

The LG EzSign TV allows you to create your own signage content and make revisions on the fly.



FAST AND EASY - Edit content quickly and easily


Select one of the pre-installed content templates. Apply images and add texts on it. It's that simple.



VARIETY - Pick and choose from a broad range of template designs

The LG EzSign TV gives you the power to choose and change according to your needs.

LG EZSIGN SOFTWARE - Simple 4 step procedure



As a versatile addition to the TV viewing experience, LG's optional autosensing Remote Jack Packs (RJP)*, can serve as a multimedia hub that can be installed conveniently on a table or in a wall. Connect portable devices such as a laptop, mp3 player, or a digital camera to display images, play video or music from the set.

Manually select your choice for the brightness level for the television. By selecting Minimum, Medium, or Maximum, the power consumption will be reduced and an increase in energy savings can be achieved. (Note:

Selecting minimum level may slightly increase power consumption on some models)

- ← Move ⊕ Enter

Medium

Screen off



STEP1 Choose a Template



STEP2 Add Photos



STEP3 Edit the Text




STEP4 Export to USB



PUBLIC DISPLAY SETTINGS

When used in public areas, these HDTVs can be easily programmed by the installer to have the TV turn on at a specified channel/volume level, set the minimum/maximum volume, lock out the control panel/remote, set the aspect ratio, and return to a factory reset. By using Power Management, these displays can be programmed to turn off if there has been no activity (remote or control panel buttons) for a preset time (1-7) hours.



USB CLONING

USB cloning will allow for easy transfer of Public Display Settings from the "Master TV" to an unlimited number of same type televisions.




invisible


SOUND IS HEARD, NOT SEEN

Enjoy a combination of smart technology and stylish design with the invisible speaker system custom tuned by audio expert Mr. Mark Levinson. This unique system provides a clean, polished look and an enhanced auditory experience by increasing the sweet spot and providing a wider sound field.




DIMENSIONS






MOUNTING HOLES ON STAND



REAR



SIDE



47" class (47.0" measured diagonally)

42" class (42.0" measured diagonally)

32" class (31.5" measured diagonally)

www.LG.com

Life's Good

LCD SPECIFICATION Screen Size (Class)	47" class (47.0" measured diagonally)
	42" class (42.0" measured diagonally) 32" class (31.5" measured diagonally)
Native Display Resolution	1920 x 1080 (42", 47" class) 1366 x 768 (32" class)
Dynamic Contrast Ratio	60,000:1
Viewing Angle	60,000:1 178°/178°
Color Reproduction	10 Bit
Response Time (G to G)	4ms
True Viewing Angle	Yes
Life Span (Typical)	60,000 hrs
BROADCASTING SYSTEM	
Analog	Yes
ATSC/NTSC/Clear QAM	Yes
MPEG4	Yes
VIDEO	
Aspect Ratio	16:9
Aspect Ratio Correction	6 Modes (16:9/Just scan/Set by
	program/4:3/Zoom/Cinema Zoom)
Color Temperature Control	3 Modes (Cool/Medium/Warm)
Picture Status Mode	7 Modes (Vivid/Standard/Cinema/
	Sport/Game/Expert 1/Expert 2)
Just Scan (0% over scan)	apan, aama, aspan ii aspan aj
HDMI	1080i/1080p/720p
Component	1080i/1080p/720p
RF/DTV	1080i/720p
24p Real Cinema (24p 5:5/2:2 Pull down)	Yes
Eye Care (Anti Dazzling)	Yes
Fresh White	Yes
Expert Mode/ ISF Ready	Yes
Picture Wizard	Yes
AV Mode (Cinema/Game/Sport)	Yes
xvyCC	Yes
DTV Signal Strength	Yes
AUDIO	103
Audio Output	10W x 2
Invisible Speaker System Details	1 Way 2 Speaker
Della Digital E1 Deceder	Yes
Dolby Digital 5.1 Decoder Surround System Type	Infinite Sound
Bass/Treble/Balance Controls	Yes
Auto Volume Leveler	Yes
EZ Sound Mode/SSM	5 Modes
Clear Voice II	Yes
SPECIAL FEATURES	163
	Yes
XD Engine	
Energy Saving Modes EPG(SI)	Yes (Backlight Control, Video Mute)
1080p Source Input	Yes (Pro:Centric) Yes HDMI/Component (60/30/24p),
1000p Source Input	RGB (WXGA)
A /// Input Navigation	
A/V Input Navigation	Yes Yes
Input Labeling/Sub-title LG SIMPLINK™ (HDMI CEC)	Yes
Description (DDMICEC)	
Parental Control w/V-Chip	Yes Yes
Key Lock/Child Lock	
Customizable Closed Caption/Sub-title	Yes
Splash Image - Logo (on start up)	Yes
Multi Remote IR code (Bed1/2/3/4)	Yes
Auto-Sensing RJP compatible	Yes (with select RJP versions)
Bed 1/Bed 2/ Bed 3/ Bed 4 Control	Yes
PictureWizard	Yes
TVLink-Protocol (Tuner, Loader)	Yes
	Yes
USB Cloning (USB Link Loader) 1080p Source Input	(0 100 104
1080p Source Input HDMI	60p/30p/24p
1080p Source Input HDMI Component	60p/30p/24p
1080p Source Input HDMI Component RGB	60p/30p/24p WXGA
1080p Source Input HDMI Component RGB Quick View (Flashback)	60p/30p/24p WXGA Yes
1080p Source Input HDMI Component RGB	60p/30p/24p WXGA

Quick Menu (Round Type-8 menus selectable) Yes (Aspect Ratio/SAP/ Picture Mode/ Sound Mode/Audio/Sleep Timer/Ch

Add/USB Eject)

Alvin UI	res
Function Menu	Yes
Installation Menu	Yes (v2.6)
CONVENIENCE FEATURES	
Auto Tuning/Programming	Yes
Channel Add/Delete	Yes
Favorite Channel Programming	Yes
Auto/Manual Clock	Yes
On/Off Timer	Yes
Sleep Timer	Yes
Auto Off/Auto Sleep (When no video is present)	Yes
Auto Off/Auto Sleep (When no video is present) AUDIO/VIDEO INPUTS/OUTPUTS	
RF In (Antenna/Cable)	1
L/R Audio/Composite Video In	1 (rear), 1 (side)
HD Component Video In (Y, Pb, Pr) + L/R Audio	1
Digital Audio Out (Optical)	1
	1/
HDMI/HDCP Input (V1.3 with Deep Color)	1 (side), 1 (rear)
RGB In (D-Sub 15pin) - PC	1 (1920 x 1080)
PC Audio Input	1
RS-232c In (Control/Service)	1
USB 2.0 Input	1 (side) Media Host (JPEG, MP3),
·	Cloning, and Service
Remote Control Port In	1
RJ45 (for RJP interface - non PIP)	1
CABINET/ACCESSORIES	•
Cabinet Color	Glossy Black
	Glossy Black +20°/-20°
Swivel Stand (degrees)	
Top Side Mounting Screw	Yes
TORX Security Screw (2 each)	Yes
Power Indicator	Yes (on/off)
Fire Retardant Cabinet Material	Yes
Kensington Security System Slot	Yes
VESA® Mount Compatible	Yes
Remote Control	Yes
POWER	
Voltage, Hz	100V - 240V, 50/60 Hz
Stand-by Mode (typ.)	0.2W (EPA 4.0)
Power Consumption Max	180W (32" class), 260W (42" class), 330W (47" class)
	330VV (47" class)
Power Consumption Typical	78W (32" class), 115W (42" class),
	138W (47" class)
Dynamic Power Savings	Yes
Static Power Savings	Yes
REQUIRED APPROVALS	
ENERGY STAR® 4.1 Qualified	Yes
RoHS Compliant	Yes
UL, cUL, NOM	Yes
DIMENSIONS & WEIGHT	ies
	21 511 10 011 2 011 (2011)
TV without stand (WxHxD)	31.5" x 19.9" x 2.9" (32" class)
	40.3" x 25.0" x 3.0" (42" class)
	44.7" x 27.5" x 3.0" (47" class)
TV with stand (WxHxD)	31.5" x 21.9" x 8.1" (32" class)
	40.3" x 27.0" x 10.3" (42" class)
	44.7" x 29.8" x 10.6" (47" class)
Shipping Dimensions (WxHxD)	38.0" x 23.2" x 7.5" (32" class)
	43.6" x 30.3" x 9.0" (42" class)
	48 8" × 31 6" × 10 0" (47" alace)
TV without stand weight	48.8" x 31.6" x 10.0" (47" class) 17.9 lbs (32" class)
TV without stand weight	11.7 IDS (32 Class)
	29.8 lbs (42" class)
To de la laction de laction de laction de la laction de laction de la laction de la laction de laction de laction de la laction de laction de laction de laction de la laction de laction de laction de la laction de laction de laction de la laction de lacti	38.6 lbs (47" class)
TV with stand weight	20.1 lbs (32" class)
	33.3 lbs (42" class)
	43.0 lbs (47" class)
ShippingWeight	24.9 lbs (32" class)
	41.7 lbs (42" class)
	52.7 lbs (42" class)
SERVICE/LIMITED WARRANTY	2 Years (Parts/Labor)
	L ICais (FdIIs/LdDUI)
UPC CODE	
32LD452B	7 19192 90239 8
42LD452B	7 19192 90242 8
47LD452B	7 19192 90243 5

Yes

Required PC spec for installation: Pentium M or 4 CPU, 512MB RAM, Windows XP sp2, 200MB HDD

Alvin UI


























Customer Service: 888.542.2623

Contact your LG Regional Sales Representative: 888.824.6211

E-mail: Canada.b2b@lge.com

All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2011 LG Electronics Canada, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine is a registered trademark of LG Electronics, Inc. HealthView and EcoSmart are trademarks of LG Corp. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. SRS and the SRS symbol, TruSurround XT and WOW are trademarks or registered trademarks of SRS Labs, Inc. VESA is a trademark of Video Electronics Standards Association. All other product and brand names are trademarks or registered trademarks of their respective companies.

