




LG

Business Solutions



* All images in this datasheet are for illustrative purposes only.

INDOOR LG LED SIGNAGE

LSCB Ultra Slim Series



Slim

Ultra Slim Depth



Easy & Seamless Installation



16:9

16:9 FHD/UHD Configuration




90° Corner Design Available



EMC Class B Certified




Fire Resistant Design



Ultra Slim Depth

Its ultra-slim design with 37.5 mm edge thickness is the biggest advantage of the product. This feature enables the LSCB series to be installed and utilized in any type of venues without restriction.



Easy & Seamless Installation

The LSCB series can be easily installed and managed from the front side for easy operation. Thanks to this feature, no additional space for maintenance behind the product is required. Its LED modules can also be simply attached or detached with a magnetic tool.



16:9 FHD/UHD Configuration

Each cabinet uses a 16:9 aspect ratio, the same most commonly used in displays for FHD and UHD content. This allows you to keep using existing content without additional cost and time for editing.



Conventional

90° Corner Option Applied

90° Corner Design Available

If you add 90° corner option, the LSCB series fits naturally into the space and delivers smooth & flawless content to customers.

	Class A	Class B
USA	 Non-residential	 Residential
EU	 Industrial	 Residential, Commercial, Light Industrial
	← Emissions Increase	

EMC Class B Certified


Boasting EMC Class B certification, the LSCB series guarantees its safety by producing low amount of electromagnetic wave which is harmful to the environment and people.



Fire Resistant Design

The LSCB series obtained Fire Protection Certification and is designed to keep flames from spreading quickly. So you can find enough time to deal with the emergency in case of fire.

PRODUCT INFORMATION




LSCB Series

Pixel Pitch	1.56 / 1.87 / 2.50 mm
Minimum Brightness After Calibration	800 nit
Refresh Rate	3,840 Hz
Serviceability	Front
IP Rating	IP30

DIMENSION

(unit: mm)



As a continuing policy of product development at LG Electronics, the design and specifications are subject to change. They may vary from model to model. Colour/shades may vary due to printing restrictions, E&OE.



B2B CUSTOMER CARE
 1800-180-9898 (Toll Free)
 5757554 (Send SMS)
www.lg.com/in/support



LG Service India Mobile App Available at Google Play

www.facebook.com/lgindiapage/
www.twitter.com/LGIndia

To know more about LG, visit www.lg.com/in
 For B2B Solutions/Product enquiries, please write to b2b.solutions@lge.com
 For B2B Service, please write to b2bsupport.india@lge.com

