

Innovation for a Better Business

LG Commercial Display Solutions

Hospitality



Download LG Commercial Display Mobile App



More info www.lgecommercial.com
You Tube youtube.com/c/LGECommercialDisplay


LG may make changes to specifications and product descriptions without notice.

Copyright © 2015 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered of LG Corp.

The names of products and brands mentioned here may be the trademarks of their respective owners.







In hotels, TVs play a crucial role to deliver rooms' first impression to guest stepping into their rooms. Hotel managers make a ceaseless effort to provide guests with enjoyable and informative content services while their staying. With LG Pro:Centric Hotel TV and Signage Solutions, hotel managers can create customized guest caring contents in a simple and easier way.









Hotel Bar



SuperSign™ TV

Installed in Bar for enjoyable TV entertainment and commercial message.

8P

10P

LX540S LX530S

Application Scenes

Guest Room



Hotel TV

Installed inside guest rooms for entertainment of guests.

• Pro:Centric Smart : LY960H, LY761H, LY760H, LX761H • Pro:Centric V : LY541H, LY540H, LX541H, LX530H, LX330H, LX320H

4P



Hotel Lobby



Commercial Lite

Installed in reception desk or concierge at lobby for hotel information.

LX341C LX330C LX320C LX310C LX330C

Hotel TV

Pro: Centric SMART

Pro:Centric SMART TVs provide premium looking design and convenient connectivity for guest to fully utilize their personal network devices connected to the in-room TV.

webOS

webOS Commercial TV

LG Pro:Centric SMART offers webOS Commercial TV user interface and customizable tools that our partners can optimize their Hotel TVs with IP-based programs to provide premium hotel services.



Simple Customization



Soft AP

Soft AP means software enabled Access Point. This "virtual" Wi-Fi feature executes by software working on the device to create a wireless hotspot. LG Commercial Smart TV enables guests to share secured content sharing between TV and their own devices when



Soft AP



Cinema Screen Design*

The display is a seamless, edge-to-edge panel of glass over an ultraslim, almost unnoticeable bezel. It's a sleek, elegant, virtually borderfree design that will appeal to even the most refined sense of style. Your guests will love the stunning picture while it's on and marvel at its appearance while it's off.



*LY960H





Super Slim Bezel

LY960H

- 55", 47", 42"
- DVB-T2/C/S2
- webOS • FHD/3D
- Hybrid Streaming
- Smart Home
- Commercial Smart Share Cinema Screen Design
- Pro:Centric Application 3.5
- Remote Diagnostics
- EzManager(Auto Configuration)
- DRM : Pro:Idiom • External Power
- Frontal Speaker



- DVB-T2/C/S2

- Slim-Edge design (Case Top Design)

- Swivel



LY761H

- 55", 47", 42", 32"
- webOS
- FHD
- Hybrid Streaming

- Pro:CentricApplication 3.5
- Remote Diagnostics
- External Power

- Smart Home
- Commercial Smart Share

- EzManager (Auto Configuration)
- DRM : Pro:Idiom



LY760H

- 55", 47", 42", 32" • DVB-T2/C/S2
- webOS
- FHD

• Commercial Smart Share

• Pro:Centric Application 3.5

• Remote Diagnostics

• DRM : Pro:Idiom

• External Power

• Slim-Edge design (Case Top Design)

• EzManager (Auto Configuration)

- Hybrid Streaming • Smart Home
- - Smart Home • Commercial Smart Share

webOS • FHD

• Pro:Centric Application 3.5

• Hybrid Streaming

LX761H

• DVB-T2/C/S2

• 55", 49", 43", 40", 32"

- Remote Diagnostics
- EzManager (Auto Configuration) • DRM : Pro:Idiom
- External Power



Pro: Centric V

Pro: Centric® V series help your guests to have a more comfortable and convenient experience in their rooms. Hotel IT manager can also operate all guest room TVs with centralized management on one system.



LY541H

- 47", 42", 32" • DVB-T2/C/S2
- Pro:Centric Application 3.5
- Remote Diagnostics
- EzManager (Auto Configuration)
- Ext. Clock Compatibility
- MHL
- External Power



LY540H

- 47", 42", 32" • DVB-T2/C/S2
- Pro:Centric Application 3.5
- Remote Diagnostics
- EzManager (Auto Configuration)
- Ext. Clock Compatibility
- External Power



LY540H

- 28", 22" • DVB-T2/C/S2
- Pro:Centric Application 3.5
- Remote Diagnostics
- EzManager (Auto Configuration)
- External Power
- MHL



LX541H

- 55", 49", 43", 40", 32"
- DVB-T2/C/S2
- Pro:Centric Application 3.5
- Remote Diagnostics
- EzManager (Auto Configuration)
- Ext. Clock Compatibility
- External Power
- Welcome Video/Welcome Screen
- Instant On

LX320H

• 42 ": FHD, 32" : HD

Self Diagnostics

USB Auto Playback

Intelligent Sensor

• USB Cloning

• IR Out

• MHI

• Pro:Centric Application 3.5

• HDMI-CEC/HTNG-CEC

• EzManager (Auto Configuration)

• Welcome Video/Welcome Screen

• 42", 32"

• DVB-T/C

 Swivel • MHL





Wake-up Setting

Personalize the page with the Pro:Centric® Applications(PCA) which improves guests' in-room experience as well as providing a variety of additional features conveniently just for your customers



Auto Language Setting



Welcome! Mr. Richard Smith



Weather Information

Personalized Pages Various Additional Features

When linked with the Property PCA serves the convenience of the Management System, it provides a guest through a Wake-up setting, Welcome Page with the guest name, Weather Information, Map Service, Auto Language Setting and Billing and much more functions that you information with the guest's name can choose from



The Pro:Centric® Application enabled with the Pro:Centric® server provides customizable templates. With those templates, hote-

liers can add the hotel branded portal pages and channels. It also offers quest-centric services, such as a Welcome Page with the

quest's name, Auto Language Setting and Billing Information with the Property Management System(PMS) interface.

Easy Content Creation & Management

Pro:Centric® allow you to create your own content and manage up to 8 hotel channels which can be specialized for your Hotel. It provides you a solution $% \left\{ \left(1\right) \right\} =\left\{ \left($ that easily customizable for your Hotel Service.





Pro: Centric

Pro:Centric® Server

Application 3.5

Customizable Pages

8 sections with 40 pages of billboards can be made with the web based editing tool.

Hotel Channel Spooling

Operation of up to 8 hotel channels can offer various information and added



MyPro:Centric® enables our partners to create their own contents based on a various SDK such as Java and flash, which gives flexibility for unique and different hospitality service.



LX530H

- 28", 22"
- DVB-T2/C/S2 • HD
- Pro:Centric Application 3.5
- Remote Diagnostics
- EzManager (Auto Configuration) • External Power
- Welcome Video/Welcome Screen • Instant On
- MHL

6



- DVB-T2/C/S2
- Pro:Centric Application 3.5
- Self Diagnostics
- USB Cloning
- IR Out
- MHI
- USB Auto Playback Intelligent Sensor

LX330H

- 42", 32"
- 42" : FHD, 32" : HD
- EzManager (Auto Configuration) • Welcome Video/Welcome Screen
- HDMI-CEC/HTNG-CEC

SuperSign[™] TV

With SuperSign[™] software, a shop owner can create or manage promotional contents easily and show both commercial information and TV program at the same time.



Simple Connectivity

With built-in SoC* and Wi-Fi dongle support, installation has been simplified. By removing the external media player and Ethernet/ RS232C cables, the total cost of ownership (TCO) can be reduced. * System on Chip





Fail Over

The USB failover function enables content to be displayed without dead spots when no input signal is available. It supports files in JPG format with a maximum file size of 10 MB.









Content Management

The SuperSign $^{\!\mathsf{TM}}$ Solution includes SuperSign Lite, W, and C features to provide digital media editing, scheduling, distribution, and management capabilities. By installing SuperSign W on a server, you can manage up to 1000 TVs.






LX540S

- 60", 55", 49" DVB-T2/C/S2
- Welcome Screen • USB Cloning
- IR-Out
- USB auto playback
- SuperSign Lite/W/C 3.0 compatibility
- Wi-Fi dongle ready
- Fail over • MHL



LX530S

- 42"
- DVB-T2/C/S2
- Welcome Screen • USB Cloning
- IR-Out USB auto playback
- SuperSign Lite/W/C 3.0 compatibility
- Wi-Fi dongle ready Fail over
- MHL



Commercial Lite

Commercial Lite TV is designed specifically for hospitality and business environments. With its simplified installation and maintenance options, hotel IT managers can organize hospitable contents for guests and customers easily.



LX341C

- 60", 55", 49"
- DVB-T2/C/S2
- Welcome Video/Welcome Screen
- Self Diagnostics
- HDMI-CEC/HTNG-CEC
- USB Cloning
- USB Auto Playback
- Intelligent Sensor



- IR Out



LX330C

- 42", 32" 42" : FHD , 32" : HD
- DVB-T2/C/S2
- Welcome Video/Welcome Screen Self Diagnostics
- HDMI-CEC/HTNG-CEC
- USB Cloning
- IR Out
- USB Auto Playback • Intelligent Sensor



LX320C

- 42", 32"
- 42" : FHD, 32" : HD
- DVB-T/C
- Welcome Video/Welcome Screen Self Diagnostics
- HDMI-CEC/HTNG-CEC
- USB Cloning • IR Out
- USB Auto Playback • Intelligent Sensor

LX320C

- 28", 22"
- DVB-T/C
- Welcome Video/Welcome Screen
- Self Diagnostics
- HDMI-CEC/HTNG-CEC
- USB Cloning
- IR Out
- USB Auto Playback

Peripherals

Set top box



STB-3000

- Supports HTML5, Java, Flash
- Web Browser, Embedded Smart Apps
- Guest Connectivity: DLNA, WiDi, Smart Mirroring, WiFiDirect
- Embedded Pro:Idiom® decryption

Server Solution



PCS200R

- Simple Installation
- Minimal Head-End rack space
- 1U height, 19" rack mountable
- Web Editor/Content Wizard
- P2020 e500v2 dual core SoC • 2GB 800MHz DDR3 SDRAM
- Supports Pro:Centric Application

Solutions for SuperSign[™] TV



Web-based Contents Authoring and Operation Solution Player

- SUPERSIGN™ Lite

Web-based Contents Authoring and Operation Solution Player

SUPERSIGN" W

- · Licensed Version
- · Connections Up to 1,000 Clients

· Connections Up to 50 Clients · Solution Suitable for SMB

- Solution Suitable for Enterprise
- · Multi-User Account Management
- · Supports Dual Content Editor in both PC App and Web

Supports Dual Content Editor in both PC App and Web



Monitor Control & Auto Calibration S/W

- · Remote Monitor Control Solution
- Enhanced Auto Calibration More Accurate Color Adjustment in 2~3 Minutes

• 49", 43" • FHD • DVB-T/C • Welcome Video/Welcome Screen

LX310C

Self DiagnosticsHDMI-CEC/HTNG-CEC

- IR Out • USB Auto Playback
- USB Cloning



LX300C

- 32"
- HD • DVB-T/C
- Welcome Video/Welcome Screen
- Self DiagnosticsHDMI-CEC/HTNG-CEC
- USB Cloning
- USB Auto Playback