



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The Dy. Manager
VAIBHAO UJAWANE
LG Electronics India Pvt. Ltd.
A5, MIDC Ranjangaon, Ta-Shirur, Dist-Pune
412220 -412220

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/402633/2022 dated 29 Oct 2022. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|--|
| 1. EC Identification No. | EC23B039MH152340 |
| 2. File No. | SIA/MH/INFRA2/402633/2022 |
| 3. Project Type | Expansion |
| 4. Category | B |
| 5. Project/Activity including Schedule No. | 8(b) Townships and Area Development projects. |
| 6. Name of Project | Proposed Expansion of Industrial Shed Construction at Plot No. A-5, MIDC Ranjangaon, Taluka. Shirur, District. Pune, Maharashtra. by M/s. LG Electronics India Pvt. Ltd. |
| 7. Name of Company/Organization | VAIBHAO UJAWANE |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 25/08/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/402633/2022
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. LG Electronics India Pvt. Ltd.,
Plot No. A-5, MIDC Ranjangaon,
Taluka. Shirur, District. Pune.

Subject : Environmental Clearance for Proposed Expansion of Industrial Shed
Construction at Plot No. A-5, MIDC Ranjangaon, Taluka. Shirur, District.
Pune, Maharashtra by M/s. LG Electronics India Pvt. Ltd.

Reference : Application no. SIA/MH/INFRA2/402633/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 167th meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 262nd (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 12th July, 2023.

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/INFRA2/402633/2022	
2.	Name of Project	Proposed Expansion of Industrial Shed Construction at Plot No. A-5, MIDC Ranjangaon, Taluka. Shirur, District. Pune, Maharashtra. by M/s. LG Electronics India Pvt. Ltd.	
3.	Project category	8(b); Township & Area Development	
4.	Type of Institution	Private	
5.	Project Proponent	Name	M/s. LG Electronics India Pvt. Ltd.
		Regd. Office Address	Plot No. A-5, MIDC Ranjangaon, Taluka. Shirur, District. Pune, Maharashtra.
		Contact Number	7875759676
		e-mail	thomas.mathai@lge.com
6.	Consultant	Green Circle Inc., Vadodara NABET Certificate No. – NABET/EIA/2124/RA 0219 valid upto 26/01/2024	
7.	Applied for	Industrial Shed Expansion	
8.	Details of previous EC	The project was not under the purview of EC	
9.	Location of the project	Plot No. A-5, MIDC Ranjangaon, Taluka. Shirur, District. Pune, Maharashtra.	

10.	Latitude and Longitude	A – 18°46'38.75" N, 74°16'20.31" EB – 18°46'46.30" N, 74°16'32.84" E C – 18°46'31.40" N, 74°16'40.73" E D - 18°46'24.77" N, 74°16'27.87" E																											
11.	Total Plot Area (m ²)	213916.00																											
12.	Deductions (m ²)	25182.83																											
13.	Net Plot area (m ²)	188733.17																											
14.	Proposed FSI area (m ²)	11485.78																											
15.	Proposed non-FSI area (m ²)	337.33																											
16.	Proposed TBUA (m ²)	11823.11																											
17.	TBUA (m ²) approved by Planning Authority till date	189312.95																											
18.	Ground coverage (m ²) & %	94331.78 (44%)																											
19.	Total Project Cost (Rs.)	Existing - ₹. 1255.7 Cr, Proposed - ₹. 5 Cr.																											
20.	CER as per MoEF & CC circular dated 01/05/2018	Activity	Location	Cost (Rs.)	Durati on																								
		Lighting by LED bulb/ Solar panels	Ranjangaon	3 lakh	2022-23																								
		Providing Water filters	Ranjangaon	2Lakh	2023-24																								
21	Details of Building Configuration: <Please use following legends: Floor = F , Parking = Pk, Podium = Po, Stilt =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh> <table border="1"> <thead> <tr> <th colspan="3">Previous EC / Existing Building</th><th colspan="3">Proposed Configuration</th></tr> <tr> <th>Buildi ng Name</th><th>Configurati on</th><th>Height (m)</th><th>Building Name</th><th>Configuratio n</th><th>Height (m)</th></tr> </thead> <tbody> <tr> <td>Buildi ng A</td><td>Shop Floor - G Office – G + 1</td><td>12.370</td><td>Building A</td><td>Shop Floor - G Office – G + 1</td><td>12.370</td></tr> <tr> <td>Buildi ng B</td><td>Shop Floor - G + 1 Office – G</td><td>15.333</td><td>Building B</td><td>Shop Floor - G + 1 Office – G +</td><td>15.333</td></tr> </tbody> </table>				Previous EC / Existing Building			Proposed Configuration			Buildi ng Name	Configurati on	Height (m)	Building Name	Configuratio n	Height (m)	Buildi ng A	Shop Floor - G Office – G + 1	12.370	Building A	Shop Floor - G Office – G + 1	12.370	Buildi ng B	Shop Floor - G + 1 Office – G	15.333	Building B	Shop Floor - G + 1 Office – G +	15.333	Reason for Modification / Change
Previous EC / Existing Building			Proposed Configuration																										
Buildi ng Name	Configurati on	Height (m)	Building Name	Configuratio n	Height (m)																								
Buildi ng A	Shop Floor - G Office – G + 1	12.370	Building A	Shop Floor - G Office – G + 1	12.370																								
Buildi ng B	Shop Floor - G + 1 Office – G	15.333	Building B	Shop Floor - G + 1 Office – G +	15.333																								
					No Change																								
					No Change																								

	+ 2			2		
Buildi ng C	Shop Floor - G + 1 Office – G + 2	19.827	Building C	Shop Floor - G + 1 Office – G + 2	19.827	No Change
Buildi ng R	Shop Floor- G	7.30	Building R	Shop Floor- G	7.30	No Change
			11-1 (SHED-1)	G	5	Material flow improvement & local storage
			12-1 (C-11 SHED)	G	4.2	Material flow improvement & local storage
			13-1 (PANEL ROOM)	G	4.05	R32 tank panel
			14-1 (BUILDIN G)	G	2.8	Mfg office
			16-1 (BUILDIN G)	G	3.48	Mfg activities
			17-1 (BUILDIN G)	G	3.48	RM storage
			18-1 (BUILDIN G)	G	3.48	RM storage
			2-1 (CANOPY EXTENSION)	G	7.75	Common Utility
			20-1 (BUILDIN G)	G	3.48	RM storage
			5-1 (PACKIN G)	G	3.48	Packing

			6-1 (DOCK EXTENSION)	G	4. 2	Dock Extension
			7-1 (CANOPY EXTENSION)	G	9	For Material loading and unloading dock
22.	Total number of tenements			3500 no. of workers		
23.	Water Budget	Dry Season (CMD)		Wet Season (CMD)		
		Fresh Water	Existing – 408 Proposed – 0 No additional water requirement	Fresh Water	Existing – 298 Proposed – 0 No additionalwater requirement	
		Recycled	Existing – 235 Proposed - 0	Recycled	Existing – 225 Proposed - 0	
		Swimming Pool	--	Swimming Pool	--	
		Flushing	--	Flushing	--	
		Total	Existing – 643 Proposed - 0	Total	Existing – 523 Proposed - 0	
		Waste Water Generation	Existing – 245 Proposed - 0	Waste Water Generation	Existing – 245 Proposed - 0	
24.	Water Storage Capacity for Firefighting / UGT (m³)			UGT No. 1 Capacity – 3,00,000 lit UGT No. 2 Capacity – 6,00,000 lit Firefighting Water Tank Capacity – 5,26,000 lit		
25.	Source of water			MIDC		
26.	Rainwater Harvestin g(RWH)	Level of the Ground water table:		Pre-Monsoon: 4.1 m to 11.6 m Post Monsoon: 2.7 m to 5.9 m		
		Size and no of RWH tank(s) and Quantity:		8 nos. of RWH Tanks of size 3m x 3m x 1.5m		
		Quantity and size of recharge pits:		NA		
		Details of UGT tanks if any:		2 nos.		
27.	Sewage and Wastewater	Sewage generation in CMD:		245		
		STP technology:		MBBR		
		Capacity of STP (CMD):		350		
28.	Solid Waste	Type	Quantity (kg/d)			Treatment /

	Management during Construction Phase			disposal	
		Dry waste:	10 kg/day	Local MSW facility	
		Wet waste:	7 kg/day		
		Construction waste	11 MT	Metal waste & debris/stony waste shall be utilized within site for road construction and site levelling. Other waste shall be sent to authorized scrap vendor for segregation and recycle/ disposal	
29.	Solid Waste Management during Operation Phase	Type	Quantity (kg/d)	Treatment / disposal	
		Dry waste:	Existing - 315 kg/day Proposed - 0	Authorised scrap vendor	
		Wet waste:	Existing - 210 kg/day Proposed - 0	Presently given to authorised MPCB Vendor for Composting; OWC is proposed in the	
				proposed expansion	
		Hazardous waste:	5.1 Used or Spent Oil	Existing - 210 kg/day Proposed - 0	Sale to authorized recycler
			33.1 Empty Barrels/ Containers/ Liners contaminated with hazardous chemicals/ wastes	Existing - 17 No./day Proposed - 0	Sale to authorized recycler
			5.2 Wastes or residue containing oil	Existing - 11 kg/day Proposed - 0	CHWTSDF

		31.1 Process Residue and Waste	Existing - 1 MT/day Proposed - 0	CHWTSDF
		Foam Waste	Existing - 37 kg/day Proposed - 0	Sale to authorized recycler
		Biomedical waste:	--	--
		E-Waste:	Existing - 5 MT/Month Proposed - 0	Sold to authorised E-Waste vendor
		STP Sludge (dry)	25 kg/month	CHWTSDF
30	Green Belt Development	Total RG area (m ²):		20970.35
		Existing trees on plot:		6338
		Number of trees to be planted:		0
		Number of trees to be cut:		0
		Number of trees to be transplanted:		0
31	Power requirement:	Source of power supply:		MSEDCL
		During Construction Phase (Demand Load):		500 kVA
		During Operation phase (Connected load):		5800 kVA
		During Operation phase (Demand load):		5800 kVA
		Transformer:		6 nos. out of which 4 nos. of 3MVA and 2 nos. of 2.5 MVA
		DG set:		3 Nos. x 1250
				KVA, 1 No. x 250 KVA, 3 Nos. x 1500 KVA
		Fuel used:		HSD
32	Details of Energy saving	Industry has planned to install solar lights in common areas such as parking, amenity space as well as solar street lights.		
33	Environmental Management plan budget during Construction phase	Type	Details	Cost
		Capital	NA	0
		O&M	Dust Suppression by sprinkling water, Air, Water, Noise & Soil monitoring from MoEF approved lab on monthly basis, Medical check of staff from certified surgeon, PPEs to workers, Disposal of Municipal Solid Waste, etc.	Rs. 5,50,000 per month

34	Environmental Management plan Budget during Operation phase	Component	Details	Capital (Rs. In lakh)	O&M (Rs. In lakh/Y)
		Existing Environment Budget Cost			
		Storm Water	Development of storm water line	250	2
		Sewage treatment	STP Upgradation	150	8.25
		Water treatment	--	--	--
		RWH	8 nos. of RWH Tanks	75	10
		Swimming Pool	--	--	--
		Solid Waste	Solid Waste Management	15	163
		Hazardous waste	Hazardous waste Management	25	10
		e-waste	E-waste Management	25	--
		Green belt development	Landscape / Greenbelt Development	20	15
		Energy saving	Energy saving	125	12
		Environmental Monitoring	Environmental Monitoring of Air, Water, Noise & Soil	3.5	3.5
		Disaster Management	Disaster Management	850	14
		Proposed Environmental Budget Cost			
		Solid Waste Management	OWC	12.0	1.0
35	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m ²)
		4-Wheeler	138	138	12.5
		2-Wheeler	328	328	3
		Bicycle	42	42	1.5

3. Proposal is a new construction project of development of industrial shed. Proposal has been considered by SEIAA in its 262nd (Day-3) meeting held on 12th July, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit energy saving details and shadow analysis report.
2. PP to submit details of incremental run off.
3. PP to submit comparative statement of EMP previous and now proposed, indicating justification for increase in O&M cost of solid waste management.
4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy,2021.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 21391.60 m² on mother earth without any construction site. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI-200798.73 m² (Existing-189312.95 m² + Proposed-11485.78 m²) , Non FSI- 637.33 m² (Existing-300.00 m² + proposed-337.330 m²), total BUA-201436.06 m² (Existing-189612.95m² + Proposed- 11823.11 m²). (Plan approval No-D.E.(R)/C-58310/2022, dated-29.07.2022)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation

with Ground Water Authority.

- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management

and Handling) Rules, 2016.

- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same

periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before

starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. CEO, MIDC, Mumbai.
7. Regional Officer, Maharashtra Pollution Control Board, Pune.