Comprehensive Hospitality Solution with Pro:Centric

LT340H(MEA)

Now, you can manage your hotel more easily and efficiently with Pro:Centric V series TV models. All guest-room TVs can be configured and/or updated via a centralized management system, and Quick Menu embedded in the TVs provides simpler but essential menus without the need of a server. With this cost efficient. Pro:Centric V series, save cost and workforce while helping guests have a more comfortable and convenient experience in their hotel room.

* 49 inch

Live TV

LG | Business Solutions

* Actual product appearance may differ from the above simulated scene.

Comprehensive Hospitality Solution with Pro:Centric
LT340H(MEA)

HOSPITALITY FEATURE

Quick Menu

Enjoy LG's easy solution of menu home. Now LG provides the new Quick menu (Ver 3.0), making it more easy and user friendly than ever. The solution has been upgraded in a big way; Hotel Promotional Video Creation Tool is added and Quick Manager is ready to use, which allows easy information distribution throughout the same network without a server or USB Cloning function, turning the solution into a perfect solution for Stand Alone Usage Scene.

Using 4 Templates

Hotel Mode

Be in total control with Hotel Mode. Change TV settings or reset settings to default for every room at once.

* Actual remote controller product appearance may differ from the above scene.

Comprehensive Hospitality Solution with Pro:Centric

LT340H(MEA)

HOSPITALITY FEATURE

Lock Mode

Lock Mode blocks external input signals with non-compliant content. This is a useful feature for preventing misuse of TVs in public spaces.

External Speaker Out

Enhance the entertainment experience with an additional speaker. Guests can listen and control the TV audio from anywhere, even from restrooms.

Comprehensive Hospitality Solution with Pro:Centric
LT340H(MEA)

SIMPLE & EASY MANAGEMENT

USB Data Cloning

USB data cloning makes managing multiple displays more efficient for optimal operation. No need to set up each display one by one, data can be copied to a USB in one display, data will be distributed to other displays through a USB plug-in.

IR Out

Using the interactive set-top-box, all LG TVs can be controlled with a single remote.

Multi IR

Multi IR function eliminates the remote control signal interference between TVs for multiple devices.

* Only available for LG TV models

Comprehensive Hospitality Solution with Pro:Centric

LT340H(MEA)

SIMPLE & EASY MANAGEMENT

USB Auto Playback

Create and play personalized media playlists (video, music, images) without a PC or installation.

Remote Diagnostics

The TV stores diagnostic data, which can be saved to a USB memory device, thus enabling service engineers to analyze the data and identify technical issues quickly and easily.

Welcome Video / Screen

With the capability to display several images, Commercial Lite TVs allow for a greater variation of greeting messages in hotel rooms which make customers feel more welcome and cared for.


Admin

DIMENSION

49"

1,110mm
81.1mm
72mm
300mm
650mm
705mm
300mm
76mm
235 mm

43"

977mm
80.8mm
71.7mm
200mm
575mm
615mm
200mm
54mm
187mm

32H"

739mm
84mm
74.6mm
200mm
441mm
472mm
200mm
168mm

CONNECTIVITY

49" / 43"

MCR67446205

LAN (SERVICE)

EXTERNAL SPEAKER OUT

OPTICAL DIGITAL AUDIO OUT

HDMI IN
1

Manufactured under license from Dolby Laboratories, Dolby, Dolby Vision, Dolby Audio, Dolby Atmos, and the double - D symbol are trademark of Dolby Laboratories.

RGB IN(PC)   RS-232C IN(CONTROL&SERVICE)

COMPONENT IN / AV IN   VIDEO/Y   PB   PR   L/MONO AUDIO®   AUDIO IN (RGB)

13/18V ===
700mA Max
LNB
Satelite IN

ANTENNA/ CABLE IN

H/P OUT   HDMI IN 2   USB IN   ▲ PCMCIA CARD SLOT ▲   MEZ66590558 (REV00)

32H"

MCR66590415

LAN (SERVICE)

EXTERNAL SPEAKER OUT

OPTICAL DIGITAL AUDIO OUT

HDMI IN
1

Manufactured under license from Dolby Laboratories, Dolby, Dolby Vision, Dolby Audio, Dolby Atmos, and the double - D symbol are trademark of Dolby Laboratories.

RGB IN(PC)   RS-232C IN(CONTROL&SERVICE)

COMPONENT IN / AV IN   VIDEO/Y   PB   PR   L/MONO AUDIO®   AUDIO IN (RGB)

13/18V ===
700mA Max
LNB
Satelite IN

ANTENNA/ CABLE IN

H/P OUT   HDMI IN 2   USB IN   ▲ PCMCIA CARD SLOT ▲   MEZ66590558 (REV00)

* Dimensions & Jack Panels (Read/Side) may differ from the above image, so please contact LG salesteam to verify before ordering.

SPECIFICATIONS

		49LT340H	43LT340H	32LT340H
DESIGN	Stand Type	2 Pole	2 Pole	2 Pole
	Front color	Ceramic BK	Ceramic BK	Ceramic BK
DISPLAY	Inch	49"	43"	32H"
	Resolution	1,920 x 1,080 (FHD)	1,920 x 1,080 (FHD)	1,366 x 768 (HD)
	Backlight Unit Type	Direct	Direct	Direct
	Brightness (cd/m²)	400	400	240
BROADCASTING SYSTEM	Digital	• (DVB-T2 / C / S2)	• (DVB-T2 / C / S2)	• (DVB-T2 / C / S2)
VIDEO	HDR / HDR Dolby Vision	- / -	- / -	- / -
AUDIO	Audio Output	10W + 10W	10W + 10W	5W + 5W
	Speaker System	2.0 ch	2.0 ch	2.0 ch
HOSPITALITY SOLUTION	Solution Type	Pro:Centric (V)	Pro:Centric (V)	Pro:Centric (V)
	Data Streaming (IP & RF)	• (RF Only)	• (RF Only)	• (RF Only)
	HCAP (GEM / FLASH / HTML) ※ Service Carousel (TLL / XML)	GEM	GEM	GEM
	DRM	-	-	-
	Pro:Centric Server	PCS400R	PCS400R	PCS400R
HOSPITALITY FEATURES		Quick Menu (3.0), EzManager, USB Cloning, Self Diagnostics(USB), HTNG-CEC (1.4), Simplink(HDMI-CEC, 1.4), IR Out, Multi IR Code, Hotel Mode / Installer Menu, Lock mode (Limited), Welcome Video / Screen, Insert Image, One Channel Map, External Speaker Out, RJP Compatibility, USB Auto playback, Auto Off / Sleep Timer, Smart Energy Saving, Motion Eye Care, Time scheduler, Anti-theft System (Kensington Lock : (32" backcover)), Chromecast Dongle Anti-theft Cover (optional)		
JACK INTERFACE	Set Side	Headphone Out, HDMI In (2.0), USB (2.0), CI Slot		
	Set Rear	HDMI In (2.0), USB, RF In (2), AV In (Phone Jack Type), Component In (Phone Jack Type), Digital Audio Out (Optical), RGB In - PC, PC Audio Input (Share with Component Audio), RS-232C (Control & Service), RJ45 (Service), External Speaker Out : Spk-out 1, 4W (Stereo, R : 2.0W, L : 2.0W, 8Ω)		
DIMENSION (UNIT : mm / kg)	VESA	300 x 300	200 x 200	200 x 200
	W x H x D / Weight (With stand)	1,110 x 705 x 235 / 11.4	977 x 615 x 187 / 8.1	739 x 472 x 168 / 4.9
	W x H x D / Weight (Without stand)	1,110 x 650 x 72 (81.1) / 11.3	977 x 575 x 71.7 (80.8) / 8.0	739 x 441 x 74.6 (84) / 4.85
	W x H x D / Weight (Shipping)	1,193 x 770 x 158 / 13.4	1,060 x 660 x 152 / 10.5	812 x 510 x 142 / 6.1
POWER (UNIT : WATTS)	Voltage, Hz	100 ~ 240, 50/60	100 ~ 240, 50/60	100 ~ 240, 50/60
	Typical	68	64	34
	Stand-by	Under 0.5	Under 0.5	Under 0.5

* Specifications are subject to change without notice, so please contact LG salesteam to verify before ordering.

LG | Business Solutions