

Specifications

		LX531H	LX530H	
Display	Screen Size	42	28H / 32H	
	Type	LED	LED	
	Resolution	1920 x 1080 (FHD)	1366 x 768 (HD)	
Broadcasting System	Analog	PAL/NTSC-M	PAL/NTSC-M	
	Digital	DVB-T2/T/C (varied by region)	DVB-T2/T/C (varied by region)	
Audio	Audio Output	10W + 10W	28H* : 5W + 5W 32H* : 10W + 10W	
Basic Commercial TV Features	Welcome Video/Screen, Lock Mode, One Channel Map, Multi-IR Code, Hotel Mode, USB Cloning, IR Out(RS-232C,HDMI), TV Link Protocol, USB Auto Play Back, External Power, External Speaker Out, RTC(Real Time Clock)			
General Features	Pro:Centric®	Type	Pro:Centric® V	Pro:Centric® V
		Interactive Protocol	IP(Pro:Centric return path supports only)/RF	IP(Pro:Centric return path supports only)/RF
		HCAP(GEM/FLASH/HTML)	GEM / Flash	GEM / Flash
	Management	Self Diagnostics(USB), EzManager 2.1		Self Diagnostics(USB), EzManager 2.1
	Interactivity	HDMI-CEC, HTNG-CEC		HDMI-CEC, HTNG-CEC
	RJP Interface	RS232C, HDMI CEC		RS232C, HDMI CEC
	Auto Off/ Auto Sleep	•		•
	Intelligent Sensor	•		•
	Smart Energy Saving	•		•
	Anti-theft System	Kensington Lock, Credenza/Security Screw Hole		Kensington Lock
Interface	Side	HDMI In	2 (MHL: 1)	28H*: 1(MHL: 1) 32H*: 2(MHL: 1)
		USB	2	2
		Headphone Out	1	1
	Rear	RF In	1	1
		AV In	1	1
		Component In(Y, Pb,Pr) + Audio(L/R)	1(Commonly used w/AV)	1(Commonly used w/AV)
		Digital Audio Out(Optical)	1	1
		RGB In (D-sub 15pin)	1	1
		PC Audio Input	1(Commonly used w/AV)	1(Commonly used w/AV)
		RS-232C(D-sub 9pin)	1	1
		HDMI In	1	1
		LAN	1	1
		Ext SPK out (3.5mm Phone Jack)	2 (Spk-out 1, Vol. Control 1)	2 (Spk-out 1, Vol. Control 1)
Power	Voltage, Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	
	Typical(Watts)	86.10	28H* : 36.86 32H* : 60.80	
	Stand-by(Watts)	0.30	28H* : 0.22 32H* : 0.31	
Standard Approval	Safety	CB, BIS, SIRIM, TISI, BPS, PSB, SNI	CB, BIS, SIRIM, TISI, BPS, PSB, SNI	
	Environment	CISPR	CISPR	
	Etc.	MEPS, Tick, EE, CIF, BEE, Freeview	MEPS, Tick, EE, CIF, BEE, Freeview	

Download LG Commercial Display Mobile App



More info www.lgcommercial.com

YouTube youtube.com/c/LGCommercialDisplay

LG may make changes to specifications and product descriptions without notice.
Copyright © 2015 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered of LG Corp.
The names of products and brands mentioned here may be the trademarks of their respective owners.



Comprehensive Solutions for Hospitality

Now, you can manage your hotel more easily and efficiently with Pro:Centric® V Series helping your guests to have a more comfortable and convenient experience in their hotel room. You can also operate all hotel room TVs with centralized management on one system while saving cost and workforce.



LX531H
LX530H

Pro:Centric® V

- PMS Interfaced Service
: Welcome Message with Guest Name, Auto Language Setting, Billing Information
- Advanced Wake-up Time, Weather, Map
- Embedded Customizable Templates
- 8 Hotel Channel Spooling
- EzManager 2.1 for quick and simple TV settings
- Remote Management via RF & IP

Full features are available when connected to the Pro:Centric® Server.

Enhanced Guest Experience



Provides the ability to differentiate guest room experiences with customizable billboards and a personalized welcome page enabled by the Property Management System.

Features :

- Welcome Video/Screen
- PMS Interfaced Service
: Welcome Message, Auto Language Setting, Billing Information
- Advanced Wake-up Time, Hotel Information, Weather, Map

Other Hospitality Features



With the capability to display various video formats* as well as images, Commercial TVs allow for a greater variation of greeting messages in hotel rooms which make customers feel more welcome and cared for.
* mp4, avi, mov, tp, wma, ts etc.



Clone all commercial TVs with astonishing speed and ease. The USB Cloning feature allows you to simply copy the TV settings to all TVs in hotel rooms using a USB stick, a process that is fully automated to save time without having to set each TV individually.

Easy Content Creation & Management




Enables centralized and intuitive in-room TV control from the TV settings to content creation and updates.

Features :

- Embedded Customizable Templates
- 8 Hotel Channel Spooling



Guests can enjoy their own content on TV screens from their own mobile devices, tablets and other portable devices with MHL (Mobile High-Definition Link).



Instant on function's high speed loading system saves up to 28 seconds and enables users to enjoy the contents immediately when they first turn on the TV.


Optimized Total Cost of Ownership



Optimize TCO with Pro:Centric® by removing additional Set-top-box, by saving workforce and time for manual management for individual TVs and development & management cost for hospitality solutions.

Features :

- EzManager 2.1 Management
- Remote Management via RF & IP



Allows you to connect interactive set top boxes or media players enabling you to control and manage your TV via RS232C cable.

* Hospitality features available without the use of the Pro:Centric® Server.




The Pro:Centric® Application enabled with the Pro:Centric® server provides customizable templates. With those templates, hoteliers can add the hotel branded portal pages and channels. It also offers guest-centric services, such as a Welcome Page with the guest's name, Auto Language Setting and Billing Information with the Property Management System (PMS) interface.

Enhanced Customer Experience




Personalize the page with the Pro:Centric® Applications (PCA) which improves guests' in-room experience as well as providing a variety of additional features conveniently just for your customers



Welcome Page

Auto Language Setting



Wake-up Setting

Weather Information

• Personalized Pages

When linked with the Property Management System, it provides a Welcome Page with the guest name, Auto Language Setting and Billing information with the guest's name.


• Various Additional Features

PCA serves the convenience of the guest through a Wake-up setting, Weather Information, Map Service, and much more functions that you can choose from

Easy Content Creation & Management




Pro:Centric® allow you to create your own content and manage up to 8 hotel channels which can be specialized for your Hotel. It provides you a solution that easily customizable for your Hotel Service.



• Customizable Pages

8 sections with 40 pages of billboards can be made with the web based editing tool.



• Hotel Channel Spooling

Operation of up to 8 hotel channels can offer various information and added services.






MyPro:Centric® enables our partners to create their own contents based on a various SDK such as Java and flash, which gives flexibility for unique and different hospitality service.

Dimension

LX531H : 42"

LX530H : 32H"


LX530H : 28H"



		LX531H	LX530H
Set Size (With Stand, W x H x D, mm)	42"	961 x 612 x 218	28H" : 641.5 x 432 x 170
			32H" : 732 x 481 x 207
Set Weight (With Stand, Set, kg)	42"	9.5	28H" : 4.5
			32H" : 6.2
Vesa Compatibility	42"	400 X 400	28H" : 100 X 100
			32H" : 200 X 200


Connectivity

LX531H : 42", LX530H : 32"



- 1 LAN
- 2 OPTICAL DIGITAL AUDIO OUT
- 3 HDMI 1
- 4 VOLUME CONTROL
- 5 EXTERNAL SPEAKER OUT
- 6 ANTENNA CABLE IN
- 7 RGB IN (PC)
- 8 RS-232C IN (CONTROL & SERVICE)
- 9 COMPONENT IN/AV IN
- 10 USB IN 2
- 11 USB IN 1
- 12 HDMI IN 3(MHL)
- 13 HDMI IN 2
- 14 H/P OUT

LX530H : 28H"



- 1 OPTICAL DIGITAL AUDIO OUT
- 2 VOLUME CONTROL
- 3 EXTERNAL SPEAKER OUT
- 4 HDMI IN 1
- 5 LAN
- 6 DC-IN (19V==)
- 7 RGB IN (PC)
- 8 RS-232C IN (CONTROL & SERVICE)
- 9 COMPONENT IN/AV IN
- 10 ANTENNA CABLE IN
- 11 USB IN 1
- 12 USB IN 2
- 13 HDMI IN 2(MHL)
- 14 H/P OUT