preliminary

Pro Centric Smart IPTV Ultra-Slim Edge-Lit LED TV

with Integrated Pro:Idiom®





Smart. Connected. Customizable.

One of the smartest and most flexible Hotel Television platforms in the industry.



SECOND SCREEN CONNECTIVITY / SHARING

The LY970H is designed for "second screen" support and options includes Wi-Di™, Wi-Fi Direct™ and Smart Mirroring technologies, which are used to pair guests' mobile devices with the TV enabling them to share and view their content on the large HD screen.



SMART SHARE

REMOTE DIAGNOSIS



LG's IPTV's support enhanced diagnostics tools, enabling remote monitoring and fault analysis of the TVs and content delivery system via partner's application.

SMART CUSTOMIZATION

LG Pro:Centric[®] Smart offers SI's the ability to customize and optimize a property's TVs with interactive IP-based applications including HTML5, Java and Flash programs. With this expansion of control comes the ability to provide premium hotel services without the need for a separate set-top box. Additionally, enhanced connectivity and second-screen sharing are available to the guests with LG Smart TV technology.

CUSTOMIZABLE UI







HISTORY AUTO-DELETE



LG's commercial grade IPTV's automatically delete guests private logon credentials from embedded applications at power-off and also provides a further level of control for SI partners applications via the HCAP middleware layer to control deletion at guest check-out time.

WEB BROWSER



Let your guests surf the internet just like at home with LG's optional easyto-use 'Magic' Remote Control and embedded web-browser function.





Pro:Idiom

Global Leading Digital Rights Management System

Pro:ldiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is thus designed to lower costs and reduce maintenance needs. This leading DRM system is embraced for its security solution, which prevents illegal copying of copyrighted content.

Reduced Total Cost of Ownership



Using LG's optional Pro:Centric server, you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit each room.



EzManager's auto configuration function makes installation quick and easy. EzManager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost.

Effectively Manage In-Room TVs



The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.

Pro: Gentric⁻ Applications Platform

The LY970H is the latest in the line of Pro:Centric Televisions that provides a unique and dedicated hotel application platform for hosting LG's SI (System Integrator) Partners interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guest needs.

The LY970H extends the choice of interactive systems available to hoteliers through the introduction of HTML5 support in addition to the current Adobe Flash-Lite and Java support. The LP970H is also a full IPTV platform with built-in IP video decoding supporting both IP and RF connectivity. Leveraging the Pro:Centric IPTV platform enables SI Partners to integrate their STB (Set Top Box) client software directly into the Television, eliminating the need for the additional STB hardware and reducing associated capital and support costs.

The LY970H supports embedded Wi-Fi for streaming of content to the Television or back channel communications.

The LY970H platform also includes remote diagnostic tools for partners to manage their systems and monitor the TV's on the network by the head-end or cloud based server for maintenance and admin purposes. The Wake-on-LAN features allows the TV to communicate in a background mode while the TV is powered off and without disruption to the guest, providing the ability to deliver remote software updates from the head end server.

The LY970H Pro:Centric Applications Platform







Channel Guide

Simple Channel List: Select the broadcast logo to watch your selected TV program



Remote Help Learn how to use the Remote controller with easily accessible menu on TV



Language Access the system in multiple languages for international guest service from various nations.

FREE Interactive Electronic Program Guide Service for Pro:Centric® TVs!

Plan Highlights

If your property has purchased or plans to purchase LG's Pro:Centric® TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric® server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG) channel line up.

FREE program guide service runs until Dec. 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epg/index.jsp



Avoid Room Visits with LG's TV Remote Management Solution

When using LG televisions in Free-To-Guest hotel installations there are now two head-end device options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

1. Integrated *b*-LAN, plus LG's Free-To-Guest Management Appliance (FMA) 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

Hotel Costs For Free-To-Guest Channel Management

	Estimated Labor Costs	MSRP	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with b-LAN integration plus FMA		\$2,250 (FMA)	\$2,250	\$17,750
LG Pro:Idiom TV with Pro:Centric Server		\$1,750 (PCS150R)	\$1,750	\$18,250

MSRP subject to change. Installation not included.

Free-To-Guest Remote Management Devices



Remote management functions also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)

FMA-LG101 HEAD-END SYSTEM



Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.


reen LIFE'S GOOD.

when it's green.

LG is committed to improving product development, manufacturing and usage to meet the demand for products with environmentally friendlier features. Our televisions have technologies to reduce power consumption and in return increase cost savings per room.

EcoSmart

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- CEC Compliant Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 6.0 Qualified Meets current Environmental Protection Agency's television product specifications.



2 RS-232C II ANTENNA/ CABLE IN \odot

SIDE JACK PANEL



The Anti-theft system provides security to prevent TVs theft. Consisting of a Kensington Lock, a Anti-Theft System Credenza and Lock Down Plate. Kensington Lock • LG Hotel TVs are protected by the reliable solution the Kensington Lock.

NEW! Reinforced Metal Stand Full metal reinforced stand and neck to improve sturdiness, durability and safety.

11111



Lock Down Plate with Credenza Hole Lock the TV firmly to the TV stand for added security and help deter theft. (Mounting plate, security bolts, nuts and screws are included)



Pro: Centric Smart IPTV Ultra-Slim Edge-Lit LED TV

with Integrated Pro:Idiom®

preliminar

▶ 60LY970H

60" class (TBD" measured diagonally)

> 55LY970H

55" class (TBD" measured diagonally)



▶ 47LY970H

47" class (TBD" measured diagonally)

> 42LY970H

42" class (TBD" measured diagonally) Model

PANEL	Model	60LY970H	55LY970H 47LY970H	42LY970H	SPECIAL	Model	60LY970H	55LY970H 47LY970H	42LY970H	
	Panel Technology		Edge lit LED		FEATURES	Picture		JPEG		
	Panel Size	60"Class (TBD"meas.dag) 55"Class (TBD"meas.dag) 47"Class (TBD"meas.dag) 42"Class (TBD"meas.dag)			(Cont.)	USB Cloning		Yes		
	Native Resolution		1920 x 1080 (FHD)			One Channel Map / Logical Channel Map		Yes (LCM)		
	Dynamic CR		2,000,000:1			Welcome Screen		¥		
	Static (Panel) Contrast Ratio Viewing Angle (HxV)		1,400	°/178°		(Splash Image)		Yes		
	Response Time	8ms	TR: 8ms/Tf:10ms			Auto Off/Auto Sleep		Yes		
	Frame Rate	OIIIS	120Hz			Video Mute		Yes		
OADCASTING	Analog		Yes (NTSC)			Smart Energy Saving (Auto Power Off)		Yes		
TEM	Digital		Yes (ATSC / Clear QAM/VSB)			Motion eye care		Yes		
/IDEO	Triple XD Engine	Yes				(Intelligent Sensor)				
	Dynamic Color Enhancer		Yes		INTERFACE	Kensington Lock		Yes (Stand)		
	24p Real Cinema	Yes Yes, 5 modes (16:9, Just Scan, Set By Program, 4:3, Zoom)			(Side)	HDMI In USB (2.0)		2 Side 1 Side		
	(24p 5:5/2:2 Pull down)				INTERFACE (Rear)	RF In		1 Rear		
	Aspect Ratio					AV In		1 Rear (Sharing with Component in)		
JDIO	Audio Output		12W + 12W		(Real)	Component in (Y,Pb,Pr)		1 Rear		
	Speaker System	2.1 ch Yes, 6 Modes (Standard, News, Music, Cinema, Sport, Game) Yes Yes Yes Yes				+ Audio	1 (Optical)			
	Sound Mode					Digital Audio Out (Coaxial / Optical)				
	Smart Sound Mode					HDMI/HDCP Input	1 Rear			
	Optical Sound Sync Wireless Sound Sync					USB 2.0	1 Rear			
	apt-X codec				PC Audio Input	1 Rear (Sharing with Component in)				
	Sound Expansion		Yes Yes			RS-232C (D-Sub 9pin)	1 Rear (Phone Jack)			
	Sound Optimizer	Yes, 3 Modes (Normal, Wall-Mount Type, Stand Type)				LAN Port	2 Rear			
	Clear Voice II		Yes			RJ45 (RJP interface)	1 Rear			
	Subwoofer		Yes			External Speaker Out		1 Rear (3.5mm phone jack)		
PECIAL	Pro:Centric		Yes			TV link Configuration (phone jack type)		1 Rear		
	Hybrid Streaming (IP & RF)*MultiCast/HTTP		Yes			PTC Configuration				
	Data Carousel					(phone jack type)		1 Rear		
	RF(1/2Tuner)		Yes (2 Tuner)			MPI Jack (RJ-12)		1 Rear		
	Pro:Centric Application		Yes (PCA 3.0)		CABINET	Bezel Width (on Bezel)		8.8mm/8.8mm/26.5mm		
	HCAP (GEM/FLASH/HTML)	Yes Yes (EzMangager)				(mm) (L/R/U/B) Bezel Width (off Bezel)				
	Auto Configuraiton					(mm)		1.0mm/1.0mm/24.7mm		
	Remote Diagnosis		Yes			With Stand	52.7"x33.0"x10.8"	48.5"x30.4"x9.7" 41.8"x26.7"x9.	7" 37.4"x24.1"x8.6'	
	Multicast/Unicast ready		Yes			Weight	48.1 lbs	41.7 lbs 29.1 lbs	22.7 lbs	
		Yes (RTSC, HLS, SNMP, UDP/MultiCast, USB Port/Video Streaming support (Smartshare) (%IGMPv3 SSM Support) Yes (Commercial CP/Apps) Yes Yes Yes Yes Stes (Smart Share) Yes Yes (Smart Mirroring) Yes Yes Yes			REQUIRED LISTINGS UPC	Without Stand		48.5"x28.3"x2.2" 41.8"x24.5"x2.		
	IP Streaming					Weight Carton	47.0 lbs	40.8 lbs 28.2 lbs 51.7"x31.0"x6.2" 45.1"x278"x6.2	22.0 lbs	
	APP. (P:C Smart)					Weight	60.6 lbs	54.5 lbs 38.4 lbs	2 41.7 x 20.0 x 0.0 28.7 lbs	
	Web Browser					Color	00.0105	Black with Hairline finish	20.7105	
	Remote App Compatibility					VESA™ Standard		400mm x 400mm		
	DLNA (Movie/Photo/Music)					Mount Interface	Yes (Back Cover only) cUL, UL, FCC, NOM			
	WiDi (PC to TV)					Flame Retardant Safety				
	Miracast (Mobile to TV)					RoHS	COL, OL, FCC, NOIM Yes			
	WiFi Direct					Energy Star 6.0		Yes		
	MHL					55	719192915862 719192916258 719192915886 1			
	HDMI-CEC		Yes POWER					110 ~ 240V, 50/60Hz		
	HTNG-CEC		Yes			Watts (Typical)	7W	7W TBD	TBD	
	Pro:Idiom		Yes			Stand-by		0.5W↓		
	SI Compatible (TVLink		Yes (MPI protocol)		WARRANTY	2-Year Limited Warranty (Parts/Labor)				
	Protocol) b-LAN		Yes		REMOTE JACK		The loss dent			
	WiFi		Yes (Built-in type)		PANEL COMPATIBILITY					
	3D		Yes		Compatibility (RJP)					
	Hotel Mode / PDM /				COMPATIBLE					
	Installer Menu		Yes		INTERACTIVE SYSTEMS					
	IR Out		Yes (MPI Jack)		(SEPARATE			🕨 🔺 🔪 Qua	dríaa:	
	External Speaker Out	Yes (Variable/Fixed/Lir	ne Out, 3.5mm, Stereo, Single ended Type(GND,L+,F	R+), 1W with 8 Ω)	SET-TOP BOX MAY BE REQUIRED)	NEAQLEK	IBAHN KOOL	Connect		
	Multi IR Code		Yes							
	RJP Interface		Yes (RJ45,HDMI)			acentic	ROOMLINX m	COM SOLUTIONS infova	ue 🌮 🖉 🖉 🖉 🖉	
	RJP Compatibility	Yes LG,	Teleadapt (RJ45, HDMI CEC), G-Link(HDMI-C					TECHNOLOGIUS INC		
	USB Moving Picture Playback		Yes (USB 2.0) Divx HD			LED FULLIO Pro: Centric 👜 💒 🕅 2.1 ((Speaker				
	(SD/HD/PlusHD) The estimated and 60LY970H , 55LY	DN-D/Pus HD) The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for model 601970H, 551Y970H, 471Y970H are \$15, \$13 and \$11.								
ENERGY	"Your energy cos	"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy."								
GUIDE		¹ FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).				CLONING	USB 🚓 📰 📰	weights are approximate. Design, features	and specifications subi	
				LG Ele	ectronics U.S.A., Inc. HE B2B Division					
((•]				20 Lin	000 Millbrook Drive colnshire, IL 60069	XD Engine, Pro:Centric an are trademarks of Zenith	d EcoSmart are registeri Electronics Com	ghts Reserved. "LG Life's Good" is a registe ed trademarks or trademarks of LG Electron	nics, Inc. Pro:Idiom and P	
				Customer Serv	ice: 888.865.3026			ds Association. HDML the HDMLL ono and H		



Contact your LG Regional Sales Rep Channel: 80

Customer Service: 888.865.3026 www.LGsolutions.com/support Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

Printed in the USA. August 2014 SPEC_LY970H _081406_b