






# Pro: Gentric Solution

LG Pro:Centric is a middle-ware solution that makes hotel TVs to be more customizable and more efficiently manageable. Pro:Centric SMART products have premium functions with webOS user interface while Pro:Centric V products have valuable functions to cut to down TCO(Total Cost of Ownership) for hotel owners and to provide feel at home connectivity for hotel guests.





# Pro: Gentric SMART

LG Pro:Centric SMART offers webOS for Commercial TV user interface and customizable tools that our partners can optimize their Hotel TVs with IP-based programs to provide premium hotel services with integrated set-top box solution.



### Simple Switching

#### Simple & Quick switch between services

- Different forms of content on webOS
   (Broadcasting, Smart Application, Smart Share, Web Browser, Input Source)
- History of previously watched contents




### Simple Customization

LG's Commercial Smart Home(Launcher based) will allow the hotels to build their own Smart Home by selecting and ordering apps.



### Simple Management

The webOS for Commercial TV provides remote diagnosis and signal monitoring via an embedded web server; enabling Partner / LG engineers to check TV or signal information easily.



### **Features**

### Design the Comfort of your Guests

LG Pro:Centric Smart offers all the customizable tools that our partner can optimize Hotel TVs with IP-based programs: Flash, HTML5 and Java



Customizable UI\_Flash, HTML5 and Java

#### **Enjoy Smarter Connectivity**

Commercialized connectivity is ever revolutionized with Smart TV functions such as Smart Share and WiDi, which enables guests to play and view content from their digital devices on their in-room TVs.



## Maximize the Service within Minimized Capacity

Hotel guests can now enjoy a greater variety of applications and services with their guest room TVs. In addition, with LG's advanced History Auto Delete function, privacy of guests are strongly secured.



Pre-loaded Application

History Auto-Delete

### Save Big on Costs

Save big on the expenses of managing the Hotel TVs with LG's unique STB integrated solution and IP over Coax.



### Pro: Centric SMART

### Product Line up

### LY960H webOS

#### webOS for Commercial TV

- Cinema Screen Design

- Hybrid Streaming: RF & IP

- Supporting DRM: Pro:Idiom

- Smart Share: DLNA, Wifi Direct, Miracast, WiDi, MHL

- Remote Diagnosis (RF/IP)

- Remote Management

- Web Browser

- Commercial Smart Home

- Pro:Centric Application 3.0



### LY760H webOS

#### webOS for Commercial TV

- Hybrid Streaming: RF & IP

- Supporting DRM: Pro:Idiom

- Smart Share: DLNA, Wifi Direct, Miracast, WiDi, MHL

- Remote Diagnosis (RF/IP)

- Remote Management

- Web Browser

- Commercial Smart Home

- Pro:Centric Application 3.0



# **Specifications**

MODEL NAME		LY760H	LY960H
Model Inform			
	Size Production Model	32/39/42/47/55	42/47/55
LCD Panel S		32/39/42/47/55 LY760H-ZA	42/47/55 LY960H-ZA
	Resolution	1920 x 1080 (FHD)	1920 x 1080 (FHD)
		1 1	
	Frame Rate	50/60Hz	50/60Hz
Broadcasting	System		
,	Digital	DVB-T2/C/S2	DVB-T2/C/S2
	Analog	PAL/SECAM	PAL/SECAM
Video	Cinema 3D		
	XD Engine		
		9 modes	9 modes
	Picture Mode	(Vivid, Standard, APS(EPA mark),	(Vivid, Standard, APS(EPA mark), Cinema, Sport, Game, Photo, Expert1, Expert2)
Audio		Cinema, Sport, Game, Photo, Expert1, Expert2)	Cirieria, Sport, Garrie, Prioto, Expert1, Expert2)
	Audio Output	10W+ 10W	10W+ 10W
	Speaker System		2.1 speaker system
	Wireless Sound Sync	2.0ch ready	Audio device : Initial
	Sound Optimizer	3 modes (Off, Wall-Mount Type, Stand Type)	3 modes (Off, Wall-Mount Type, Stand Type)
Feature		P:C Smart	
	Pro:Centric  Hybrid Streaming (IP & RF)	PX. Smart IP	P:C Smart
	RF(1/2Tuner) for Pro:Centric Data	RF(1Tuner)	(2 Tuner)
	Pro:Centric Application	(PCA1.5, PCA 2.0,PCA 3.0)	(PCA1.5, PCA 2.0,PCA 3.0)
	HCAP (GEM/FLASH/HTML)	GEM/FLASH/HTML	GEM/FLASH/HTML
	Smart Commercial Smart Home		
	APP.(P:C Smart)		
	Web Browser		
	Connectivity  SmartSharo/DLNA/Movio/Photo/Muric)		
	SmartShare/DLNA(Movie/Photo/Music) WiDi (PC to TV)		
	Miracast (Mobile to TV)		
	WiFi Direct		
	MHL Demote Diseases		
	Remote Diagnosis EzManager(Simplicity)		
	HDMI-CEC		
	HTNG-CEC 1.3		
	WiFi		
	Pro:Idiom Welcome Screen (Splash Image)		
	Lock Mode		
	One Channel Map / Logical Channel Map		
	Multi IR Code Hotel Mode		
	notei mode		
	USB Cloning		
	IR Out		
	External Power		
	Front LED clock Ready		
	External Speaker Out		
	RJP Compatibility		
	Anti-theft System  Kensington Lock		
	Credenza/Security Screw Hole		
	Lock Down Plate		
Set Side			
	HDMI In USB (2.0)	2	2
	CI Slot	1	1
	Headphone Out	1	1
Set Rear	251-		
	RF In	1	1
	Digital Audio Out (Coaxial / Optical)	1	1
	RS-232C(D-Sub 9pin)	1	1
	HDMI In	1	1
	LAN Port  External Speaker Out(3.5mm phone jack)	2	2
Power	p-1 Gu(3.5/m/i priorie jack)		
	Voltage, Hz	100-240 V~ 50/60 Hz	110 ~ 240V, 50/60Hz
	Typical(Watts)	32"(64), 39"(83), 42"(84), 47"(90), 55"(110)	42"(84), 47"(90), 55"(110)
	See the	0.7W	0.3%
Dimension	Stand-by	0.3W	0.3W
Dillicitation			
		32":732 * 437 * 55.5 39":885 * 524 * 55.5	42" : 949 * 560 * 55.1
	Set	42":961 * 567 * 55.5	42 : 949 ° 560 ° 55.1 47" : 1061 * 623 * 55.1
	(W/O, WxHxD, mm)	47": 1073 * 629 * 55.8	55": 1231 * 718 * 55.1
		55" 1243 * 725 * 56.8	
		32" : 732 * 481 * 207 39" : 885 * 567 * 218	475,040 + 602 + 733
	Set	39":885 "56/ "218 42":961 * 610 * 218	42": 949 * 608 * 211 47": 1061 * 670 * 247
	(With stand, WxHxD, mm)	47": 1073 * 676 * 255 55": 1243 * 772 * 255	55": 1231 * 769 * 247
		55° : 1245 ° //2 * 255	
		32":6.2 39":8.3	42":10.3
	Weight	42":9.5	47" : 13.2 55" : 18.9
	(With Stand, kg)	47*:12.7 55*:18.4	33 : 16.9
		33 : 10.4	
			32/39": 200 X 200
	VESA Compatibility	32/39": 200 X 200 42/47/55": 400 X 400	32/39": 200 X 200 42/47/55": 400 X 400