



# Dinner and Dance

Dinner starts at 4:00pm in the main dinning room. Open dance all night long. Ask Marge for more details







- Commercial Lite Guestroom TV 55LV340H
  55" class {54.6" diagonal}
  1920 x 1080 {FHD}
  Public Display Mode
  External Speaker Out Compatibility {Speaker Sold Separately}
  IR Pass Through and Control
  USB Auto Playback+
  Welcome Screen

  - Welcome Screen






- Pro:Centric<sup>®</sup> Hospitality LED TV with Integrated Pro:Idiom<sup>®</sup> 55LV560H
  55" class {54.6" diagonal}
  1920 x 1080 {FHD}
  Integrated Pro:Idiom<sup>®</sup>

  - Pro:Centric Application Support
  - RJP Compatibility
  - External Speaker Out Compatibility {Speaker Sold Separately}USB Cloning

  - Commercial Grade Stand



Ask your healthcare professional on sleep and your mental health



### a SuperSign™ Commercial Display- 55LW540S 55" class {54.9" diagonal} 1920 x 1080 {FHD}

- Fig20 x 1080 {FHD}
  Brightness 300cd/m<sup>2</sup>
  Wi-Fi Dongle Ready
  USB Fail Over (Internal Memory Only)
  Built-in Speakers and TV Tuner
  Network Time Protocol

- SuperSign Lite/C Compatibility





### a Super Narrow Bezel Video Wall - 55VH7B 55" class {54.6" diagonal} Tile Mode up to 15 x 15 {Natural mode}

- IPS Panel Technology
- 1920 x 1080 {FHD}
- Brightness 700cd/m<sup>2</sup>
- Bezel Width 0.9mm {Top/Bottom/Left/Right}
- 24/7 Operation
- Portrait and landscape orientation
- SuperSign<sup>®</sup> C

### Ultra-Stretch Signage- 86BH5C • 86" class {85.6" diagonal}

- IPS Panel Technology
- 3840 x 600 {UHD}
- 58:9 Extended Wide Format
- 4 Divided PBP in Landscape or Portrait
- Brightness 500cd/m<sup>2</sup>, Min : 400cd/m<sup>2</sup>
- Built-in SoC and Synced Playback
- Portrait and landscape orientation





- SuperSign TV with Built-In Tuner 65LY540S
  65" class {64.53" diagonal}
  1920 x 1080 {FHD}
  Visual Viewing Angle {Horizontal} 160° {Vertical} 140°
  Dynamic Contrast Ratio 4,000,000:1
  Simple Connectivity
  Built-in TV Tuner
  Built-in Speaker

  - Built-in Speaker
  - SuperSign Lite





- Wallpaper OLED Display 55EJ5D
  55" class {54.64" diagonal}
  OLED: Perfect Blacks, Amazing Colors and Infinite Contrast Ratio

  - 1920 x 1080 {FHD} Brightness : 400 cd/m2 (APL 25%)
  - Bezel: 1.2 mm (Off bezel)Depth: 3.65 mm (Module)

  - Interface: HDMI, DP, RS232C, RJ45, IR In, USB 3.0, USB 2.0
  - SuperSign Premium





### a 4K UHD Hospital Grade Pro:Centric Smart TV with Integrated Pro:Idiom and *b*-LAN<sup>™</sup> -55UV770M

- 55" class {54.8" diag}
- 1200:1 Aspect Ratio
- 3840 X 2160 {4K UHD}
- UL Hospital Grade Listed
- RoHS Compliant
- California Energy Commission {CEC}
   Compliant
- Built-in Pillow Speaker Port
- Built-in MPI Port
- First Use Wizard
- Remote Management of Television using
   Pro:Centric server
- Dynamic/Static Power Savings
- Multi IR Code Support

### **b** Universal Pillow Speaker

LG's hospital grade TVs have a nurse-call interface on its wired universal pillow speaker control. This device allows the patient to communicate safely with the nurse station, and vice-versa while momentarily canceling the television audio to ensure clear communication. Hospital-grade televisions also provide electronic isolation to the pillow speaker control to ensure safety in a potentially oxygen-enriched environment.





### a Ultra HD Large Multi-Touch Display - 86TR3D • 86" Class


- 3840 x 2160 {UHD}
- IPS Panel Technology
- In-Glass™ Touch Technology
- Intuitive Touch OSD {On Screen Display}
- 20 Point Multi-Touch
- Built-in WiFi
- Multi-screen with PBP/PIP





## a Ultra HD Premium Large Display- 98LS95D 98" class {97.52" diagonal} 3840 x 2160 {UHD} Contrast Ratio: 1300:1

- IPS Panel Technology
- 24/7 operation Landscape and Portrait Modes





### a Curved Ultrawide™ Monitor - 38CB99-W • 38" class

- 3840 x 1600 | 21:9 UltraWide QHD
- AMD FreeSync™ Technology
- 1ms Motion Blur Reduction
- USB Type C
- Built-in Speakers with Bluetooth
   Connectivity
- sRGB over 99%, Color Calibrated
- Black Stabilizer, Dynamic Action Sync
- OnScreen Control / My Display Presets / Screen Split 2.0 {PIP Mode}
- Tilt / Height Adjustable Stand

### Smart Signage with Quad Core SoC -55SM5KD

- 55" class {54.6" diagonal}
- IPS In Plane Switching
- 1920 x 1080 {FHD}
- Brightness : 450 cd/m<sup>2</sup>
- PBP (Picture-By-Picture) / PIP (Picture-In-Picture)
- Built-in Wi-Fi
- BEACON
- Dust & Humidity Protection
- SuperSign Premium
- Portrait and landscape orientation

### Open-Frame Curved OLED - 55EF5C

- 55" class
  - 1920 x 1080 {FHD}
  - OLED: Perfect Blacks, Amazing Colors and Infinite Contrast Ratio
  - Available in arched, curved, concave and convex






### a Premium Smart IPTV with Embedded b-LAN<sup>TM</sup> - 55UV970H

- 55" {54.6 diagonal}
  3840 x 2160 {4K UHD}
  1,000,000:1 Contrast Ratio
- Pro:Centric<sup>®</sup> SMART
- Integrated Pro:Idiom<sup>®</sup> DRM Technology
- Sleek Design
- Commercial Grade Stand (for 55UV970H)
- webOS & Media Share Features
- Dolby Vision<sup>™</sup> High Dynamic Range (HDR) with HDR10 Compatibility

- Magic Remote Control with Voice Mate™
   Voice Recognition with Intuitive Mouse Like Pointing and Wheel Control
  - Universal Remote Control
  - Number Key Pad
  - Magic Zoom





LG Electronics U.S.A., Inc. | HE B2B Division | 2000 Millbrook Drive | Lincolnshire, IL 60069

All images on screen are simulated. Design, specifications, and features subject to change without notice. © Copyright 2017 LG Electronics USA, Inc. All rights Reserved. LG Life's Good, Pro-Centric and XD Engine are registered trademarks of LG Corp. ProJdiom is a registered trademark of Zenith Electronics Corporation. All other product and brand names are trademarks or registered trademarks of their respective companies

LOOKBOOK Senior Living 051730 PR