BK550 IPS Multi-tasking Monitor



FEATURES

FLICKER SAFE

• Flicker Safe reduces on-screen flickers, which helps minimize eye strain and eye fatigue. By combining Flicker Safe with the proven picture quality of IPS technology, users can comfortably work throughout the day.

READER MODE

• With a touch of a button, Reader Mode allows the reduction of blue light emissions that can be harmful to the eyes.

SMART ENERGY SAVING

• LG's Smart Energy Saving Mode reduces power consumption without lowering the brightness of the monitor.

COLOR CALIBRATED

• Experts have conducted color calibration tests at the production line for accurate color.

SPECIFICATIONS

Native Display Resolution: 1920 x 1080

Contrast Ratio: 1000:1

5MS (G to G) Response Time

Vesa™ Compliant Wall Mountable

3-Year Limited Warranty: Parts/Labor/Backlight

www.LG.com/us/commercial



FULL HD IPS DISPLAY

Designed for professionals, this Full HD display with IPS technology minimizes color shifts and provides outstanding picture quality from virtually any viewing angle.

INTEGRATED POWER MODULE FOR ORGANIZED WORKSPACES

The power module is integrated with the monitor, helping to reduce the amount of power modules in your workspace.





PERSONALIZED VIEWING ANGLES AND EASY ASSEMBLY

The monitors provide comfortable viewing with versatile screen height/tilt/pivot/swivel adjustments. You can customize the display condition to create a more personal, comfortable workstation. The monitor can be easily assembled without any tools, and is also able to be wall-mounted*.

* Wall mount sold separately



MINI PC MOUNTING CAPABILITIES

The BK550 is designed to allow for the discreet mounting of compatible mini PCs on the rear. Using an Intel NUC or 100x100mm wall mount, users can easily mount their mini PC*

*Bracket and PC sold separately



BK550 IPS Multi-tasking Monitor

> 27BK550Y-B

27" class (27" diag)

> 24BK550Y-B

24" class (23.8" diag)

27BK550Y







24BK550Y



PANEL	MODEL	27BK550Y-B	24BK550Y-B	
	Size	27" Class (27" diag)	24" Class (23.8" diag)	
	Panel Type	IP	IPS	
	Color Gamut (CIE1976)	72%		
	Color Depth (Number of Colors)	16.7M		
	Pixel Pitch (mm)	0.3114 x 0.3114	0.2745 x 0.2745	
	Aspect Ratio	16:9		
	Resolution	1920 x 1080		
	Brightness(Typ.)	250 cd/m ²		
	Contrast Ratio(Original)	1000 : 1		
	(DFC)	5000000 : 1		
	Response Time (GTG)	5ms		
	Viewing Angle(CR≥10)	178 / 178		
	Surface Treatment (Glare/Non Glare)	Anti glare ,3H		
SIGNAL (INPUT)	D-Sub	Yes		
	DVI	Yes		
	DisplayPort	Yes(1.2)		
	HDMI	Yes (1.4)		
	[Jack Location]	Vertical		
	PC Audio In	Yes		
	[Jack Location]	Vertical		
	Headphone Out	Yes		
	[Jack Location]	Vertical		
	USB	USB 2.0 (1 up 2 down)		
POWER	Speaker	2ch stereo		
	Audio output (watt)	1.2W x 2		
	Туре	Built-in		
	Input	100~240V (50/60Hz)		
	Output	40W	28W	
	Normal On(EPA)	20.3W	17.1W	
	Normal On (typ. / outgoing))	27.4W	23.6W	
	Sleep Mode(Max)	0.5W		
	DC Off (Max)	0.3W		

FREQUENCY	MODEL	27BK550Y-B	24BK550Y-B	
	H-Frequency (D-Sub)	30~83		
	V-Frequency (D-Sub)	56~75Hz		
	H-Frequency (DVI-D)	30~83kHz		
	V-Frequency (DVI-D)		56~75Hz 30~83kHz	
	H-Frequency (HDMI) V-Frequency (HDMI)	PC: 56~75Hz,		
	H-Frequency (Display Port)			
	V-Frequency (Display Port)	30~83kHz 56~75Hz		
RESOLUTION	D-Sub	1920 x 1080		
RESOLUTION	DVI-D	1920 x 1080		
	DisplayPort	1920 x 1080		
	HDMI	1920 x 1080		
CONTROL	Key Number	7		
KEY	Key Description	MENU, OK/INPUT, POWER		
	Кеу Туре	Tact		
	LED Color (On mode)	Whi	ite	
	LED Color	LED OFF		
	(Power Save Mode)	Front		
	[Key Location]	Fronc English, Germanic, French, Spanish, Italian, Swedish, Finnish,		
LANGUAGE	Country Portuguese, Polish, Russian, Greek, Chin Ukrainian, Portuguese (Brazil), Hindi, T		eek, Chinese, Japanese, Korean,	
	Number of Language	18		
SPECIAL	Picture Mode	Ye		
FEATURE	Ratio	Yes		
	Reader Mode	Yes		
	DDC/CI	Yes		
	HDCP	Yes (1.4)		
	Intelligent Auto (Auto Adjustment)	Yes		
	Key Lock	Yes		
	Plug & Play	Yes		
	Response Time	Yes		
	Color Calibrated	Yes		
	Dual Control	Yes		
	Flicker safe	Yes		
	Off Timer	Yes		
	SIX Axis Control	Yes		
	Smart Energy Saving	Yes (Conserve energy by using luminance compensation algorithm)		
	Super Resolution+	Yes		
	OSC (On Screen Control /	Yes		
	Screen Split)	,03		
COLOR	Front / Back Cover / Stand / Base	Black (Texture)		
CTAND	Base Detchable	Yes	Yes	
STAND	Tilt (Angle)			
	Swivel (Angle)	-5° ~ 35°		
	Height range	Yes ('0°~355° (±5°))		
	Down Height	130mm 50mm 70mm		
	Pivot	Yomm Yes (Bi-directional, 90°)		
	Mini PC Bracket Ready	Yes		
CABINET	Set (with Stand)	24.5" x 9.4" x 15.8	21.8" x 9.4" x 15.1"	
	Set (without Stand)	24.5" x 2.3" x 14.6"	21.8" x 2.3" x 13.1"	
	Box	27.8" x 21.9" x 7.3"	24.7" x 19.9" x 7"	
	VESA / Wall Mount	100mm x 100mm	100 x 100 (Wall mount)	
	Set (with Stand)	15.9 lbs	12.6 lbs	
	Set (without Stand)	11.2 lbs	7.9 lbs	
	Box	22 lbs	17.4 lbs	
STANDARD	TCO (Ver.)	Yes (7.0)		
	UL(cUL)	Yes		
	TUV-GS	Yes		
	TUV-Ergo CB	Yes		
	FCC-B	Yes		
	CE	Yes		
	EPA	Yes (7.0)		
	ISO 9241-307	Yes		
	EPEAT	Yes (Gold,US/DG)		
	Windows	Win 10		
	ROHS, REACH	Yes		
	PVC-Free	Yes		
ACCESSORIES	Power Cord	Yes		
	Display Port	Yes		
	HDMI	Yes		
	CD (Manual / Software)	Yes (Manual, Driver)		
OTHER	UPC	7 19192 60906 8	7 19192 60907 5	
	Warranty	3-Year Limited Warranty	(Farts/Labor/DacKlight)	



LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069 All screen images are simulated. Dimensions and weights are approximate. Design, specifications, and features subject to change without notice.

 $\ensuremath{\textcircled{O}}$ Copyright 2017 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp.

ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. In Plane Switching is a trademark of LG Philips LCD Ltd. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

All other product and brand names are trademarks or registered trademarks of their respective companies.









E-mail: info@LGsolutions.com

SPEC_BK550_021704_PR