

Integrated Full 1080p HDTV

PUBLIC DISPLAY SETTINGS - CLONING CAPABLE



🗽 ENERGY STAR® 4.1 AND RoHS COMPLIANT

DYNAMIC CONTRAST RATIO 50,000:1

NATIVE DISPLAY RESOLUTION 1920 x 1080 (full HD 1080p)

BUILT-IN ATSC/NTSC/QAM CLEAR TUNER

INVISIBLE SPEAKER SYSTEM Hidden speaker grilles

LG'S EXCLUSIVE XD ENGINE®

USB 2.0 MEDIA HOST FOR PHOTOS AND MUSIC

USB CLONING

CLEAR VOICE II

REAL CINEMATM

2 HDMITM INPUTS WITH HDCP V.1.3 with deep color

AUTO SENSING REMOTE JACK PACK (RJP) COMPATIBLE*

2 YEAR LIMITED WARRANTY (parts and labor)

*NOTE: Contact your LG Sales representative on the RJPs that are compatible with the LD450C series.





WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LD450C televisions have technologies to reduce power consumption and in return increase cost savings per room. We've also placed limits in the amounts of harmful materials used in these televisions.

- EcoSmart
- Energy Saving Levels Manually select your choice for the brightness level for the television.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 4.1 Qualified Meets current reduction requirements of energy consumption.



LG's newest core technology, Picture Wizard, enables easy selfcalibration by providing on-screen reference points for key picture quality elements such as black level, color, tint, sharpness and backlight levels. By using this easy-to-use calibration process, the picture setting can be set to better fit the type of room application.





Dramatizations

ENERGY SAVING LEVELS

Manually select your choice for the brightness level for the television. By selecting Minimum, Medium, or Maximum, the power consumption will be reduced and an increase in energy savings can be achieved. (Note: Selecting minimum level may slightly increase power consumption on some models)





BALANCED SOUND TO EMPHASIZE DIALOGUE

Clear Voice technology automatically enhances dialogue when background sounds such as those in an action sequence swell. Enhancements made to the Clear Voice technology now allow users to customize their personal preferences based on their home environment through a 12-step adjustment process. This calibration process is based on distinct voice zoom levels so as to minimize interference with surrounding sounds.







Six distinct processes contribute to picture improvement. LG's XD Engine® takes the low resolution of analog signals to near HD levels by improving brightness, contrast, detail and enhancing color as well as reducing signal noise.





Dramatization

Dramatization

USB 2.0 MEDIA HOST USB 2.0 will support JPG and MP3 files from a USB storage device.








PUBLIC DISPLAY SETTINGS

When used in public areas, these HDTVs can be easily programmed by the installer to have the TV turn on at a specified channel/volume level, set the minimum/ maximum volume, lock out the control panel/remote, set the aspect ratio, and return to a factory reset. By using Power Management, these displays can be programmed to turn off if there has been no activity (remote or control panel buttons) for a preset time (1-7) hours.



USB CLONING

USB cloning will allow for easy transfer of Public Display Settings from the "Master TV" to an unlimited number of same type televisions.




invisible

SOUND IS HEARD, NOT SEEN


Enjoy a combination of smart technology and stylish design with the invisible speaker system custom tuned by audio expert Mr. Mark Levinson. This unique system provides a clean, polished look and an enhanced auditory experience by increasing the sweet spot and providing a wider sound field.




DIMENSIONS



22.6" 22.6" 24.6"




MOUNTING HOLES ON STAND ATTACHING THE TV TO A DESK



REAR

37LD450C



SIDE



LCD SPECIFICATION	
Screen Size (Class)	47" class (47.0" diagonal)
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	42" class (42.0" diagonal)
	37" class (37.0" diagonal)
Native Display Resolution	1920 x 1080
Dynamic Contrast Ratio	60,000:1
Contrast Ratio	1,400:1
Viewing Angle	178°/178°
Color Reproduction	10 Bit
Response Time	4ms
True Viewing Angle	Yes
Life Span (Typical)	60,000 hrs
BROADCASTING SYSTEM	
Analog	Yes
ATSC/NTSC/Clear QAM	Yes
VIDEO	
XD Engine	Yes
Aspect Ratio	16:9
Aspect Ratio Correction	6 Mode
Just Scan (1:1 Pixel Matching)	
HDMI	1080p/1080i/720p 1080p/1080i/720p 1080i/720p
Component	1080p/1080i//20p
RF/DTV	IUOUI//ZUP
EnhancedNoise Reduction (Video Noise Filter)	Yes, 3D NR/MPEG NR
Digital Comb Filter	Yes (3D)
Color Temperature Control	3 Modes (Warm, Med, Cool)
Black Stretcher	Yes
24p Real Cinema	Yes Yes
Cinema 3:2/2:2Mode	Yes
Picture Reset	
AV Mode II (Picture & Sound)	3 Modes (Cinema, Sport, Game)
EZ Picture/PSM ISFccc Ready	Yes (7 modes) Yes
	Yes
DTV Signal Strength Indicator Video Reset/Initializing	Yes
AUDIO	165
Audio Output Power (Watts - THD 10%)	10W x 2
Invisible Speaker System Details	1 Way 2 Speaker
Dolby Digital 5.1 Decoder	Yes
Surround System Type	SRS TruSurround XT, SRS WOW
Bass/Treble/Balance Controls	Yes
Clear Voice II	Yes
Auto Volume Leveler	Yes
EZ Sound Mode/SSM	5 Modes
SPECIAL FEATURES	
Public Display Settings	Yes, PDM2.6
Energy Saving Modes	Yes
Brightness Optimization	Yes (Available in Standard, Natural, Sport,
2.1g200	Game modes)
Splash Image - Logo (on start up)	Yes
	V
Multi Remote IK code (Bed 1/2/3/4)	Yes
Multi Remote IR code (Bed1/2/3/4) Auto-Sensing RJP compatible	
Auto-Sensing RJP compatible Picture Wizard	Yes (with select RJP versions) Yes
Auto-Sensing RJP compatible	Yes (with select RJP versions)
Auto-Sensing RIP compatible PictureWizard Backlight Control TVlink-Protocol	Yes (with select RJP versions) Yes
Auto-Sensing RJP compatible PictureWizard Backlight Control TVLinkProtocol USB Cloning	Yes (with select RJP versions) Yes Yes
Auto-Sensing RJP compatible PictureWizard Backlight Control	Yes (with select RJP versions) Yes Yes Yes Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input	Yes (with select RJP versions) Yes Yes Yes Yes Yes Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI	Yes (with select RJP versions) Yes Yes Yes Yes Yes Yes
Auto-Sensing RJP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component	Yes (with select RJP versions) Yes Yes Yes Yes Yes Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB	Yes (with select RJP versions) Yes Yes Yes Yes Yes Yes Op/30p/24p Op/30p/24p WXGA
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB A/V Input Navigation	Yes (with select RJP versions) Yes Yes Yes Yes Yes Yes 60p/30p/24p 60p/30p/24p WKGA Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB A/V Input Navigation Input Labeling/Sub-title	Yes (with select RJP versions) Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB A/V Input Navigation Input Lobeling/Sub-title Quick View (Previous Channel)	Yes (with select RJP versions) Yes Yes Yes Yes Yes Yes 60p/30p/24p 60p/30p/24p WXGA Yes Yes Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB A/V Input Navigation Input Labeling/Sub-title Quick View (Previous Channel) Quick Setup Guide	Yes (with select RJP versions) Yes Yes Yes Yes Yes Yes 60p/30p/24p 60p/30p/24p WXGA Yes Yes Yes Yes Yes Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB A/V Input Navigation Input Labeling/Sub-title Quick View (Previous Channel) Guick Setup Guide e-Manual	Yes (with select RJP versions) Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB A/V Input Navigation Input Labeling/Sub-title Quick View (Previous Channel) Quick Setup Guide e-Manual Parental Control w/V-Chip	Yes (with select RJP versions) Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB A/V Input Navigation Input Labeling/Sub-title Quick View (Previous Channel) Quick Setup Guide e-Manual Parental Control w/V-Chip Key Lock/Child Lock	Yes (with select RJP versions) Yes
Auto-Sensing RIP compatible PictureWizard Backlight Control TVLink-Protocol USB Cloning Mechanical Power Off 1080p Source Input HDMI Component RGB A/V Input Navigation Input Labeling/Sub-title Quick View (Previous Channel) Quick Setup Guide e-Manual Parental Control w/V-Chip	Yes (with select RJP versions) Yes

Language	English/Spanish/French/Korean
Alvin UI	Yes
Auto Tuning/Programming	Yes
Channel Add/Delete	Yes
Favorite Channel Programming	Yes
Auto/Manual Clock	Yes
On/Off Timer	Yes
Sleep Timer	Yes
Auto Off/Auto Sleep (When no video is present)	Yes
AUDIO/VIDEOINPUTS/OUTPUTS	
RF In (Antenna/Cable)	1
L/R Audio/Composite Video In	1 (rear), 1 (side)
HD Component Video In (Y, Pb, Pr) + L/R Audi	
Digital Audio Out (Optical)	1
HDMI/HDCP Input (V1.3 with Deep Color)	2
DCD I- (DC I 15 :) DC	
RGB In (D-Sub 15pin) - PC	1 (1920 x 1080)
PC Audio Input	1
RS-232c In (Control/Service)	1
USB 2.0 Input	1 (Side) Media Host (JPEG, MP3),
	Cloning, and Service
Remote Control Port In	1
RJ45 (for RJP interface - non PIP)	1
CABINET/ACCESSORIES	
Cabinet Color	Glossy Black
Swivel Stand (degrees)	+20°/-20°
Top Side Mounting Screw	Yes
TORX Security Screw (2 each)	Yes
Power Indicator	Yes (on/off)
Fire Retardant Cabine tMaterial	Yes
Kensington Security System Slot	Yes
VESA® Mount Compliant (WxH)	200mm x 200mm, M6 screw
Remote Control	Yes
POWER	
Voltage, Hz	100V - 240V, 50/60 Hz
Stand-by Mode (typ.)	0.2W
Power Consumption (typ.)	95W (37"), 115W (42"), 138W (47"
Dynamic Power Savings	Yes
Static Power Savings	Yes
REQUIRED APPROVALS	163
ENERGY STAR® 4.1 Qualified	Yes
RoHS Compliant	Yes
UL, cUL, NOM	Yes
DIMENSIONS & WEIGHT	
TV without stand (WxHxD)	36.1" x 22.6" x 3.0" (37") 40.3" x 25.0" x 3.0" (42")
	40.3" x 25.0" x 3.0" (42")
	44.7" x 27.5" x 3.0" (47")
TV with stand (WxHxD)	36.1" x 24.6" x 10.3" (37")
	40.3" x 27.0" x 10.3" (42")
	36.1" x 24.6" x 10.3" (37") 40.3" x 27.0" x 10.3" (42") 44.7" x 29.8" x 10.6" (47") 39.2" x 26.0" x 9.0" (37")
Shipping Dimensions (WxHxD)	39.2" x 26.0" x 9.0" (37")
	43.6" x 30.3" x 9.0" (42")
	48.8" x 31.6" x 10.0" (47")
TV without stand weight	23.8 lbs (37")
-	30.0 lbs (42")
	38.6 lbs (47")
TV with stand weight	27.6 lbs (37")
	33.2 lbs (42")
	43.0 lbs (47")
Shinning Weight	351 lbs (37")

CONVENIENCE FEATURES

www.LGsolutions.com

LG Electronics U.S.A., Inc. Business Solutions Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative Vertical Markets: 800.897.8788 Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

SPEC_LD450C_121022_PR



SERVICE/LIMITEDWARRANTY







35.1 lbs (37" 42.0 lbs (42' 52.7 lbs (47'

2 Years (Parts/Labor)

7 1919290049 3 7 1919290150 6 7 1919290046 2





ShippingWeight

UPC CODE 37LD450C

42LD4500 471 D4500



















All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2010 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine is a registered trademark of LG Electronics, Inc. HealthView and EcoSmart are trademarks of LG Corp. Dolby and the doubleD symbol are registered trademarks of Dolby Laboratories. SRS and the SRS symbol, TruSurround XT and WOW are trademarks or registered trademarks of SRS Labs, Inc. VESA is a trademark of Video Electronics Standards Association. All other product and brand names are trademarks or registered trademarks of their respective companies.



Printed in the USA. December 2010

