



▶ 60LY970H

60" class (59.5" diagonal)

▶ 55LY970H

55" class (54.64" diagonal)

▶ 47LY970H

47" class (46.96" diagonal)

▶ 42LY970H

42" class (41.92" diagonal)



Smart. Connected. Customizable.

One of the smartest and most flexible Hotel Television platforms in the industry.

PREMIUM SLIM DESIGN



SECOND SCREEN CONNECTIVITY / SHARING



The LY970H is designed for "second screen" support and options includes Wi-DiTM, Wi-Fi DirectTM and Smart Mirroring technologies, which are used to pair guests' mobile devices with the TV enabling them to share and view their content on the large HD screen.

REMOTE DIAGNOSIS



LG's IPTV's support enhanced diagnostics tools, enabling remote monitoring and fault analysis of the TVs and content delivery system via partner's application.

SMART CUSTOMIZATION

LG Pro:Centric® Smart offers SI's the ability to customize and optimize a property's TVs with interactive IP-based applications including HTML5, Java and Flash programs. With this expansion of control comes the ability to provide premium hotel services without the need for a separate set-top box. Additionally, enhanced connectivity and second-screen sharing are available to the guests with LG Smart TV technology.

CUSTOMIZABLE U



HISTORY AUTO-DELETE



LG's commercial grade IPTV's automatically delete guests private logon credentials from embedded applications at power-off and also provides a further level of control for SI partners applications via the HCAP middleware layer to control deletion at guest check-out time.

PRE-LOADED APPLICATIONS



Embedded Applications include: Accuweather, Google Maps, Web Browser, Youtube, and vtuner (other applications may be added in the future, subject to licensing terms).

WEB BROWSER



Let your guests surf the internet just like at home with LG's optional easyto-use 'Magic' Remote Control and embedded web-browser function.



Pro:Idiom

Global Leading Digital Rights Management System

Pro:Idiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is thus designed to lower costs and reduce maintenance needs. This leading DRM system is embraced for its security solution, which prevents illegal copying of copyrighted content.

Reduced Total Cost of Ownership



Using LG's optional Pro:Centric server, you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit each room.



EzManager's auto configuration function makes installation quick and easy. EzManager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost.

Effectively Manage In-Room TVs



The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.

FREE Interactive Electronic Program Guide Service for Pro:Centric® TVs!

Plan Highlights

If your property has purchased or plans to purchase LG's Pro:Centric® TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric® server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG) channel line up.

FREE program guide service runs until Dec. 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epg/index.jsp



Pro: Gentric Applications Platform

The LY970H is the latest in the line of Pro:Centric Televisions that provides a unique and dedicated hotel application platform for hosting LG's SI (System Integrator) Partners interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guest needs.

The LY970H extends the choice of interactive systems available to hoteliers through the introduction of HTML5 support in addition to the current Adobe Flash-Lite and Java support. The LP970H is also a full IPTV platform with built-in IP video decoding supporting both IP and RF connectivity. Leveraging the Pro:Centric IPTV platform enables SI Partners to integrate their STB (Set Top Box) client software directly into the Television, eliminating the need for the additional STB hardware and reducing associated capital and support costs.

The LY970H supports embedded Wi-Fi for streaming of content to the Television or back channel communications.

The LY970H platform also includes remote diagnostic tools for partners to manage their systems and monitor the TV's on the network by the head-end or cloud based server for maintenance and admin purposes. The Wake-on-LAN features allows the TV to communicate in a background mode while the TV is powered off and without disruption to the guest, providing the ability to deliver remote software updates from the head end server.

The LY970H Pro:Centric Applications Platform



Mormation
Guest Services
Guest Services
Guest Services
All there is a service of the service of

Portal Welcome Page

Weather Billboard

Custom Billboards

Avoid Room Visits with LG's TV Remote Management Solution

When using LG televisions in Free-To-Guest hotel installations there are now two head-end device options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

- 1. Integrated b-LAN, plus LG's Free-To-Guest Management Appliance (FMA)
- 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

Hotel Costs For Free-To-Guest Channel Management

| | Estimated Labor Costs | MSRP | Total | Savings over other brand |
|---|---|----------------------|----------|--------------------------|
| Other brand | \$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years | | \$20,000 | |
| LG Pro:Idiom TV with b-LAN integration plus FMA | | \$2,900 (FMA) | \$2,250 | \$17,100 |
| LG Pro:Idiom TV with Pro:Centric Server | | \$1,750 (PCS150R) | \$1,750 | \$18,250 |

MSRP subject to change. Installation not included.

Free-To-Guest Remote Management Devices



Remote management functions also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)




Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.



LG is committed to improving product development, manufacturing and usage to meet the demand for products with environmentally friendlier features. Our televisions have technologies to reduce power consumption and in return increase cost savings per room.

EcoSmart

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- CEC Compliant Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 6.1 Qualified Meets current Environmental Protection Agency's television product specifications.



Prn: Centric Smart IPTV **Premium Slim Direct LED TV**

with Integrated Pro:Idiom®

▶ 60LY970H

60" class (59.5" diagonal)



55" class (54.64" diagonal)

▶ 47LY970H

47" class (46.96" diagonal)

▶ 42LY970H

42" class (41.92" diagonal)

| PANEL | Model | 60LY970H | 55LY970H | 47LY970H | 42LY970H | | |
|------------------------|---|---|------------------------------|-----------------------------|-----------------------------|--|--|
| ., | Panel Technology | | Premium Slim [| Direct LED TV | | | |
| | Panel Size | 60" class (59.5" diagonal) | 55" class (54.64." diagonal) | 47" class (46.96" diagonal) | 42" class (41.92" diagonal) | | |
| | Native Resolution | 1920 x 1080 (FHD) | | | | | |
| | Dynamic CR | 2,000,000:1 | | | | | |
| | Static (Panel) Contrast Ratio | 1,400 | | | | | |
| | Viewing Angle (HxV) | 178°/178° | | | | | |
| | Response Time | 8ms | | TR: 8ms/Tf:10ms | | | |
| | Frame Rate | 120Hz | | | | | |
| Broadcasting System | Analog | Yes (NTSC) | | | | | |
| | Digital | Yes (ATSC / Clear QAM/VSB) | | | | | |
| VIDEO | Triple XD Engine | Yes | | | | | |
| | Dynamic Color Enhancer | Yes | | | | | |
| | Aspect Ratio | Yes, 5 modes (16:9, Just Scan, Set By Program, 4:3, Zoom) | | | | | |
| AUDIO | Audio Output | 12W + 12W | | | | | |
| | Speaker System Sound Mode | 2.1 ch Ves 6 Modes (Standard News Music Cinoma Sport Game) | | | | | |
| | Smart Sound Mode | Yes, 6 Modes (Standard, News, Music, Cinema, Sport, Game) Yes | | | | | |
| | Optical Sound Sync | Yes | | | | | |
| | Wireless Sound Sync | Yes | | | | | |
| | apt-X codec | Yes | | | | | |
| | Sound Expansion | Yes | | | | | |
| | Sound Optimizer | 3 modes (Off, Wall-Mount Type, Stand Type) | | | oe) | | |
| | Clear Voice II | | Yes | | | | |
| | Subwoofer | | Ye | | | | |
| SPECIAL | Pro:Centric | | Ye | S | | | |
| FEATURES | Hybrid Streaming (IP & RF)*MultiCast/HTTP Data Carousel | Yes | | | | | |
| | RF(1/2Tuner) | | Yes (2 Tuner) | | | | |
| | Pro:Centric Application | | Yes (PC | Yes (PCA 3.0) | | | |
| | HCAP (GEM/FLASH/HTML) | | Ye | S | | | |
| | Auto Configuraiton | Yes (EzMangager) | | | | | |
| | Remote Diagnosis | Yes | | | | | |
| | Multicast/Unicast ready | Yes | | | | | |
| | IP Streaming | Yes (RTSC, HLS, SNMP, UDP/MultiCast, USB Port/Video Streaming support (Smartshare) (%IGMPv3 SSM Support) | | | | | |
| | APP. (P:C Smart) | | Yes (Commerc | | | | |
| | Web Browser | | Ye | | | | |
| | webOS | | Ye | S | | | |
| | Remote App Compatibility | Yes | | | | | |
| | DLNA (Movie/Photo/Music) | Yes (Smart Share) | | | | | |
| | WiDi (PC to TV) | | Ye | S | | | |
| | Miracast (Mobile to TV) | | Ye | S | | | |
| | WiFi Direct | | Ye | S | | | |
| | MHL | Yes | | | | | |
| | HDMI-CEC | | Ye | S | | | |
| | HTNG-CEC | Yes | | | | | |
| | Pro:Idiom | Yes | | | | | |
| | SI Compatible (TVLink Protocol) | Yes (MPI protocol) | | | | | |
| | b-LAN | Yes | | | | | |
| | WiFi | Yes (Built-in type) | | | | | |
| | 3D | Yes | | | | | |
| | Hotel Mode / PDM / Installer Menu | | Yes (Installer Menu) | | | | |
| | IR Out | Yes (MPIJack) | | | | | |
| | External Speaker Out | | | | | | |
| | Multi IR Code | Yes | | | | | |
| | RJP Interface | Yes (RJ45,HDMI) | | | | | |
| | RJP Compatibility | Yes LG, Teleadapt (RJ45, HDMI CEC), G-Link(HDMI-CEC) | | | | | |
| | USB | | Yes (US | BB 2.0) | | | |
| | Moving Picture Playback (SD/HD/Plus HD) | Divx HD | | | | | |



The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for model 60LY970H , 55LY970H, 47LY970H, 42LY970H are \$15, \$13, \$10 and \$11.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy." 1

¹FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011))





Hospitality: 80 E-mail: info@LGs



| SPECIAL | Wiodet | 001137011 | 332137011 | 472137011 | 722137011 | |
|---------------------------------------|--|--|----------------------|----------------------|------------------|--|
| FEATURES (Cont.) | Picture | | JPE | EG . | | |
| | USB Cloning | | Ye | <u>'</u> S | | |
| | One Channel Map / Logical Channel Map | Yes (LCM) | | | | |
| | Welcome Screen (Splash Image) | Yes | | | | |
| | Auto Off/Auto Sleep | Yes | | | | |
| | Video Mute | Yes | | | | |
| | Smart Energy Saving (Auto Power Off) | Yes | | | | |
| | Motion eye care (Intelligent Sensor) | Yes | | | | |
| INTERFACE | HDMI In | 2 Side | | | | |
| (Side) | USB (2.0) | 1 Side | | | | |
| INTERFACE | RF In | 1 Rear | | | | |
| | AV In | 1 Rear (Sharing with Component in) | | | | |
| | Component in (Y,Pb,Pr) + Audio | 1 Rear | | | | |
| | Digital Audio Out (Coaxial / Optical) | 1 (Optical) | | | | |
| | HDMI/HDCP Input | | 1 R | | | |
| | USB 2.0 | 1 Rear | | | | |
| | PC Audio Input | 1 Rear (Sharing with Component in) | | | | |
| | RS-232C (D-Sub 9pin) | | | | | |
| | LANPort | 2 Rear | | | | |
| | RJ45 (RJP interface) | 1 Rear | | | | |
| | External Speaker Out | 1 Rear (3.5mm phone jack) | | | | |
| | TV link Configuration (phone jack type) | 1 Rear | | | | |
| | PTC Configuration (phone jack type) | 1 Rear | | | | |
| | MPI Jack (RJ-12) | | 1 R | ear | | |
| CABINET | Bezel Width (on Bezel) (mm) (L/R/U/B) | 8.8mm/8.8mm/26.5mm | | | | |
| | Bezel Width (off Bezel) (mm) | 1.0mm/1.0mm/24.7mm | | | | |
| | With Stand | 527"x330"x10.8" | 48.5" x 30.4" x 9.7" | 41.8"x26.7"x9.7" | 37.4"x24.1"x8.6" | |
| | Weight | 48.1 lbs | 41.7 lbs | 29.1 lbs | 22.7 lbs | |
| | Without Stand | 52.7" x 30.7" x 2.3" | | 41.8" x 24.5" x 2.2" | | |
| | Weight | 47.0 lbs | 40.8 lbs | 28.2 lbs | 22.0 lbs | |
| | Carton | 56.9"×33.8"×6.9" | 51.7"x31.0"x6.2" | | 41.7"×26.0"×6.0" | |
| | Weight Color | 60.6 lbs | 54.5 lbs | 38.4 lbs | 28.7 lbs | |
| | VESA™ Standard | Dark Titan / Stand : Black | | | | |
| DECLUDED | Mount Interface | 400mmx 400mm | | | | |
| | Flame Retardant | Yes (Back Cover only) | | | | |
| REQUIRED LISTINGS | Safety RoHS | cUL, UL, FCC, NOM Yes | | | | |
| | | | | | | |
| UPC | Energy Star 6.0 | Yes 7 19192 91586 2 7 19192 91625 8 7 19192 91588 6 7 19192 91773 6 | | | | |
| | Power Source | / 13132313002 | 110~240 | | 7 13132 317/30 | |
| POWER | Watts (Typical) | 65.7W | 58.4W | 47.4W | 45.6W | |
| | Stand-by | 03.7 V | | | 45.000 | |
| MARRANTY | 2-Year Limited Warra | 0.5W↓ | | | | |
| WARRANTY | _ rear Entitled vvalle | ancy (raito/Labor) | | | | |
| REMOTE JACK PANEL COMPATIBILITY | | teleadapt ping Your World Connected** | | | | |

SPECIAL Model 60LY970H 55LY970H 47LY970H 42LY970H













































All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI Logo and High-Definition Multimedi Interface are trademarks or registered trademarks of HDMI Licensing LEC. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. Java is a trademark of Oracle. Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems incorporated in the United States and/or other countries. D-LAW is a trademark and the product of the Comporation All other product and brand names are trademarks or registered trademarks of their respective companies.

