



▶ 55LP870H

55" class (54.6" measured diagonally)

▶ 47LP870H

47" class (46.9" measured diagonally)

▶ 42LP870H

42" class (42.0" measured diagonally)



Smart. Connected. Customizable.

One of the smartest and most flexible Hotel Television platforms in the industry.



SECOND SCREEN CONNECTIVITY / SHARING

The LP870H is designed for "second screen" support and options includes Wi-Di™, Wi-Fi Direct™ and Smart Mirroring technologies, which are used to pair guests' mobile devices with the TV enabling them to share and view their content on the large HD screen.

SMART MIRRORING/WIDI



SMART SHARE



REMOTE DIAGNOSIS



LG's IPTV's support enhanced diagnostics tools, enabling remote monitoring and fault analysis of the TVs and content delivery system via partner's application.

SMART CUSTOMIZATION

LG Pro:Centric® Smart offers SI's the ability to customize and optimize a property's TVs with interactive IP-based applications including HTML5, Java and Flash programs. With this expansion of control comes the ability to provide premium hotel services without the need for a separate set-top box. Additionally, enhanced connectivity and second-screen sharing are available to the guests with LG Smart TV technology.

CUSTOMIZABLE U



HISTORY AUTO-DELETE



LG's commercial grade IPTV's automatically delete guests private logon credentials from embedded applications at power-off and also provides a further level of control for SI partners applications via the HCAP middleware layer to control deletion at guest check-out time.

PRE-LOADED APPLICATIONS



WEB BROWSER



Let your guests surf the internet just like at home with LG's optional easy-to-use 'Magic' Remote Control and embedded web-browser function.



Pro:Idiom

Global Leading Digital Rights Management System

Pro:Idiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is thus designed to lower costs and reduce maintenance needs. This leading DRM system is embraced for its security solution, which prevents illegal copying of copyrighted content.

Reduced Total Cost of Ownership



Using LG's optional Pro:Centric server, you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit each room.



EzManager's auto configuration function makes installation quick and easy. EzManager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost.

Effectively Manage In-Room TVs



The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.

FREE Interactive Electronic Program Guide Service for Pro:Centric® TVs!

Plan Highlights

If your property has purchased or plans to purchase LG's Pro:Centric® TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric® server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG) channel line up.

FREE program guide service runs until Dec. 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epg/index.jsp



Pro: Gentric Applications Platform

The LP870H is the latest in the line of Pro:Centric Televisions that provides a unique and dedicated hotel application platform for hosting LG's SI (System Integrator) Partners interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guest needs.

The LP870H extends the choice of interactive systems available to hoteliers through the introduction of HTML5 support in addition to the current Adobe Flash-Lite and Java support. The LP870H is also a full IPTV platform with built-in IP video decoding supporting both IP and RF connectivity. Leveraging the Pro:Centric IPTV platform enables SI Partners to integrate their STB (Set Top Box) client software directly into the Television, eliminating the need for the additional STB hardware and reducing associated capital and support costs.

The LP870H supports embedded Wi-Fi for streaming of content to the Television or back channel communications.

The LP870H platform also includes remote diagnostic tools for partners to manage their systems and monitor the TV's on the network by the head-end or cloud based server for maintenance and admin purposes. The Wake-on-LAN features allows the TV to communicate in a background mode while the TV is powered off and without disruption to the guest, providing the ability to deliver remote software updates from the head end server.

The LP870H Pro:Centric Applications Platform



Main Welcome Portal



Remote Help Learn how to use the Remote controller with easily accessible menu on TV



Channel Guide
Simple Channel List: Select the broadcast logo to watch
your selected TV program



Language
Access the system in multiple languages for international quest service from various nations.

Avoid Room Visits with LG's TV Remote Management Solution

When using LG televisions in Free-To-Guest hotel installations there are now two head-end device options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

- 1. Integrated b-LAN, plus LG's Free-To-Guest Management Appliance (FMA)
- 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

Hotel Costs For Free-To-Guest Channel Management

	Estimated Labor Costs	MSRP	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with b-LAN integration plus FMA		\$2,250 (FMA)	\$2,250	\$17,750
LG Pro:Idiom TV with Pro:Centric Server		\$1,750 (PCS150R)	\$1,750	\$18,250

MSRP subject to change. Installation not included.

Free-To-Guest Remote Management Devices



Remote management functions also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)

FMA-LG101 HEAD-END SYSTEM

Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.




LG is committed to improving product development, manufacturing and usage to meet the demand for products with environmentally friendlier features. Our televisions have technologies to reduce power consumption and in return increase cost savings per room.

EcoSmart

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- CEC Compliant Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 6.0 Qualified Meets current Environmental Protection Agency's television product specifications.

REAR JACK PANEL



SIDE JACK PANEL



The Anti-theft system provides security to prevent TVs theft. Consisting of a Kensington Lock, a Anti-Theft System Credenza and Lock Down Plate.

Kensington Lock

LG Hotel TVs are protected by the reliable solution the Kensington Lock.

NEW! Reinforced Metal Stand

- Full metal reinforced stand and neck to improve sturdiness, durability and safety.
- Provides (± 20/45/90 degrees) Swivel

Lock Down Plate with Credenza Hole

 Lock the TV firmly to the TV stand for added security and help deter theft.
 (Mounting plate, security bolts, nuts and screws are included)







Pro: Centric Smart IPTV Ultra-Slim Edge-Lit LED TV

with Integrated Pro:Idiom®

▶ 55LP870H

55" class (54.6" measured diagonally)



Yes (Sold Separately, part# AN-MR300)

2 Side

1 Rear

1 Rear

1 (Optical) 3 Rear

1 (SVC, Power outlet 12V)

2 Rear

1 Rear

1 Rear (3.5mm phone jack)

1 Rear

1 Rear

13.5mm/24.9mm

4.0mm/22.1mm

42.1" x 27.3" x 11.1"

40.3 lbs

32.4 lbs

42.1" x 25.1" x 1.4"

51.7" x 29.9" x 6.3"

52.5 lbs.

Yes (± 20/45/90°)

Black with Hairline finish

400mm x 400mm

Yes (Back Cover only) cUL, UL, FCC, NOM

Yes

Yes

7 19192 90424 8

110 ~ 240V, 50/60Hz

67.1W

<0.5W

13.5mm/24.9mm

4.0mm/22.1mm

37.7" x 24.8" x 11.1"

36.8 lbs

37.7" x 22.6" x 1.4"

27.3lbs

46.4" x 28.1" x 5.7"

44.3 lbs.

7 19192 90423 1

61.5W

▶ 47LP870H

47" class (46.9" measured diagonally)

▶ 42LP870H

42" class (42.0" measured diagonally)

Smart Energy Saving Optional Magic Remote Control

Kensington Lock Credenza/Security Screw Hole Lock Down Plate Commercial Grade Stand USB (2.0)

RF In

AV In

LAN Port

MPI Port

Bezell (mm) Bezel Width (off

Bezel) (mm)

With Stand

Without Stand

VESA™ Standard Mount Interface

Flame Retardant

Energy Star 6.0

Power Source Watts (Typical)

Weight

Weight

Carton Weight

Swivel

Color

Safety RoHS

RJ45 (RJP interface)

External Speaker Out

TV link Configuration (phone jack type)

Bezel Width (on

Digital Audio Out (Coaxial / Optical)

HDMI/HDCP Input RGB In (D-sub 15pin) - PC PC Audio Input RS-232C (D-Sub

DANEL	Model	55LP870H	47LP870H	42LP870H		
PANEL	Panel Technology	3321 07011	Edge lit LED	422107011		
	Panel Size	55" Class (54.6" meas diag.)	. •	42" Class (42.0" meas. diag.)		
	Native Resolution	oo oldaa jo-to maaa alagi,	1920 x 1080 (FHD)	12 Glado (-12.0 Mode diag.)		
	Dynamic CR		1,000,000			
	Viewing Angle (HxV)		178°/178°			
	Response Time		8ms			
	Frame Rate		120Hz			
BROADCASTING	Analog	Yes (NTSC)				
SYSTEM	Digital	Yes (ATSC / Clear QAM/VSB)				
VIDEO	XD Engine		Yes			
	24p Real Cinema (24p5:5/2:2 Pull down)	Yes				
	Eye Care (Anti Dazzling)	Yes				
AUDIO	Audio Output	10W + 10W				
	Speaker System	1 Way 2 Speakers				
	Infinite Sound	Yes				
	Invisible Speaker	Yes Yes				
	Clear Voice II Pro:Centric					
SPECIAL	blan		Yes Yes			
FEATURES	Hybrid Streaming (IP & RF)* MultiCast/HTTP					
	Data Carousel RF(1/2Tuner)	Yes (2 Tuner)				
	Preloaded Applications	Yes (Facebook, Twitte	er, Google Maps, Accuwe	eather, Internet Browser)		
	(Pro:Centric Smart) Web Browser		Yes			
	HCAP (GEM/FLASH/HTMI)					
	Instant On/Warm Mode					
	EzManager	Yes				
	Remote Diagnostics	Yes (USB and remote)				
	Smart Share/WiFi Direct	Yes (Smart Share)				
	Smart Mirroring	Yes				
	DLNA(Movie/Photo/Music)	Yes				
	WiDi (Intel)	Yes				
	Simplink (HDMI-CEC)					
	HTNG-CEC 1.3	Yes				
	Pro:Idiom	Yes				
	SI Compatible (TVLink Protocol)		Yes (MPI protocol)			
	Hotel Mode/ PDM /Installer Menu		Yes			
	IR Out (TV Link Tuner)	.,	Yes (MPI Jack)			
	External Speaker Out	Single ended Type(GKD,L+,K+), TVV With 812)				
	RJP Interface	10.7.1	Yes (RJ45, HDMI)	· L tup · u op -:		
	RJP Compatibility		t (RJ45, HDMI CEC), G-L			
	PIP External Power	Ye.	s (except HDMI-HDMI, A)			
	USB		Yes (RS-232C, 12V/1.0A USB2.0 (Media Host)			
	Moving Picture Playback (SD/HD/Plus HD)		Divx HD			
	Picture		JPEG			
	Audio Codec	AC3(Dolby Dig	gital), EAC3, AAC, Mp	eg, MP3, PCM		
	USB Cloning	. , ,	Yes			
	One Channel Map/ Logical Channel Map	Yes (LCM)				
	Multi IR Code		Yes			
	Welcome Screen (Splash Image)		Yes			
	Auto Off/Auto Sleep		Yes			
	Video Mute		Yes			



The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for model 55LP870H , 47LP870H , 42LP870H are \$15,\$14 and \$13.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy."

¹FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011))





LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

SPEC_LP870H _091305_PR



VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI Logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. Java is a trademark of Oracle, inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. D-LAM is a trademark of Lodge-Delt Interactive Corporation. All other product and brand names are trademarks or registered trademarks of their respective companies.





2-Year Limited Warranty (Parts/Labor) G-LINK teleadapt



13.5mm/26.1mm

4.0mm/22.5mm

48.7" x 31.0" x 11.1"

48.7" x 28.9" x 1.4"

44 1lbs

60.8" x 33.8" x 6.9"

66.6 lbs.

7 19192 90425 5

72.8W

52.2 lbs

































