

# LG Cloud Device All-in-One Thin Client

## 34-inch UltraWide™ All-in-One Thin Client

34CN650N-6A

- 34-inch UltraWide™ Full HD (2560x1080) IPS Display
- Quad-core Processor (Intel® Celeron J4105)
- Adjustable Stand (Tilt, Height)
- Multi Display Setup (Up to 2 Displays with up to 4K Resolution)
- Fanless Design
- Full HD Webcam (Pop-up Type)
- Built-in Speaker



### Empowered Workforce

Experience enhanced productivity and usability with the UltraWide™ Full HD resolution, 21:9 IPS display. Freely open multiple windows at once to view charts and reports side by side in high clarity. Work comfortably in a workspace with fewer cables and an adjustable monitor and stand that tilts and lifts to your personal needs.

### Improved Performance

Complete tasks faster than ever with an advanced Quad-core Processor (Intel® Celeron J4105) and powerful memory capacity. It's easier stay productive with a multi-monitor set-up supporting up to 2 displays with 4K UHD resolution. This 34" UltraWide™ All-in-One is also fanless, for durability and simplified design..

### Seamless Connectivity

Host online meetings and video conferences with a built-in Full HD pop-up webcam and integrated speakers. The 34CN650W/N\* conveniently has multi-ports for one USB Type-C™ ports, two USB 2.0, and four USB 3.1 ports. Also, maximize productivity with Wi-Fi and Bluetooth wireless connections to work on VDIs in any environment.

\*34CN650W: OS (Windows 10 IoT) Support  
34CN650N: Non-OS Support

# 34" UltraWide All-in-One Thin Client

34CN650N-6A

## Specifications

Model Name		34CN650N-6A
Display	Diagonal	34"
	Aspect Ratio	21:9
	Panel Type	IPS
	Resolution	UltraWide™ Full HD (2560 x 1080)
	Brightness	300 nits (Typ.), 240 nits (Min.)
	Contrast Ratio	1,000:1 (Typ.)
	Response Time (GTG) <sup>1</sup>	5ms
	Viewing Angle (CR≥10)	178° x 178°
System	Processor	Intel® Celeron J4105 (Quad Core 1.5GHz, up to 2.5GHz burst)
	OS	34CN650W: Windows 10 IoT Enterprise / 34CN650N: Non OS
	Memory	34CN650W : 8GB (2x4GB) DDR4 34CN650N : 4GB DDR4
	Graphics	Integrated
	Storage (SSD)	34CN650W: 128GB SSD (M.2) / 34CN650N: 16GB eMMC
Connectivity	DisplayPort	1 x DisplayPort (Output)
	HDMI	1 x HDMI (Input)
	USB	2x USB 2.0, 4 x USB 3.1 gen1, 1 x USB Type-C™
	Mic-in	Mic-in & Headphone Out Combo
	Headphone Out	
Network	Wireless	Dual Band 802.11 a/b/g/n/ac 2x2 (BT 5.0 Combo, Internal Antenna)
	Bluetooth	BT5.0
Sound	Built-in Stereo Speakers	5W x 2
Mechanical	Dimensions with Stand (W x H x D)	32.5 x 22.4 x 9.0 (in) / 825.6 x 570.7 x 230 (mm)
	Dimensions without Stand (W x H x D)	32.5 x 14.7 x 2.3 (in) / 825.6 x 374.8 x 60.5 (mm)
	Shipping Dimensions (W x H x D)	37 x 19.3 x 9.5 (in) / 940 x 490 x 241 (mm)
	Weight with Stand	18.29 lbs / 8.3kg
	Weight without Stand	14.55 lbs / 6.6kg
	Shipping Weight	26.5 lbs / 12.0 kg
	VESA	100 x 100 (mm)
	Adjustable Stand	Tilt : -5°~15°, Height Range : 100mm
	UPC	7 19192 64095 5
Webcam	Webcam	Yes (Pop-up Type)
Software	Management Console S/W	LG Cloud Device Manager
Security	TPM	Hardware TPM 2.0

1) GTG: Gray to gray response time.

2) LG Cloud Device Manager is supported in Windows 10 OS.

<https://www.lg.com/us/business/commercial-display>  
<https://www.twitter.com/LGCommDisplays>  
<https://www.facebook.com/LGcommercialdisplays>  
<https://www.linkedin.com/company/lg-commercial-displays-usa>  
<https://www.youtube.com/lgcommercialdisplayusa>

Copyright 2020 \*LG Electronics USA, Inc., 2000 Millbrook Drive Lincolnshire, IL 60069, USA.  
 All rights reserved. LG and the LG logo are registered trademarks of LG Corp. All other products and brand names are trademarks or registered trademarks of their respective companies.  
 Designs, features, and specifications are subject to change without notice. All screen images are simulated.  
 SPEC\_34CN650\_032007\_LR