



* 65 inch

* All images in this datasheet are for illustrative purposes only.

Hotel TV UR347H9 Series

Commercial Lite	Pro:Centric Value	Pro:Centric Direct	Pro:Centric Direct Smart
-----------------	-------------------	--------------------	--------------------------

Commercial Lite Guestroom UHD TV with NanoCell Display



The UR347H TV Series is a cost-effective, reliable 4K UHD TV that has been designed exclusively for hotels. The advanced NanoCell display delivers beautiful images with lifelike colors. In addition, this series can be combined with an LG set top box to enable a Pro:Centric Direct experience equivalent to top-tier hospitality TVs.



4K Resolution with Lifelike Color

LG's 4K NanoCell display delivers an outstanding viewing experience, thanks to its ability to deliver a broad spectrum of colors with lifelike accuracy. Viewers will immerse themselves in the brilliant, high-resolution images that LG's Real 4K NanoCell TV delivers.



Nano Bezel Adds Sophisticated Ambiance

LG's NanoCell display has a minimal Nano Bezel, which allows it to blend into any interior while delivering an immersive viewing experience.




LG webOS 6.0 Delivers More Innovation and Enhancements

LG's webOS version 6.0 provides significant improvements over previous versions, including technology and performance enhancements that can deliver a better overall viewing experience.




Welcome Video / Screen

To make customers feel more welcome and comfortable, LG's essential Commercial TVs have the capability to display several images with greater variations of greeting messages in hotel rooms.



IR Pass Through and Control

The UR347H series TVs support both RS-232/TLM (used by LG STB) and the new External Control Interface (ECI) for non-LG external set top box control of the TV and IR Pass Through. This feature provides an integrated two-piece solution using one guest remote control.




Public Display Mode (Hotel Mode)

This convenient feature allows you to control the TV settings in public areas, including channel selection and volume level. It also allows you to quickly restore the default settings of the TV, as required.



USB Cloning

TV settings and programming can be easily copied from one TV to any same model TVs in the facility with ease using the USB data cloning feature.




Enhanced Quick Menu

LG's new Quick Menu (ver. 5.0) includes enhancements that make it easier and more user-friendly than the previous versions and includes upgrades to the home menu and the addition of the new Hotel Promotional Video Creation Tool.


CONNECTIVITY

65" / 55"

Rear



Side



* Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.

MODEL		65UR347H9UD	55UR347H9UA	50UR347H9UA
DISPLAY	Diagonal Size	65"	55"	50"
	Resolution	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)
	Backlight Unit Type	Edge	Edge	Edge
	NanoCell Display	Yes	Yes	Yes
	Brightness	330 nits	330 nits	TBD
	Dynamic Contrast Ratio	1,000,000:1	1,000,000:1	1,000,000:1
	Static (Panel) Contrast Ratio	1200:1	5000:1	TBD
	Response Time (G to G)	14 ms	14 ms	TBD
	Refresh Rate	60 Hz	60 Hz	60 Hz
Life Span	30,000 Hours	30,000 Hours	30,000 Hours	
VIDEO	SoC	Quad Core (LM21U)	Quad Core (LM21U)	Quad Core (LM21U)
	HDR 10 Pro	Yes	Yes	Yes
	HDR HLG	Yes	Yes	Yes
AUDIO	Speakers	(2) 10W + 10W	(2) 10W + 10W	(2) 10W + 10W
	Speaker System	2.0 ch	2.0 ch	2.0 ch
	AI Sound	Yes	Yes	Yes
	One-Touch Sound Tuning	Yes (Ready)	Yes (Ready)	Yes (Ready)
BROADCASTING SYSTEM	Digital (Terrestrial, Cable, Satellite)	ATSC, Clear QAM	ATSC, Clear QAM	ATSC, Clear QAM
	Analog	NTSC	NTSC	NTSC
HOSPITALITY	Quick Menu Version	5.0	5.0	5.0
FEATURES	webOS Version	webOS 6.0	webOS 6.0	webOS 6.0
	Smart Home (Launcher Bar)	Yes	Yes	Yes
	Quick Access	Yes	Yes	Yes
	SW Clock (World Clock / Alarm)	Yes	Yes	Yes
	Mood Display	Yes	Yes	Yes
	HDMI-ARC	Yes (HDMI2)	Yes (HDMI2)	Yes (HDMI2)
	USB Data Cloning	Yes	Yes	Yes
	Diagnostics	Yes (USB)	Yes (USB)	Yes (USB)
	External Control Interface	Yes (RS-232C, ECI)	Yes (RS-232C, ECI)	Yes (RS-232C, ECI)
	Simplink (HDMI-CEC) plus CEC-HTNG	Yes (1.4)	Yes (1.4)	Yes (1.4)
	IR Signal from Receiver (Logic High Pulses)	RS-232C	RS-232C	RS-232C
	IR Signal from Receiver (Logic Low Pulses)	ECI	ECI	ECI
	Multi-code IR	Yes	Yes	Yes
	Public Display Mode	Yes	Yes	Yes
	Lock Mode	Yes (Limited)	Yes (Limited)	Yes (Limited)
	Welcome Video	Yes	Yes	Yes
	Welcome Screen (Splash Image)	Yes	Yes	Yes
	Insert Image	Yes	Yes	Yes
	RJP (Remote Jack Pack) Compatibility	Teleadapt / Guestlink (HDMI CEC)	Teleadapt / Guestlink (HDMI CEC)	Teleadapt / Guestlink (HDMI CEC)
	USB Auto Playback / USB Auto Playback+ Moving Picture Playback (SD/HD/Plus HD)	Yes / No	Yes / No	Yes / No
Auto Off / Sleep Timer	Yes / Yes	Yes / Yes	Yes / Yes	
Energy Saving Mode	Yes	Yes	Yes	
INTERFACES	HDMI In	3 (2.0)	3 (2.0)	3 (2.0)
	USB In	2 (2.0)	2 (2.0)	2 (2.0)
	Digital Audio Out (Optical)	1	1	1
	Service Only	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack
	RF In	1	1	1
	AV In (Adaptor included)	3.5mm TRRS Jack	3.5mm TRRS Jack	3.5mm TRRS Jack
	RS-232C (D-Sub 9-Pin /3.5mm Jack)	3.5mm TRRS Jack	3.5mm TRRS Jack	3.5mm TRRS Jack
ECI (RJ12 Jack)	1	1	1	

MODEL		65UR347H9UD	55UR347H9UA	50UR347H9UA
MECHANICAL & POWER	VESA Compatible	300 x 300	300 x 300	300 x 300
	Kensington Lock	Yes	Yes	Yes
	Weight without Stand	47.4 lbs / 21.5 kg	30.9 lbs / 14.0 kg	TBD
	Weight with Stand	50.5 lbs / 22.9 kg	37.9 lbs / 17.2 kg	TBD
	Shipping Weight	63.7 lbs / 28.9 kg	49.2 lbs / 22.3 kg	TBD
	Dimensions without Stand	57.2 x 33.0 x 2.3 in / 1454 x 838 x 57.7 mm	48.6 x 28.1 x 2.3 in / 1235 x 715 x 57.5 mm	TBD
	Dimensions with Stand	57.2 x 35.8 x 13.4 in / 1454 x 909 x 340 mm	48.6 x 30.6 x 11.9 in / 1235 x 777 x 303 mm	TBD
	Shipping Dimensions	63.0 x 38.2 x 9.0 in / 1600 x 970 x 228 mm	53.5 x 33.9 x 8.1 in / 1360 x 860 x 207 mm	TBD
	Bezel Width (L/R/U/B): On Bezel	12.8/12.8/12.8/19.9 mm	12.8/12.8/12.8/19.9 mm	TBD
	Bezel Width (L/R/U/B): Off Bezel	6.8/6.8/6.8/18.4 mm	6.9/6.9/6.9/18.4 mm	TBD
	Power Supply (Voltage, Hz)	100-240 Vac, 50/60Hz	100-240 Vac, 50/60Hz	100-240 Vac, 50/60Hz
	Power Consumption (Max)	200 W	165 W	TBD
	Power Consumption (Typ)	87 W	72 W	TBD
Standby Power Consumption	< 0.5W	< 0.5W	< 0.5W	
WARRANTY & OTHER	Warranty	2 Year Limited	2 Year Limited	2 Year Limited
	Safety	UL	UL	UL
	EMC	FCC	FCC	FCC
ACCESSORIES	Remote Type	S-Con / MMR (Option)	S-Con / MMR (Option)	S-Con / MMR (Option)
	LG STB RS-232 Control Cable	3.5mm TRRS plug to 3.5mm TRRS plug	3.5mm TRRS plug to 3.5mm TRRS plug	3.5mm TRRS plug to 3.5mm TRRS plug
	AV In Adaptor Cable	3.5 mm TRRS Plug to 3 RCA Jacks	3.5 mm TRRS Plug to 3 RCA Jacks	3.5 mm TRRS Plug to 3 RCA Jacks
	Chromecast Device	Yes (Optional)	Yes (Optional)	Yes (Optional)
	Anti-Theft Cover	Yes (Optional)	Yes (Optional)	Yes (Optional)
Power Cable	Detached 1.8m	Detached 1.8m	Detached 1.8m	