



55 inch\*

\* Actual product appearance may differ from the above simulated scene.

# Pro:Centric<sup>®</sup> Direct Hospitality UHD TV with Pro:Idiom<sup>®</sup>

## UT560H9 Series

Commercial Lite	Pro:Centric Value	<b>Pro:Centric Direct</b>	Pro:Centric Direct Smart
-----------------	-------------------	---------------------------	--------------------------

The UT560H Series features UHD resolution that creates vivid details and a flawless picture. It has LG Pro:Centric technology, which offers extended customizable tools (HTML5 and Java) for partners to create interactive applications with increased visual appeal. These enhanced features enable delivery of a wide range of unique applications tailored to both hotel management and guests' needs.




\* Screen images are for illustrative purposes only.

# Pro:Centric Direct Hospitality UHD TV with Pro:Idiom UT560H9 SERIES

## KEY FEATURES\*


### Dozens of Languages

This series supports 39 languages (including Hebrew, Arabic and Farsi) and language alignment, making guests from around the world feel more at home and comfortable.




### Basic & Easy-to-Use Templates

Pro:Centric Application (PCA) provides basic, easy-to-use templates that can be selected based on customer preference.




### Customizable Template & Page

Choose alternative looks for billboards based on your preferences, and edit multiple sections with up to 40 pages of billboards by yourself with this web-based tool.



### Multi-Channel Spooling

Operation of up to eight hotel channels (22 sub-channels) offers programming flexibility, customized content and additional services.



\* Screen images are for illustrative purposes only.

# Pro:Centric Direct Hospitality UHD TV with Pro:Idiom UT560H9 SERIES

## KEY FEATURES\*

### Pro:Idiom

DRM (digital rights management) technology unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high-value digital content.




### 4K Upscaler

Enjoy Full HD content with 4K UHD quality. The 4K upscaler automatically upgrades Full HD content to UHD through a simple six-step process.



### Pro:Centric Direct

Pro:Centric Direct is a hotel content management system that provides simple editing tools and various solutions such as one-click service and IP network-based remote management. Hoteliers can easily edit the user interface, provide customized service and manage all the property's TVs efficiently.



\* Actual UI may differ from what is shown here  
When PCS400R and PCD 2.0 are in use, the PCD feature works even in RF infrastructure.

### 4K Resolution

UHD delivers a resolution four times higher than that of Full HD, which creates a more realistic and immersive television viewing experience. The stunning 8.3 million pixels create flawless images with incredibly vivid detail.



\* Screen images are for illustrative purposes only.

# Pro:Centric Direct Hospitality UHD TV with Pro:Idiom UT560H9 SERIES

## KEY FEATURES\*

### EZ-Manager

EZ-Manager provides a convenient installation function to automatically choose settings for the Pro:Centric TV without any extra configuration.



### Instant On

The Instant On feature allows the Pro:Centric app to remain loaded giving guests quick access to content when they turn on the TV.



### Commercial Swivel Stand

The UT560H Series commercial grade stand swivels to allow guests to view the TV from virtually any angle and can easily be fastened to a tabletop for security purposes.



### USB Data Cloning





For fast and easy configuration of multiple TVs, create a Master TV Setup on one TV and then export the setup "clone" file to a USB memory device. Use the USB device to easily import the setup to other TVs of the same model.



\* Screen images are for illustrative purposes only.

# Pro:Centric Direct Hospitality UHD TV with Pro:Idiom UT560H9 SERIES

## DIMENSIONS



# Pro:Centric Direct Hospitality UHD TV with Pro:Idiom

## UT560H9 SERIES

### SPECIFICATIONS

		65UT560H9UB	55UT560H9UA	50UT560H9UA	43UT560H9UA
DISPLAY	Diagonal Size	65"	55"	50"	43"
	Resolution	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)
	Backlight Unit Type	Direct	Direct	Direct	Direct
	Brightness	400 nits	400 nits	INX: 400 nits / LGD: 360 nits	400 nits
	TruMotion / Refresh Rate	T120 / 60 Hz	T120 / 60 Hz	T120 / 60 Hz	T120 / 60 Hz
	Life Span	30,000 hours	30,000 hours	30,000 hours	30,000 hours
	HDR 10 Pro	Yes	Yes	Yes	Yes
	HDR HLG	Yes	Yes	Yes	Yes
BROADCASTING	Digital (Terrestrial, Cable, Satellite)	ATSC, Clear QAM	ATSC, Clear QAM	ATSC, Clear QAM	ATSC, Clear QAM
	Analog (NTSC / SECAM / PAL)	NTSC	NTSC	NTSC	NTSC
	MPEG-2 / MPEG-4 H.264 Decoding	Yes	Yes	Yes	Yes
	Closed Caption	Yes	Yes	Yes	Yes
AUDIO	Speaker (Sound Output)	10 W + 10 W	10 W + 10 W	10 W + 10 W	10 W + 10 W
	Speaker System	2.0 ch	2.0 ch	2.0 ch	2.0 ch
	LG Sound Sync	Yes	Yes	Yes	Yes
HOSPITALITY	Data Streaming (IP & RF)	Yes	Yes	Yes	Yes
	HCAP (GEM / FLASH / HTML)	GEM / HTML5	GEM / HTML5	GEM / HTML5	GEM / HTML5
	IP Return Path	Yes	Yes	Yes	Yes
	Multicast / Unicast (Pro:Centric Data Only)	Yes	Yes	Yes	Yes
	Pro:Centric Direct (Version)	Yes (2.5)	Yes (2.5)	Yes (2.5)	Yes (2.5)
	Pro:Centric Application (Version)	Yes (PCA 3.8)	Yes (PCA 3.8)	Yes (PCA 3.8)	Yes (PCA 3.8)
	Pro:Centric Server	PCS400R	PCS400R	PCS400R	PCS400R
Pro:Idiom DRM	SW Type / Mobile / Lite	SW Type / Mobile / Lite	SW Type / Mobile / Lite	SW Type / Mobile / Lite	
SMART FEATURES	Smart Home (Launcher Bar)	Yes	Yes	Yes	Yes
OTHER FEATURES	Clock and Alarm	Yes	Yes	No	Yes
	EZ-Manager	Yes	Yes	Yes	Yes
	USB Cloning	Yes	Yes	Yes	Yes
	Update Time	Yes	Yes	Yes	Yes
	SI Compatible	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)
	Simplink (HDMI-CEC, plus HTNG)	Yes (1.4)	Yes (1.4)	Yes (1.4)	Yes (1.4)
	IR Signal from Receiver (Logic Low Pulses)	MPI	MPI	MPI	MPI
	IR Signal from Receiver (Logic High Pulses)	RS-232C	RS-232C	RS-232C	RS-232C
	Multi-code IR	Yes	Yes	Yes	Yes
	Hotel Mode / PDM / Installer Menu	Installer Menu	Installer Menu	Installer Menu	Installer Menu
	Welcome Screen (Boot Logo)	Yes	Yes	Yes	Yes
	One Channel Map	LCM	LCM	LCM	LCM
	Audio Line Out (Stereo)	Yes	Yes	Yes	Yes
	Instant On	Yes	Yes	Yes	Yes
	RJP (Remote Jack Pack) Compatibility	Yes (HDMI CEC)	Yes (HDMI CEC)	Yes (HDMI CEC)	Yes (HDMI CEC)
	Auto Off / Sleep Timer	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
	Smart Energy Saving	Yes	Yes	Yes	Yes
Motion Eye Care	Yes	Yes	Yes	Yes	
b-LAN Embedded	No	No	No	No	

# Pro:Centric Direct Hospitality UHD TV with Pro:Idiom

## UT560H9 SERIES


### SPECIFICATIONS

	65UT560H9UB	55UT560H9UA	50UT560H9UA	43UT560H9UA	
<b>INTERFACES</b>	HDMI In	3 (2.0)	3 (2.0)	3 (2.0)	
	USB	1 (2.0)	1 (2.0)	1 (2.0)	
	RF In	Yes	Yes	Yes	
	AV In (Adaptor included)	3.5mm TRRS Jack	3.5mm TRRS Jack	3.5mm TRRS Jack	3.5mm TRRS Jack
	Digital Audio Out	Optical	Optical	Optical	Optical
	LAN (RJ45)	1 (Pro:Centric)	1 (Pro:Centric)	1 (Pro:Centric)	1 (Pro:Centric)
	RS-232C (Control & Service)	D-Sub 9 pin	D-Sub 9 pin	D-Sub 9 pin	D-Sub 9 pin
	Service Only	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack
	Audio Line Out	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack
	MPI Port (RJ12)	Yes	Yes	Yes	Yes
<b>MECHANICALS</b>	Front Color	Ceramic Black	Ceramic Black	Ceramic Black	Ceramic Black
	VESA Compatible	300 x 300	300 x 300	300 x 300	200 x 200
	Stand Type	1 Pole Fixed	1 Pole Swivel	1 Pole Swivel	1 Pole Swivel
	Kensington Lock	No	Yes	Yes	Yes
	Credezza / Security Aperture	No	Yes	Yes	Yes
	Lock Down Plate	No	Yes	Yes	Yes
	Weight without Stand	47.2 lbs / 21.4 kg	30.9 lbs / 14.0 kg	24.9 lbs / 11.3 kg	17.6 lbs / 8.0 kg
	Weight with Stand	49.4 lbs / 22.4 kg	37.9 lbs / 17.2 kg	31.8 lbs / 14.5 kg	17.6 lbs / 8.0 kg
	Shipping Weight	65.7 lbs / 29.8 kg	50.5 lbs / 22.9 kg	40.3 lbs / 18.3 kg	17.6 lbs / 8.0 kg
	Dimensions without Stand (Depth to Back VESA Location)	57.6" x 33.5" x 3.5" / 1,463 x 850 x 88 mm	49.0" x 28.6" x 3.4" / 1,244 x 726 x 87 mm	44.5" x 26.1" x 3.4" / 1,130 x 663 x 86.3 mm	38.3" x 22.5" x 3.0" / 973 x 572 x 76 mm
Dimensions without Stand (Depth to Back of Speaker)	57.6" x 33.5" x 3.5" / 1,463 x 850 x 88 mm	49.0" x 28.6" x 3.4" / 1,244 x 726 x 87 mm	44.5" x 26.1" x 3.4" / 1,130 x 663 x 86.3 mm	38.3" x 22.5" x 3.3" / 973 x 572 x 85 mm	
Dimensions with Stand	57.6" x 36.0" x 13.4" / 1,463 x 914 x 340 mm	49.0" x 30.7" x 11.9" / 1,244 x 780 x 303 mm	44.5" x 30.4" x 11.9" / 1,130 x 722 x 303 mm	38.3" x 24.6" x 11.9" / 973 x 626 x 303 mm	
Shipping Dimensions	63.0" x 42.1" x 8.1" / 1,600 x 1,070 x 207 mm	55.5" x 33.9" x 8.1" / 1,410 x 860 x 207 mm	52.1" x 31.9" x 7.9" / 1,325 x 810 x 200 mm	45.2" x 26.0" x 7.5" / 1,147 x 660 x 190 mm	
<b>POWER</b>	Power Supply (Voltage, Hz)	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz
	Power Consumption (Max)	200 W	160 W	157.3 W	120 W
	Power Consumption (Typical)	172 W	144 W	128.7 W	99 W
	Power Consumption (Standby)	Less than 0.5 W	Less than 0.5 W	Less than 0.5 W	Less than 0.5 W
<b>ACCESSORIES</b>	Remote Type	S-Con	S-Con	S-Con	S-Con
	AV In Adaptor Cable	3.5mm TRRS plug to 3 RCA Jacks	3.5mm TRRS plug to 3 RCA Jacks	3.5mm TRRS plug to 3 RCA Jacks	3.5mm TRRS plug to 3 RCA Jacks
	Chromecast Anti-theft Cover	Yes (Option)	Yes (Option)	Yes (Option)	Yes (Option)
	Power Cable	Yes (1.8 m, RA Type)	Yes (1.8 m, Angle Type)	Yes (1.8 m, Angle Type)	Yes (1.8 m, Angle Type)
<b>WARRANTY &amp; OTHER</b>	Standards	UL	UL	UL	UL
	EMC Certification	FCC	FCC	FCC	FCC
	Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty
	UPC	7 19192 63083 3	7 19192 63084 0	1 95174 01090 7	7 19192 63119 9


# CONNECTIVITY

## REAR

65" / 55" / 50" / 43"



## SIDE



Design and specifications are subject to change without notice. Please contact your LG sales team to verify before ordering.



- [www.lg.com/us/business/commercial-display](http://www.lg.com/us/business/commercial-display)
- [www.twitter.com/LGCommDisplays](https://twitter.com/LGCommDisplays)
- [www.facebook.com/LGcommercialdisplays](https://facebook.com/LGcommercialdisplays)
- [www.linkedin.com/company/lg-commercial-displays-usa](https://linkedin.com/company/lg-commercial-displays-usa)
- [www.youtube.com/lgcommercialdisplayusa](https://youtube.com/lgcommercialdisplayusa)
- 800-228-1236 | Hospitality Sales

© Copyright 2022 ©LG Electronics USA, Inc. All rights reserved. LG and the LG logo are registered trademarks of LG Corp. All other trademarks are the property of their respective owners. Prices, promotions, and availability may vary by dealer. The information contained herein is subject to change without notice. All screen images are simulated. SPEC\_UT560H9U\_032201\_LR

