

Commercial Lite Guestroom TV LT340H Series

Commercial Lite

Pro:Centric Pro

Pro:Centric Enhanced Pro:Centric Smart

The LT340H Commercial TV Series provides hotels with a cost-effective, reliable TV solution that has been designed to operate as a two-part solution (with an external set top box). The LT340H series delivers crisp, Full HD images anchored by a stylish, versatile commercial-grade stand.



KEY FEATURES

Quick Menu

LG has created a new Quick Menu (version 3.0), making it easier and more user friendly than ever. A creation tool enables production of hotel promotional videos and Quick Manager helps distribute information throughout the network.



Public Display Mode

From channel selection to volume level, you can control the TV settings in your hotel's common areas. Public Display Mode also enables restoration of your hotel's default settings on the TVs when required.



Commercial Swivel Stand

The LT340H commercial grade stand swivels to allow guests to view the TV from virtually any angle and can easily be fastened to a tabletop for security purposes.



Welcome Screen

Display a warm greeting message with your hotel name and logo on the TV when it is turned on. The welcome screen provides an inviting, personalized experience for your guests.



KEY FEATURES

External Speaker Out

Enhance the entertainment experience with an additional speaker (sold separately). Guests can listen to the TV audio from other rooms within their suite, not only the room where the TV is located.



IR Pass Through and Control

Connect an LG commercial set top box to the TV to create a system that can provide Pro:Centric® functionality, as well as either RF or IP content delivery.*



* Each TV needs its own set top box.

USB Auto Playback+

Create and play personalized media playlists (video, music or images) without having to connect a computer or install specialty software.



Multi-code IR

Multi-code IR function eliminates any remote control signal interference between TVs in rooms with multiple TVs installed.



SIMPLE AND EFFECTIVE MAINTENANCE

USB Data Cloning

Create a media playlist of your choosing (video, music, and/ or images), save it to a USB memory device, and then simply connect the USB memory device to the TV to stream your playlist sequentially.



Self Diagnostics via USB

The LT340H TV Series stores 24-hour diagnostic data, which can be saved to a USB memory device, enabling service engineers to identify technical issues quickly and easily.



Lock Mode

Lock Mode blocks external input signals with non-compliant content. This useful feature prevents the misuse of TVs in public spaces.



LT340H SERIES

DIMENSIONS

32"



43"



49"



LT340H SERIES

SPECIFICATIONS

		49LT340H0UA	43LT340H0UA	32LT340HBUA
	Diagonal Size	49"	43"	32"
DISPLAY	Resolution	1,920 x 1,080 (FHD)	1,920 x 1,080 (FHD)	1,366 x 768 (HD)
	Backlight Unit Type	Direct	Direct	Direct
	Brightness (Nits)	400	400	240
	Refresh Rate	60 Hz	60 Hz	60 Hz
	Life Span (Hours)	30,000	30,000	30,000
AUDIO	Speaker (Sound Output)	10 W + 10 W	10 W + 10 W	5 W + 5 W
	Speaker System	2.0 ch	2.0 ch	2.0 ch
HOSPITALITY	Quick Menu (Version)	Yes (3.0)	Yes (3.0)	Yes (3.0)
	USB Cloning	Yes	Yes	Yes
	Diagnostics	Yes (USB)	Yes (USB)	Yes (USB)
	SI Compatible (TVLink Interactive)	Yes (RS-232C, HDMI)	Yes (RS-232C, HDMI)	Yes (RS-232C, HDMI)
	HTNG-CEC	Yes (1.4)	Yes (1.4)	Yes (1.4)
	Simplink (HDMI-CEC)	Yes (1.4)	Yes (1.4)	Yes (1.4)
	IR Out	Yes (RS-232C)	Yes (RS-232C)	Yes (RS-232C)
	Multi-code IR	Yes	Yes	Yes
	Hotel Mode / PDM / Installer Menu	PDM	PDM	PDM
	Lock Mode	Yes	Yes	Yes
	Welcome Screen (Boot Logo)	Yes	Yes	Yes
	External Speaker Out (Stereo)	Yes	Yes	Yes
	RJP (Remote Jack Pack) Compatibility	Yes (HDMI)	Yes (HDMI)	Yes (HDMI)
	USB Auto Playback / USB Auto Playback+	Yes / Yes	Yes / Yes	Yes / Yes
		Yes / Yes	Yes / Yes	Yes / Yes
	Auto Off / Sleep Timer	Yes	Yes	Yes
	Smart Energy Saving	Yes	Yes	Yes
	Motion Eye Care	ATSC / QAM / VSB / Analog NTSC	ATSC / QAM / VSB / Analog NTSC	ATSC / QAM / VSB / Analog NTSC
	TV Reception HDMI In	2 (1.4)	2 (1.4)	2 (1.4)
CONNECTIONS	USB			
	RGB In (PC)	1 (2.0) Yes	1 (2.0) Yes	1 (2.0) Yes
	RS-232C In (Control & Service)	DB9 Male	DB9 Male	DB9 Male
	RF In	1 (Tuner)	1 (Tuner)	1 (Tuner)
	AV In	· · ·	. ,	. ,
		1 (Share with Component) Yes	1 (Share with Component) Yes	1 (Share with Component) Yes
	Component In (Y, Pb, Pr-Video)	Optical		
	Digital Audio Out	1	Optical	Optical
	PC Audio Input	1 (Share with Component Audio)	1 (Share with Component Audio)	1 (Share with Component Audio)
	External Speaker Out (3.5 mm Stereo Jack)	Yes	Yes	Yes
MECHANICALS	Front Color	Ceramic Black	Ceramic Black	Ceramic Black
	VESA Compatible	300 x 300	200 x 200	200 x 200
	Weight without Stand	24.9 lbs / 11.3 kg	17.6 lbs / 8.0 kg	10.7 lbs / 4.9 kg
	Weight with Stand	32.0 lbs / 14.5 kg	24.7 lbs / 11.2 kg	13.3 lbs / 6.1 kg
	Weight in Shipping	37.9 lbs / 17.2 kg	30.6 lbs / 13.9 kg	16.2 lbs / 7.4 kg
	Dimensions without Stand (Depth to Back VESA Location)	43.7" x 25.6" x 2.8" 1,110 x 650 x 72 mm	38.5" x 22.6" x 2.8" 977 x 575 x 72 mm	29.1" x 17.4" x 2.9" 739 x 441 x 75 mm
	Dimensions without Stand (Depth to Back of Speaker)	43.7" x 25.6" x 3.2" 1,110 x 650 x 81 mm	38.5" x 22.6" x 3.2" 977 x 575 x 81 mm	29.1" x 17.4" x 3.3" 739 x 441 x 84 mm
	Dimensions with Stand	43.7" x 27.8" x 11.9" 1,110 x 705 x 303 mm	38.5" x 24.8" x 11.9" 977 x 630 x 303 mm	29.1" x 19.5" x 9.5" 739 x 495 x 241 mm
	Dimensions in Shipping	51.0" x 30.3" x 6.7" 1,296 x 770 x 171 mm	45.2" x 26.0" x 6.9" 1,147 x 660 x 175 mm	35.6" x 20.9" x 6.4" 905 x 530 x 162 mm
POWER	Power Supply	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz
	Power Consumption (Max)	100 W	85 W	48 W
	Power Consumption (Standby)	Less than 0.3 W	Less than 0.3 W	Less than 0.3 W
ACCESSORIES	Remote Type	L-Con	L-Con	L-Con
	Chromecast Dongle Anti-theft Cover	Yes	Yes	Yes
CCESSORIES		Yes (1.8 m, RA Type)	Yes (1.8 m, RA Type)	Yes (1.8 m, RA Type)
ACCESSORIES	Power Cable	Tes (LO III, RA IVDE)		
ACCESSORIES	Power Cable Standards	UL	UL	UL
	Standards	UL	UL	
ACCESSORIES WARRANTY & OTHER		x 7 71 7		UL FCC Two-Year Limited Warranty

LT340H SERIES

CONNECTIVITY

49" / 43" / 32"



* Dimensions and jack panels (read/side) may differ from the above image. Please contact your LG sales representative to verify before ordering.



🕞 www.lg.com/us/business/commercial-display

www.twitter.com/LGCommDisplays

f www.facebook.com/LGcommercialdisplays

in www.linkedin.com/company/lg-commercial-displays-usa

www.youtube.com/lgcommercialdisplayusa
800-228-1236 | Hospitality Sales

LG may make changes to specifications and product descriptions without notice. © Copyright 2019 LG Electronics USA, Inc. All rights reserved. LG and the LG logo are registered trademarks of LG Corp. Pro.Centric and the "Pro.Centric" logo are registered trademarks of LG Electronics Inc. Pro:Idiom is a registered trademark of Zenith Electronics LLC. SPEC_LT340H_0S19SD_PR



Business Solutions