


6.9 cu. ft. Gas Double Oven Range



- ProBake Convection® with Air Fry
- Air Sous Vide
- InstaView® Window
- Double Oven
- EasyClean® + Self Clean
- 20,000 BTU UltraHeat Burner
- SmoothTouch® Glass Controls
- 6.9 cu. ft. Large Capacity
- ENERGY STAR® Certified
- SmartDiagnosis™
- LG ThinQ® Technology (Wi-Fi)



COLOR AVAILABILITY

 LDGL6924S – Stainless Steel

CAPACITY

Oven Capacity	6.9
Upper Oven Capacity	2.6
Lower Oven Capacity	4.3

OVEN FEATURES

Convection System	ProBake® Convection (Lower Oven Only)
Oven Cooking Modes	Upper: Bake, Broil, Warm, Keep Warm, Pizza, EasyClean®, Self Clean, Remote Start, Delayed Timed Cook, Timed Cook Lower: Bake, Convection Bake, Convection Roast, Proof, Warm, Keep Warm, Frozen meal, Air Sous-vide, Air Fry, EasyClean®, Self Clean, Delayed Timed Cook, Timed Cook
Air Sous Vide	Yes
Built-in Air Fry	Yes
Temperature Probe	No
Oven Racks	2 Standard, 1 Offset
Number of Rack Positions	Upper: 2; Lower: 4
Broil Element (BTU, NG / LP)	Upper: 14,500 / 12,500
Convection (BTU, NG / LP)	Lower: 14,000 / 12,000
Bake Element (BTU, NG / LP)	Upper: 14,500 / 12,500
Convection Conversion	Yes (Lower Oven Only)
EasyClean®	Yes
Self Clean	Yes
GoCook Smart Oven Light	Yes (2)
Door Lock	Yes
Automatic Safety Shut-Off	After 12 Hours

COOKTOP FEATURES

Cooktop Type	Sealed Gas Burners
Number of Burners	5

Burner BTU (NG / LP)	
Left Front	17,000 / 12,000 (SuperBoil)
Left Rear	9,100 / 7,500
Center	10,000 / 10,000 (Oval)
Right Front	20,000 / 12,500 (UltraHeat)
Right Rear	5,000 / 4,000
Cooktop Burner Grate Material	Cast Iron
Continuous Grates	Yes

CONTROLS

Cooktop Control Type	Front Tilt-Control Knobs (Weighted)
Oven Control Type	SmoothTouch® Glass Controls
Display	LED Display
Language	English
Kitchen Timer	Yes
Timed Cook	Yes
Clock	12 Hr or 24 Hr (Option)
Temperature Unit of Measure	°F or °C
Cooking Complete Reminder Volume	High, Low, Off
Oven Control Lock	Yes

CONVENIENCE

ADA Compliant	No
Sabbath Mode	No

SMART FEATURES

Wi-Fi Enabled	Yes
ThinQ® Technology	Yes
ThinQ UP™	Yes
ThinQ Care™	Yes
Remote Monitoring	Yes
Voice Control	Amazon Alexa, Google Assistant
SmartDiagnosis™	Yes
3rd Party Recipe App	Yes (SideChef)
Scan to Cook (LG ThinQ)	Yes
Hood / OTR / Cooktop Sync	Yes

FINISHES AND APPEARANCE

Fingerprint & Smudge Resistant Exterior	No
Cooktop Finish	Black Porcelain Enamel
Handle / Knobs	Stainless Steel Appearance
Oven Door Feature	InstaView® Window (WideView™)

TECHNICAL SPECS

Fuel Type	NG / LP
Required Power Supply	120V, 60Hz
Minimum Circuit Rating	15 Amp
Power Cord Type	3-Prong, Attached to Unit
Power Outlet Location	See Installation Diagram
Gas Supply Location	See Installation Diagram

INCLUDED ACCESSORIES

1 Offset Rack, 2 Standard Racks, LP Conversion Kit

OPTIONAL ACCESSORIES

Air Fry Tray LRAL303S

DIMENSIONS / CLEARANCES / WEIGHTS



Product Dimensions (W x H x D w/Handle)	29 15/16" x 46 15/32" x 29 1/4"
Product Height to Cooking Surface	36"
Cutout Dimensions (W x H x D)	30" x 36" x 25"
Carton Dimensions (W x H x D)	32 1/2" x 51" x 30 1/2"
Approx. Weight (Product / Carton)	198.9 lbs. / 245.2 lbs.

LIMITED WARRANTY


Parts and Labor 1 Year

DIMENSIONS / CLEARANCES

Provide proper clearance between the range and adjacent combustible surfaces. These dimensions must be met for safe use of your range. The location of the electrical outlet and pipe opening may be adjusted to meet specific requirements. The range may be placed with 0" clearance (flush) at the back wall.

GAS PIPE AND ELECTRICAL OUTLET LOCATIONS

DIMENSIONS / CLEARANCES



DIMENSIONS / CLEARANCES

A	Width	29 15/16" (760.8 mm)
B	Height	46 15/32" (1180.1 mm)
C	Depth (Includes Door Handle)	29 1/4" (743.1 mm)
D	Height to cooking surface (Excludes Vent Trim)	36" (914 mm)
E	Depth (Includes only the product body that is loaded into the cabinet. Excludes door, drawer, and handles)	24 3/4" (628.5 mm)
F	Depth (Excludes Door Handle)	26 27/32" (682.0 mm)
G	Depth when upper door is fully opened	38 5/8" (981.2 mm)
H	Depth when lower door is fully opened	42 3/16" (1072.2 mm)