#### LGG Norh America All In One System • Order • O



### Home 8 All In One Energy Storage System Commissioning Quick Guide

- 1. Power Up & Set Up
- 2. Commission
- 3. ThinQ\_App
- 4. Product Specification

#### Power up the Home 8 per the QIG, follow these steps exactly, please.

- 1 In the All-In-One (AIO) battery enclosure(s), turn ON the DC circuit breaker
- 2 In the Smart Energy Box (SE Box)
  - a. Turn ON the Main Service circuit breaker
    - i. If Partial Backup, turn ON Main Service circuit breaker outside of SE Box
    - ii. Wait for touch screen to turn on (up to 30 seconds or so)



- b. Turn ON the circuit breaker for the AIO(s)
- c. Turn ON the circuit breaker for the PV inverter input
- 3 Return to the AIO "battery" enclosure
  - a. Press and release the Power button, it will remain "pressed in" ON position
  - b. Press and HOLD the Black Start Button, until you hear click-click (up to about 6 seconds)
- 4 Return to the SE Box, continue with Touch Screen Setup

#### Set up | commission test | connect to Internet | enable system | ThinQ homeowner App setup

#### Easy to use TOUCH Screen

Full details in the Installation Manual > Installer and User Settings > page 89


1 Country and Language	1 Country and Language Setting	
a. Touch arrow to advance	Country and Language Setting	
	Country	USA
	Language Eng	glish
		$\rightarrow$
		<u> </u>
2 Network / Internet Connection	2 Network Type	
a. SKIP Internet Connection for now	nettork type	
b. Home 8 does not require Internet, App or laptop to commission		
c. Touch arrow to advance	Wired	
	Wireless	
	✓ Skip Internet Settings	
	<b>(</b>	$\rightarrow$
3 Installer Password Creation		
a. 8 characters minimum	Installer Password Setting	
b. Requires		
(1) number, (1) letter, (1) special character	Input Password	
c. Allows access to detailed PCS settings	Confirm Password	
<ul> <li>d. Write password on back of SE Box safety cover if desired</li> </ul>		
e. Most installers prefer to use same	* Your password must be at least 8 characters long. Password should contain at least one number, one character and one special character.	
password for all Home 8		
	( <del>(</del>	Apply
4 System Information Check	·	
a. Number of AIO (ESS) detected	System Information Check that the loaded system information is correct, and if it is not, press the "Rescan" button to retrieve the information.	
b. Serial numbers	SE Box Serial Number : 002KR0264119	Rescan
c. Software versions	Common ESS1 ✔ ESS2 ✔ ESS3	ESS4
d. Touch arrow to advance	PMS Serial Number : US2001BSME00000D	1
	PMS S/W Version : 1.1.1352 App S/W Version : 1.1.0710	
	CSIP Library Version : 1.1.4.2 CSIP Application Version : 1.0.0	
	Detected ESS : 2	$\rightarrow$

5 Firmware	<b>5</b> Firmware Update	e
<ul> <li>a. Touch arrow to advance</li> <li>b. Firmware update will advance after system is enabled, and registered in ThinQ app</li> <li>c. No need to take vital install time to update here</li> </ul>	USB Status : UnPlugge	
	ESS1         PCS         LG P1 01.00.01.00 R85 53.32           ESS2         PCS         LG P1 01.00.01.00 R85 53.32	Battery 0724 Battery 0724
	Sync version	
		Battery 0724
	← Match Version	$\rightarrow$
<ul><li>6 Date and Time Settings</li><li>a. Touch each field to update</li></ul>	Date & Time Settin	igs
b. Auto Date and Time will set after Home 8 is	Timezone	New York
connected to the Internet	Automatic date and time	Auto
	Date	Thu Jul 13 2023
	Time	08:54 PM
	Time format	12 Hour
	<b>~</b>	$\rightarrow$
7 System Name, Install Date a. Touch/Enter System Name	Additional System Infor	mation
a. Touch/Enter System Name b. Most installers prefer homeowner last	Additional System Infor	mation My ESS
<ul> <li>a. Touch/Enter System Name</li> <li>b. Most installers prefer homeowner last name/city/ESS, i.e. Smith Chicago ESS</li> </ul>		
a. Touch/Enter System Name b. Most installers prefer homeowner last	System Name	My ESS
<ul> <li>a. Touch/Enter System Name</li> <li>b. Most installers prefer homeowner last name/city/ESS, i.e. Smith Chicago ESS</li> <li>c. Touch/Enter install date</li> <li>8 Utility Information</li> </ul>	System Name Installation Date	My ESS Apr 14, 2023 →
<ul> <li>a. Touch/Enter System Name</li> <li>b. Most installers prefer homeowner last name/city/ESS, i.e. Smith Chicago ESS</li> <li>c. Touch/Enter install date</li> <li>8 Utility Information <ul> <li>a. Touch/Enter utility company name</li> </ul> </li> </ul>	System Name Installation Date	My ESS Apr 14, 2023 →
<ul> <li>a. Touch/Enter System Name</li> <li>b. Most installers prefer homeowner last name/city/ESS, i.e. Smith Chicago ESS</li> <li>c. Touch/Enter install date</li> <li>8 Utility Information</li> </ul>	System Name Installation Date	My ESS Apr 14, 2023 →
<ul> <li>a. Touch/Enter System Name</li> <li>b. Most installers prefer homeowner last name/city/ESS, i.e. Smith Chicago ESS</li> <li>c. Touch/Enter install date</li> <li>8 Utility Information <ul> <li>a. Touch/Enter utility company name</li> <li>b. Profile and Parameters are ok as is, for this</li> </ul> </li> </ul>	System Name Installation Date	My ESS Apr 14, 2023 →
<ul> <li>a. Touch/Enter System Name</li> <li>b. Most installers prefer homeowner last name/city/ESS, i.e. Smith Chicago ESS</li> <li>c. Touch/Enter install date</li> <li>8 Utility Information <ul> <li>a. Touch/Enter utility company name</li> <li>b. Profile and Parameters are ok as is, for this</li> </ul> </li> </ul>	System Name Installation Date	My ESS Apr 14, 2023 →
<ul> <li>a. Touch/Enter System Name</li> <li>b. Most installers prefer homeowner last name/city/ESS, i.e. Smith Chicago ESS</li> <li>c. Touch/Enter install date</li> <li>8 Utility Information <ul> <li>a. Touch/Enter utility company name</li> <li>b. Profile and Parameters are ok as is, for this</li> </ul> </li> </ul>	System Name Installation Date	My ESS Apr 14, 2023 → n pgne UL1741SB Edit >


9 PV Inverter Information	• • • • • • • • • • • • • • • • • • • •	
<ul> <li>a. Touch/Enable PV use</li> <li>b. Touch/Enter PV inverter AC output nameplate rating</li> <li>c. Touch/Enter PV DC array size</li> <li>d. To verify the power in PV meter</li> </ul>	PV	
	PV Inverter	Use 🚺
	Rated Output Power	10.00 kW
	Installed PV Panel Capacity	18.00 kWp
	PV Meter	Confirmed >
	4	$\rightarrow$
<b>10</b> External E-Stop	External Device	
a. If installed, enable this button		
b. Port 1-2 can be skipped at this stage	External Shutdown Switch	Not Installed
	Port 1	None
	Port 2	None
	<del>(</del>	$\rightarrow$
44 October 14 - 1		-
11 Operating Mode	Operating Mode	-0
<ul> <li>a. Touch / choose Backup Only Mode for this stage</li> </ul>		
b. Easily updated later, in ThinQ homeowner		
monitoring App	<ul> <li>PV Self-consumption</li> </ul>	
	Time of Use	
	Backup Only	
	<b>(</b>	$\rightarrow$
12 Backup and Battery Setting	• • • • • • • • • • •	
a. Touch slider to "Enabled" Backup	Backup and Battery Setting	-
Operation	Backup Operation	Enabled
b. Change related battery parameters	Backup Mode Grid Under Volt Level	88.0 %
<ul> <li>c. "If the Backup Operation is "Disabled", the installer cannot be updated related</li> </ul>	Backup Mode Grid Under Volt Trip Time	0.3 ms
battery parameters.	Backup Mode Start Freq Level	62.5 Hz
d. Touch Reserve Mode SoC	Reserve Mode SoC	0 %
e. Change to 10%		
f. Can be updated later if needed	<b>~</b>	$\rightarrow$
g. Touch arrow to return to Setup		
h. Touch arrow to advance		

13 Meter and Breaker Size	• • • • • • •	
a. Touch Grid Meter	Meter and Breaker Size	
b. To verify the power in L1 and L2	Grid Meter	Confirmed >
c. Touch Breaker Size	Breaker Size	Whole Home Backup
<ul> <li>d. The installer inputs the appropriate distribution panel and circuit breaker rated current based on the site requirements.</li> </ul>	Power Control System	Import Only Mode
e. Touch arrow to advance		
	<b>~</b>	$\rightarrow$
14 Summary	• • • • • • •	······································
a. Touch Commissioning Test	Summary	
	Country	JUSA USA
	Language	English
	Network Settings	Connected
	Firmware Version	1.1.1352
	System Information	PMS S/N:US2001BSME00000D, ESS 2
	Commissio	ning Test Start System

#### **Commissioning Test**




· When Charging and Discharging Tests are complete, with SUCCESS, Backup test will show READY



#### **Backup Test**




#### **Return to Grid Power, end Backup Test**



#### Start System

Touch Start System to go to Home Screen	Summ	ary
	Country	USA 🖉
	Language	English
	Network Settings	Connected
	Firmware Version	1.1.1352
	System Information F	PMS S/N:US2001BSME00000D, ESS 2
	Commission	ning Test Start System



#### **Enable Internet Connection**

Touch Menu bars		Jul 20, 2023 07:58 PM
	Mode PV Self-consumption > Status DISCHARGING SoC 20%	8.0 kW 15.0 kW 7.0 kW 0.0 kW
Touch Settings	ウ×	Jul 20, 2023 07:55 PM
	Backup History	
	ੴ Settings →	5.3 kw 5.3 kw 15.0 kw 9.7 kw
Touch General Settings	← User Settings	
Touch Network Settings	General Settings	Edit >
Touch Wired or Wireless	PCS Settings	Edit >
• For Wireless, choose homeowner SSID, enter wifi password		
• Note - use only 2.4GHz wifi band		
Touch arrows to return to Home Screen		

## Home 8 Commissiong Quick Guide **ThinQ App**


#### ThinQ App – Register Home 8 ESS

<ul> <li>Download LG ThinQ App</li> <li>iOS or Android App store</li> </ul>	LG Th LG Elect	ronics, Inc.
<ul> <li>Create Account on ThinQ</li> <li>Suggest "Sign in with LG" Touch Create Account</li> </ul>	Welcome to LG ThinQ.	C LG
<ul> <li>Use homeowner email address Set password (8 characters min upper/lower case, number, special character)</li> </ul>	<ul> <li>Sign in with LG</li> <li>Sign in with Google</li> <li>Sign in with Apple</li> <li>Another account &gt;</li> </ul>	Email ID Password Sign in Reset password Create account
<ul> <li>Add a Device</li> <li>Touch Add a Device Touch Select Device Touch Next</li> </ul>	4:06 <b>1</b> I LTE E Connect your device for smarter living. Add a Device ESS_Home ~ ESS_Home for Support	Select how to add the device Scan QR Scan QR attached to the device to add the device. Scan QR Scan QR
Touch ESS Home	mart living. Dehumidifier Ceiling Fan	Water Heater Wearable Air Purifier Case Laptop Smart ThinQ Hub (Speaker Type)

### Home 8 Commissiong Quick Guide ThinQ App

Move to SE Box	← General Settings
On Home Screen, touch Menu bars	ivetwork settings connected
Touch Settings > General Touch Soft AP to enable wifi Access Point	Firmware Version 1.1.2012
Iouch Soft AP to enable will Access Point	Date & Time Settings Jul 21, 2023 03:08 AM
	Soft AP OFF O
	Open Source
	Reboot
	Reset Settings
Move back to homeowner smart phone and ThinQ App	
Touch Next     Follow directions here to connect phone to SE     Box Soft wifi Access Point	
<ul> <li>Go to phone Settings &gt; WiFi Look for SSID LG_Smart_ESS2_XXX net- work, and take note</li> <li>Password is XXX entered two times</li> </ul>	<ol> <li>Go to the Wi-Fi settings on your smartphone and locate the network name of your device: LG_Smart_Ess2~</li> <li>Select the network name. Enter the password if needed and return to the LG ThinQ app when connected.</li> </ol>
<ul> <li>Touch this network to connect Enter Password</li> </ul>	Network Name Format         Password           IIC. Smart. Fsc2_XXXXI         Enter XXXX twice           Next         Tap here if the device isn't connected.
Return to LG ThinQ App and wait, watch	
ESS Registration Proceeds	Device Connected
• Once ThinQ is connected to SE Box Soft AP, ESS registration should proceed automatically.	Congrats! Your device has been successfully added.
Edit Nickname for Home 8 ESS if desired	
	Edit Nickname
	ESS Home
Firmware Update	Downloading software (71%)
• It is possible that Firm/Software may download	Device Useful Features
through the ThinQ App, and update on the Smart Energy Box and All-in-One enclosure	Maryland Čt. 48'F
("the battery").	Solar 10.2kw
<ul> <li>If so, simply allow the process to proceed before making any other changes.</li> </ul>	Home Usage 1.1kw ESS I 83% 5.4kw 3.7kw

### Home 8 Commissiong Quick Guide ThinQ App



#### **Specifications**

Nominal Voltage (L-N/L-L)	120/240V Split Phase
Grid Frequency (Nominal)	60 Hz
Rated AC Power (Discharging)	7.5 kVA <sup>1)</sup>
Rated AC Power (Charging)	5.4 kVA <sup>1)</sup>
Total Capactiy	15.8 kWh
Usable Capacity	14.4 kWh <sup>2)</sup>
Round Trip Efficiency	> 90 % <sup>3) 4)</sup>
CEC Efficiency (PCS only)	98%
Overvoltage Category	Category IV
Interface	LED Display

1) Adjustable, limited by the battery pack output capability such as charging/discharging power derating by the atmosphere temperature.

2) Usable energy may be limited for enhancing the battery lifespan and system stability. The capacity may decrease as the battery ages.

3) Verified according to LG Electronics conditions.

4) AC to battery to AC with 4.32 kW charging and 2.88kW discharging power at 25°C (77°F) at the beginning of life.



LG Electronics ESS Tech Support Tel.: (844) 926-6829 Or by email: lghome8support@lge.com

LG Electronics USA, Inc. 111 Sylvan Avenue North Building Englewood Cliffs, NJ 07632 USA LG Customer Information Center

1-888-865-3026

Register your product online!

https://www.lg.com/us/ess