









Ratings (as of August 2018)  Survey Results						Test	Results			
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)
92	LG DLEX7600WE	8	8	8	8	8	7.3	45	27	30
92	LG DLEX7700VE <b>©</b> Recommended	8	8	<u> </u>	8	8	9	45	29	32
92	LG DLEX3570W <b>©</b> Recommended	8	8	8	8	<b>6</b>	7.3	39	27	31
92	LG DLEY1901WE	8	8	<u>^</u>	<u> </u>	8	7.3	40	27	30
91	LG DLEX9000V Recommended	8	8	8	<u>^</u>	8	9	41	29	33
91	LG DLE3170W <b>©</b> Recommended	8	8	8	8	8	7.4	39	27	30
90	LG DLE7200WE <b>③</b> Best Buy	8	8	8	<u> </u>	8	7.3	44	27	30
89	LG DLEX3370W <b>⊘</b> Recommended	8	8	8	8	<u> </u>	7.4	39	27	30
89	Maytag MEDB955FW <b>⊘</b> Recommended	•	<u> </u>	8	<b>•</b>	8	9.2	44	29	33
88	LG DLEX8100W	8	8	<b>•</b>	<b>^</b>	<b>•</b>	9	41	29	32
88	LG DLEX5000W	8	8	<b>•</b>	<u> </u>	8	7.4	39	27	32
87	Kenmore Elite 61632 <b>⊘</b> Recommended	0	0	8	•	8	9.2	44	29	33
87	Maytag MED8200FW <b>⊘</b> Recommended	•	<u>^</u>	8	8	8	7.4	39	27	31
87	Maytag MEDB835DW <b>⊘</b> Recommended	•	<b>^</b>	<u> </u>	<u>^</u>	8	8.8	43	29	33
87	Whirlpool WED92HEFW <b>⊘</b> Recommended	•		8	<u>^</u>	8	7.4	39	27	31
87	<b>Whirlpool</b> WED90HEFW <b>⊘</b> Recommended	٥	0	8	<b>•</b>	8	7.4	39	27	31
87	<b>Whirlpool</b> WED85HEFW <b>©</b> Recommended	٥	1	8	<u> </u>	<b>^</b>	7.4	39	27	31
86	LG DLE1501W	8	8	<u> </u>	•	•	7.3	40	27	29
86	Kenmore Elite 61552	0		8	8	8	7.3	45	27	30
86	Kenmore 81382	0	1	8	8	<b>^</b>	7.3	39	27	31











Ratir (as of Augu	<b>ngs</b> sst 2018)	Survey	Results	Ratings and Test Results								
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)		
86	Samsung DV42H5000EW	0	0	8	8	8	7.5	39	27	32		
86	Samsung DV42H5200EW	1	0	8	8	8	7.5	39	27	32		
85	Maytag MED5500FW	0	0	<u> </u>	8	8	7.4	39	27	31		
85	Maytag MED3500FW	0	٥	<u> </u>	8	8	7.4	39	27	31		
85	LG DLEX4370W	8	8	<u> </u>	<b>•</b>	0	7.4	39	27	31		
85	<b>LG</b> Signature DLEX9500K	8	8	0	<b>^</b>	0	9	41	29	33		
84	Kenmore 81392	0	1	8	٥	8	7.3	39	27	30		
84	Kenmore Elite 81582	0	0	8	8	<u>^</u>	7.4	39	27	31		
84	LG DLEX5005K	8	8	<u>^</u>	8	<u>^</u>	7.4	39	27	32		
83	Kenmore 81182	1	0	8	٥	٥	7.3	39	27	30		
83	Whirlpool WED8500DW	0	0	8	<b>^</b>	٥	8.8	43	29	32		
83	Whirlpool WED8000DW	0	0	8	٥	٥	8.8	43	29	32		
83	Whirlpool WED8510FW	0	0	8	٥	٥	8.8	43	29	32		
83	Kenmore Elite 81782	N/A	N/A	0	8	8	7.4	39	27	30		
83	Samsung DV50K7500EW	0	1	8	8	۵	7.5	39	27	33		
82	Kenmore 69132 <sup>1</sup>	0	1	8	<u>^</u>	<u>^</u>	8.8	43	29	32		
82	Kenmore 681321	0	0	8	<u>^</u>	<u>^</u>	8.8	43	29	32		
81	Whirlpool WED7000DW	0	0	<u>^</u>	8	<u>^</u>	7	41	29	28		
81	Whirlpool WED7500GW	٥	0	<u>^</u>	<u>^</u>	<u>^</u>	7.4	40	27	30		
81	Maytag MEDB755DW	٥	٥	<b>•</b>	8	<b>•</b>	7	41	29	28		
81	Whirlpool WED8700EC	٥	0	<u>^</u>	<u>^</u>	8	8.8	43	29	33		











Rati (as of Aug	•	Survey Results			Ratings and Test Results					
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)
80	Samsung DV45K6500EW	0		<b>(</b>	<u> </u>	<u> </u>	7.5	39	27	32
80	Samsung DVE50M7450W	0		8	•	•	7.4	45	27	30
80	Kenmore 67132	0	1	<u>^</u>	8	•	7	41	29	28
80	Kenmore 66132	0		<u>^</u>	8	<b>•</b>	7	41	29	28
80	Whirlpool WED75HEFW	<b>•</b>	0	<u>^</u>	•	<b>•</b>	7.4	39	27	30
80	Whirlpool WED7590FW	<b>•</b>	0	<u>^</u>	•	<u> </u>	7.4	39	27	30
79	Samsung DVE54M8750V	0	1	<u>^</u>	<b>•</b>	<u> </u>	7.4	43	27	31
79	Samsung DVE52M8650W	0		<b>(</b>	<b>•</b>	<u> </u>	7.4	43	27	31
79	Electrolux EFME427UIW¹	N/A	N/A	<b>(3)</b>	<u> </u>	<u> </u>	8	38	27	32
79	<b>GE</b> GFD48ESSKWW	0	<b>•</b>	<b>&amp;</b>	<b>•</b>	8	8.3	40	28	34
79	<b>GE</b> GFD49ERSKWW	0	<b>&gt;</b>	<b>&amp;</b>	<b>•</b>	8	8.3	40	28	34
79	Kenmore Elite 81982	N/A	N/A	<b>^</b>	<b>•</b>	<u> </u>	9	41	29	32
78	Maytag MEDX655DW	<b>•</b>	3	<b>(3)</b>	<b>^</b>	0	7	43	30	27
78	Samsung DVE45M5500W	0		8	<u> </u>	<u>^</u>	7.4	39	27	32
77	Samsung FlexDry DVE60M9900V	0		<b>(3)</b>	<b>•</b>	<u> </u>	7.4	39	27	32
77	Samsung FlexDry DVE55M9600W	0	0	<u> </u>	<u>^</u>	<u>^</u>	7.5	47	27	32
77	Kenmore Elite 61433	0	1	<u>^</u>	<u> </u>	<u> </u>	7.3	41	27	30
76	Speed Queen ADEE9RGS175TW01	8	8	0	<u> </u>	<u> </u>	7	43	27	28
76	Fisher & Paykel AeroCare DE7027J1	8	0	8	8	<u> </u>	7	43	27	30
76	Samsung DV40J3000EW	0	0	8	<u>^</u>	1	7.2	44	27	30
76	Fisher & Paykel AeroCare DE7027P2	8	1	8	8	<u>^</u>	7	43	27	30











Ratir (as of Augus		Survey	Results	Ratings and Test Results						
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)
76	Fisher & Paykel AeroCare DE7027G1	8	0	8	8	<u>^</u>	7	43	27	28
75	Whirlpool WED5000DW	•	0	<b>^</b>	<u>^</u>	0	7	43	29	27
74	Whirlpool WED49STBW	•	0	<u></u>	<b>^</b>	0	7	43	29	29
74	<b>GE</b> GTD65EBSJWS	0	<b>O</b>	<b>•</b>	8	0	7.4	44	27	31
74	Kenmore 62342	0	1	<b>^</b>	<b>^</b>	0	7	43	29	27
<b>73</b>	Electrolux EFME417SIW	•		<b>•</b>	<b>•</b>	<u>^</u>	8	38	27	32
<b>73</b>	Maytag MEDC465HW	•	<u>^</u>	<u> </u>	<b>^</b>	•	7	43	29	28
<b>72</b>	Samsung DVE45N5300V	1	1	<u> </u>	<b>^</b>	0	7.5	39	27	32
<b>72</b>	<b>GE</b> GFD45ESSMWW <sup>1</sup>	1	•	<u></u>	8	0	7.5	40	27	33
<b>72</b>	<b>GE</b> GFD43ESSMWW	0	<b>©</b>	<u>^</u>	8	0	7.5	40	27	33
<b>72</b>	<b>GE</b> GFD45ESPMDG	0	<b>O</b>	<b>•</b>	8	0	7.5	40	27	33
70	Electrolux EFDE317TIW	•	1	<b>^</b>	0	<u>^</u>	8	38	27	31
70	Electrolux EFME617SIW	•	1	<b>^</b>	<u>^</u>	<u>^</u>	8	38	27	32
70	Electrolux EFME517SIW	•	1	<b>^</b>	<u>^</u>	<u>^</u>	8	38	27	32
69	Frigidaire FFRE4120SW	1	•	<u>^</u>	<u>^</u>	0	6.7	43	27	29
68	Kenmore 62332	1	1	<u></u>	<u>^</u>	1	7	44	29	27
66	Kenmore 65132	1	0	<u>^</u>	<u>^</u>	<b>O</b>	7	43	29	28
64	Maytag MEDC215EW	•	<u> </u>	0	<u>^</u>	1	7	43	29	28
63	<b>GE</b> GTD45EASJWS	1	•	<b>•</b>	<u>^</u>	1	7.2	43	27	30
61	Kenmore 60222	1	1	<u>^</u>	1	•	6.5	44	29	28
60	Whirlpool WED4815EW	•	1	0	0	<u> </u>	7	43	29	28











Ratings (as of August 2018)		Survey Results		Ratings and Test Results									
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)			
59	<b>Kenmore</b> 81122	0		1	<u>^</u>	•	7	36	27	31			
<b>57</b>	<b>GE</b> GTD33EASKWW	0	•	1	1	<u> </u>	7.2	44	27	30			
56	<b>GE</b> GTD42EASJWW	1	<b>&gt;</b>	1		<b>•</b>	7.2	44	27	30			
54	<b>Whirlpool</b> WED4950HW	<u> </u>	0	1	<u> </u>	•	7	43	29	29			
54	<b>Whirlpool</b> WED4850HW	<u>•</u>		1	<u>^</u>	•	7	43	29	29			
54	Whirlpool WED4985EW	<u>•</u>			<u>^</u>	•	5.9	43	29	26			
54	Amana NED4655EW	<u>•</u>	<b>&gt;</b>	1		0	6.5	43	29	28			
<b>51</b>	Hotpoint HTX24EASKWS	8	<b>•</b>	0	0	<u> </u>	6.2	43	27	27			
47	LG WM3997HWA	8	8	8	1	<u> </u>	4.3	39	27	32			
41	Kenmore Elite 41002	1	1	8	1	<b>•</b>	4.5	39	27	32			

<sup>1</sup>Energy star dryer

**Predicted reliability** Predicted reliability icons are based on estimated breakage rates for newly purchased clothes dryers, not under service contract, within the first five years of ownership.

**Owner satisfaction** Owner satisfaction icons are based on a proportion of members who are extremely likely to recommend their clothes dryer to their friends and family.

**Drying performance** This score combines performance on three types of laundry loads of different sizes and fabric mixes: A 12-lb. load, predominantly cotton, representing a family's large weekly load; an 8-lb load of cotton/polyester blend clothing; and a 3-lb. load of synthetic delicates, women's pajamas, nightgowns, bras and underwear.

**Convenience** For this measurement, we judged controls and

ergonomics, such as ease of loading and unloading, servicing the lint filter, whether the door could clear a tall basket, and whether the machine has a raised edge to contain spills.

**Noise** This score was determined by a panel of judges who listened while machines dried an 8-pound load, measuring both sound quality and volume.

Claimed capacity Capacity as claimed by the manufacturer.

Height The exterior height of the dryer, rounded up to the nearest inch.

Width The exterior width of the dyrer, rounded up to the nearest inch.

Depth The exterior depth of the dryer, rounded up to the nearest inch.

The measurement is performed with the door closed. Be sure to allow a few extra inches of clearance in the rear for the vent duct if needed.