

### Front-load washers









(	

Ratir (as of Augus		Sur Res	vey ults	Test Results											
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Washing performance	Energy Efficiency	Water Efficiency	Gentleness	Noise	Vibration	Claimed capacity (cu. ft.)	Cycle time (min.)	Height (in.)	Width (in.)	Depth (in.)	
86	LG WM9000HVA¹ <b>©</b> Recommended	8	۵	8	8	8	<b>^</b>	۵	8	5.2	105	41	29	35	
85	LG WM5000HWA <b>©</b> Recommended	8	<b>^</b>	8	8	8	<b>^</b>	0	<b>^</b>	4.5	105	39	27	33	
85	<b>LG</b> ¹ Signature WM9500HKA <b>©</b> Recommended	8	<b>^</b>	8	8	8	8	8	<b>^</b>	5.8	120	41	30	34	
85	LG WM5005HKA <b>©</b> Recommended	8	<b>^</b>	<b>^</b>	8	8	<b>^</b>	<u>^</u>	<b>^</b>	4.5	75	39	27	33	
84	LG WM4370HWA <b>©</b> Recommended	8	۵	۵	8	8	8	۵	0	4.5	75	39	27	31	
84	LG WM3997HWA <b>©</b> Recommended	8	٥	8	8	8	8	۵	۵	4.3	100	39	27	32	
84	LG WM3670HWA Best Buy	8	<b>^</b>	<b>^</b>	8	8	8	٥	<u>^</u>	4.5	90	39	27	31	
84	LG WM3270CW <b>©</b> Recommended	8	<b>^</b>	<b>^</b>	8	8	8	0	<b>•</b>	4.5	90	39	27	31	
84	Maytag MHW8200FW <b>©</b> Recommended	<b>•</b>	٥	8	8	8	<u>•</u>	•	•	4.5	70	39	27	34	
84	Maytag MHW5500FW <b>⊘</b> Recommended	•	<b>^</b>	8	8	8	<u>•</u>	•	•	4.5	70	39	27	34	
83	<b>LG</b> WM3770HWA <b>ூ</b> Best Buy	8	٥	<b>•</b>	8	8	<u> </u>	•	•	4.5	75	39	27	31	
83	Samsung WF50K7500AW ☑Recommended	•	<b>^</b>	8	8	8	8	<u>^</u>	<u>•</u>	5	100	39	27	35	
83	Samsung FlexWash WV60M9900AV ●Recommended	•	٥	8	8	8	8	0	8	5	100	47	27	34	
83	Samsung WF45K6500AW	<b>^</b>	<b>•</b>	8	8	8	8	•	•	4.5	100	39	27	35	
83	Electrolux EFLS627UTT <b>©</b> Recommended	N/A	N/A	8	٥	8	•	0	•	4.4	85	39	27	32	
82	<b>Maytag</b> MHW3505FW	•	<b>^</b>	8	8	8	0	0	8	4.3	85	39	27	33	
82	LG WM8100HWA	8	<b>•</b>	<b>•</b>	<b>•</b>	8	<b>•</b>	<b>•</b>	<b>•</b>	5.2	95	41	29	32	
82	Kenmore Elite 41982¹	<u> </u>	0	8	8	8	<b>•</b>	<b>•</b>	8	5.2	105	41	29	35	
81	Electrolux EFLS527UIW	N/A	N/A	8	<b>^</b>	8	<b>^</b>	<b>^</b>	<b>^</b>	4.3	85	39	27	32	
81	Kenmore Elite 41072	0	0	8	8	<u>^</u>	<b>^</b>	<b>•</b>	<b>a</b>	5.2	95	41	29	33	

### Front-load washers











Ratir (as of Augu	<b>ngs</b> sst 2018)	vey ults	Test Results											
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Washing performance	Energy Efficiency	Water Efficiency	Gentleness	Noise	Vibration	Claimed capacity (cu. ft.)	Cycle time (min.)	Height (in.)	Width (in.)	Depth (in.)
81	Kenmore Elite 41962	•	0	8	8	<b>^</b>	•	<u>•</u>	<u>•</u>	5.2	95	41	29	33
81	Samsung WF42H5200AW	•	•	8	<u>^</u>	8	•	<u>^</u>	<u>^</u>	4.2	100	39	27	35
81	Samsung WF42H5000AW	•	٥	8	8	8	•	<u>^</u>	0	4.2	80	39	27	33
80	Kenmore Elite 41002	•	0	8	8	8	8	<u>^</u>	<u>^</u>	4.5	100	39	27	32
80	Kenmore Elite 41682	•	0	<b>^</b>	8	8	<b>•</b>	<b>^</b>	<b>^</b>	4.5	75	39	27	30
79	Kenmore Elite 41262	•	0	۵	8	8	8	<u> </u>	<u>^</u>	4.5	90	39	27	31
79	Kenmore Elite 41782	N/A	N/A	<u>^</u>	8	8	0	<b>^</b>	<b>^</b>	4.5	75	40	27	31
79	Samsung FlexWash WV55M9600AW	•	<b>^</b>	<u>^</u>	<b>^</b>	<b>•</b>	0	<b>^</b>	8	5.5	95	47	27	34
79	Samsung WF45M5500AW	•	<b>^</b>	<b>^</b>	8	8	<b>•</b>	<u>^</u>	<u>^</u>	4.5	90	39	27	35
79	Whirlpool WFW75HEFW	0	0	8	8	8	<b>•</b>	0	<u>^</u>	4.5	95	39	27	34
78	Kenmore 41932	•	0	<b>^</b>	8	8	•	<u>•</u>	<u>•</u>	4.5	90	40	27	31
<b>78</b>	Kenmore 41302	•	0	<b>^</b>	8	8	•	<b>^</b>	<b>^</b>	4.5	90	40	27	31
77	Whirlpool WFW92HEFW	0	0	8	<b>^</b>	8	•	1	1	4.5	95	39	27	33
77	Whirlpool WFW85HEFW	1	0	<b>^</b>	<b>^</b>	8	<b>•</b>	<b>^</b>	<u>•</u>	4.5	75	39	27	34
77	Whirlpool WFW8540FW (Lowe's)	0	0	<u>^</u>	<b>^</b>	8	•	<b>^</b>	<b>^</b>	4.5	75	39	27	34
77	Kenmore 41382	•	0	<b>•</b>	8	8	8	<b>•</b>	<u>•</u>	4.3	110	40	27	31
76	Samsung WF45N5300AV	•	<b>^</b>	<b>^</b>	<u>^</u>	8	<b>^</b>	<b>^</b>	<b>^</b>	4.5	95	39	27	35
76	Whirlpool WFW7590FW	0	0	<u>^</u>	<u>^</u>	8	۵	0	٥	4.2	70	39	27	31
74	Electrolux EFLS517SIW	•	0	8	<b>^</b>	<b>^</b>	•	<b>^</b>	1	4.3	80	38	27	32
74	Electrolux EFLS617SIW	•	0	8	<u>^</u>	<u>^</u>	•	<u>^</u>	1	4.4	85	38	27	31
71	Kenmore 41122	<u> </u>	0	0	8	8	<b>^</b>	0	0	3.7	60	36	27	31

#### Front-load washers









	Ratings (as of August 2018)  Survey Results					Tost Posults											
		Predicted reliability	Owner satisfaction	Washing performance	Energy Efficiency	Water Efficiency	Gentleness	Noise	Vibration	Claimed capacity (cu. ft.)	Cycle time (min.)	Height (in.)	Width (in.)	Depth (in.)			
67	Electrolux EFLW427UIW	N/A	N/A	۵	0	0	•	0	۵	4.3	90	39	27	32			
63	<b>GE</b> GFW450SSMWW	•	•	٥	۵	8	0	0	0	4.5	105	40	27	34			
63	<b>GE</b> GFW450SPMDG	•	•	٥	۵	8	0	0	0	4.5	105	40	27	34			
63	<b>GE</b> GFW430SSMWW	•	•	٥	۵	8	0	0	0	4.5	105	40	27	34			
62	<b>GE</b> GFW480SSKWW	•	•	0	8	8	۵	۵	٥	4.9	90	40	28	34			
62	<b>GE</b> GFW490RSKWW	•	•	0	8	8	۵	۵	٥	4.9	90	40	28	34			
53	Electrolux EFLW417SIW	0	0	8	0	۵	8	٥	0	4.3	75	39	27	32			
<b>53</b>	Electrolux EFLW317TIW	<b>^</b>	0	<b>•</b>	<u> </u>	<b>^</b>	8	•	0	4.3	80	39	27	31			

¹This washer is several inches wider and deeper than most other washers.

**Predicted reliability** Predicted reliability icons are based on estimated breakage rates for newly purchased washing machines, not under service contract, within the first five years of ownership.

**Owner satisfaction** Owner satisfaction icons are based on a proportion of members who are extremely likely to recommend their clothes dryer to their friends and family.

**Washing performance** This reflects the degree of color change to swatches of fabric that were included in an 8-pound test load of mixed cotton items using the machines' most aggressive normal cycle. (We do not use special cycle or option buttons.)

**Energy efficiency** This score is based on the energy needed to heat the water for 8-pound loads using a warm wash and cold rinse. We consider both gas and electric water heaters, and include electricity needed to run the washer and energy needed for drying. Washers that extract more water are scored higher.

**Water efficiency** This score denotes how much water it took to wash our 8-pound load. On models that didn't set the fill level automatically,

we used the lowest fill setting that sufficed for the 8-pound load. We than calculated water used per pound of clothing.

**Gentleness** Models that earned lower scores for gentleness are more likely to treat your clothes roughly, causing wear and tear.

**Noise** Noise is the users' judgment of the annoyance of a model's sound.

**Vibration** Reflects usage on a suspended wooden floor.

Claimed capacity Capacity as claimed by the manufacturer.

**Cycle time** Our measurements of the time, rounded to the nearest five minutes, to complete the most aggresive normal cycle with our 8 lb. load. (We do not use special cycle or option option buttons.

Height The exterior height of the dryer, rounded up to the nearest inch. Width The exterior width of the dyrer, rounded up to the nearest inch. Depth The exterior depth of the dryer, rounded up to the nearest inch. The measurement is performed with the door closed. Be sure to allow a few extra inches of clearance in the rear for the vent duct if needed.



# **Top-load HE washers**











Ratir (as of Augus		1	vey ults	Test Results											
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Washing performance	Energy Efficiency	Water Efficiency	Gentleness	Noise	Vibration	Claimed capacity (cu. ft.)	Cycle time (min.)	Height (in.)	Width (in.)	Depth (in.)	
79	LG WT7600HWA <b>©</b> Recommended	8	<b>^</b>	<b>^</b>	<b>^</b>	8	0	0	8	5.2	75	45	27	29	
78	LG WT7500CW	8	<b>^</b>	<b>^</b>	<b>^</b>	8	0	<b>^</b>	8	5.2	80	45	27	29	
76	LG WT7700HVA <b>©</b> Recommended	8	<b>^</b>	<b>^</b>	<b>^</b>	8	0	<b>^</b>	8	5.7	75	46	29	31	
76	LG WT7200CW  ●Recommended	8	۵	<b>^</b>	۵	8	•	٥	8	5	80	45	27	29	
76	LG WT1901CK	8	<b>^</b>	<u>^</u>	8	8	•	<b>^</b>	8	5	75	41	27	29	
75	LG WT1150CW  Best Buy	8	<b>^</b>	<b>^</b>	<b>^</b>	8	0	0	8	4.5	75	41	27	29	
<b>75</b>	Kenmore Elite 31552  Recommended	<b>a</b>	0	<b>^</b>	<b>^</b>	8	0	<b>^</b>	8	5.2	75	45	27	29	
74	LG WT1501CW Best Buy	8	٥	<u>^</u>	٥	۵	•	٥	8	4.5	80	41	27	29	
71	LG WT901CW	8	<u>^</u>	1	<u>^</u>	8	<u>^</u>	<u>^</u>	8	3.3	50	40	25	27	
<b>71</b>	Kenmore Elite 31433	•	0	<b>•</b>	8	8	0	0	8	5	75	42	27	29	
71	Whirlpool WTW8700EC	•	0	<b>^</b>	<b>^</b>	8	0	8	8	5.3	80	43	27	28	
70	Kenmore 28132	•	1	<u>•</u>	<b>•</b>	<u>•</u>	0	<b>•</b>	8	5.3	60	43	27	28	
70	<b>GE</b> GTW810SSJWS	<b>•</b>	•	<b>•</b>	8	8	0	0	8	5.1	70	45	28	30	
70	Kenmore 26132	<u>^</u>	0	<u>^</u>	<u>^</u>	<u>^</u>	1	<u>^</u>	8	4.8	60	41	27	28	
70	Kenmore 27132	•	0	•	<b>^</b>	•	0	•	8	4.8	60	41	27	28	
70	Whirlpool WTW8500DW	0	0	<b>^</b>	<b>^</b>	<b>^</b>	<b>^</b>	۵	8	5.3	80	43	28	28	
70	Kenmore 29132	0	0	<b>^</b>	<u>^</u>	۵	0	۵	8	5.3	65	43	27	28	
70	<b>Maytag</b> MVWB835DW	0	0	<b>^</b>	<u>^</u>	<b>^</b>	0	۵	8	5.3	70	43	27	28	
68	Samsung ActiveWash WA54M8750AV	0	•	۵	۵	8	0	٥	8	5.4	75	43	27	29	
68	Whirlpool WTW8000DW	<b>^</b>	0	<u>^</u>	<u>^</u>	<u>^</u>	0	<u> </u>	8	5.3	75	43	27	29	

# Top-load HE washers











Ratio			vey	Tost Bosulfs										
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Washing performance	Energy Efficiency	Water Efficiency	Gentleness	Noise	Vibration	Claimed capacity (cu. ft.)	Cycle time (min.)	Height (in.)	Width (in.)	Depth (in.)
68	Whirlpool WTW8040DW (Lowe's)	٥	0	٥	۵	۵	1	٥	8	5.3	75	43	27	29
68	Samsung WA50M7450AW	0	•	۵	٥	8	0	<b>^</b>	8	5	70	46	27	29
68	Maytag MVWB955	٥	0	0	٥	٥	•	<b>^</b>	8	6.2	70	44	29	30
68	Samsung ActiveWash WA52M7750AW	0	•	۵	٥	8	•	•	8	5.2	75	46	27	29
68	Whirlpool WTW7500GW	٥	0	0	۵	8	1	0	8	4.8	70	41	27	28
67	Kenmore Elite 31632	۵	0	0	۵	0	1	۵	8	6.2	70	44	30	30
67	Samsung ActiveWash WA52M8650AW	0	•	<u>^</u>	<b>^</b>	8	1	0	8	5.2	70	43	27	29
66	Whirlpool WTW7040DW (Lowe's)	۵	0	0	۵	۵	1	۵	8	4.8	75	41	27	28
66	Whirlpool WTW7000DW	<b>^</b>	0	0	<b>^</b>	۵	1	۵	8	4.8	75	41	27	28
65	Samsung WA45M7050AW	0	•	0	<b>^</b>	8	1	1	8	45	75	44	27	29
64	Maytag MVWX655DW	٥	0	0	0	0	8	•	8	4.3	60	44	27	28
63	<b>GE</b> GTW680BSJWS	٥	•	0	٥	٥	0	0	8	4.6	60	44	27	27
61	<b>GE</b> GTW750CSLWS	٥	•	0	٥	0	0	•	8	5	60	46	27	27
60	Whirlpool WTW5000DW	<u>^</u>	0	0	0	0	•	•	8	4.3	55	42	27	28
60	Kenmore 25132	<u>^</u>	0	0	0	0	1	1	8	4.3	55	44	27	28
<b>57</b>	Whirlpool WTW4950HW	<b>^</b>	0	0	0	0	1	•	8	3.9	45	44	27	27
<b>57</b>	Whirlpool WTW4850HW	٥	0	0	0	0	0	•	8	3.9	45	44	27	27
48	Fisher & Paykel Aqua Smart WL4027P1	8	0	0	٥	٥	٥	٥	8	4	60	42	27	28
48	Fisher & Paykel Aqua Smart WL4027G1	8	0	0	٥	٥	٥	٥	8	4	60	42	27	28
46	Samsung WA40J3000AW	0	•	•	0	8	<u>^</u>	<u>^</u>	8	4	60	45	27	29

**Predicted reliability** Predicted reliability icons are based on estimated breakage rates for newly purchased washing machines, not under service contract, within the first five years of ownership.

**Owner satisfaction** Owner satisfaction icons are based on a proportion of members who are extremely likely to recommend their clothes dryer to their friends and family.

**Washing performance** This reflects the degree of color change to swatches of fabric that were included in an 8-pound test load of mixed cotton items using the machines' most aggressive normal cycle. (We do not use special cycle or option buttons.)

**Energy efficiency** This score is based on the energy needed to heat the water for 8-pound loads using a warm wash and cold rinse. We consider both gas and electric water heaters, and include electricity needed to run the washer and energy needed for drying. Washers that extract more water are scored higher.

**Water efficiency** This score denotes how much water it took to wash our 8-pound load. On models that didn't set the fill level automatically,

we used the lowest fill setting that sufficed for the 8-pound load. We than calculated water used per pound of clothing.

**Gentleness** Models that earned lower scores for gentleness are more likely to treat your clothes roughly, causing wear and tear.

**Noise** Noise is the users' judgment of the annoyance of a model's sound.

Vibration Reflects usage on a suspended wooden floor.

Claimed capacity Capacity as claimed by the manufacturer.

**Cycle time** Our measurements of the time, rounded to the nearest five minutes, to complete the most aggresive normal cycle with our 8 lb. load. (We do not use special cycle or option option buttons.

Height The exterior height of the dryer, rounded up to the nearest inch.
Width The exterior width of the dyrer, rounded up to the nearest inch.
Depth The exterior depth of the dryer, rounded up to the nearest inch.
The measurement is performed with the door closed. Be sure to allow a few extra inches of clearance in the rear for the vent duct if needed.